



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Other observations made by the representative of the Bureau of Chemistry on the recent case in Seattle are of interest to persons engaged in the study of the distribution of spores of *B. botulinus* in nature. These relate to spore-bearing soil and endemic foci.

The beans in this case were grown on a farm at Yelms, Wash., where, about a year previously, six hogs became sick, presenting symptoms resembling botulism poisoning. Two died. The hogs were not fed on garbage and were kept in the open. The ground had not been cultivated.

It is possible that this ranch is an endemic focus of botulinus infection, and the Bureau of Chemistry has secured samples of the soil and of the hog dung for bacteriological examination.

THE NOTIFIABLE DISEASES.

PREVALENCE DURING 1919 IN CITIES OF 10,000 TO 100,000.

ANTHRAX, CEREBROSPINAL MENINGITIS, DIPHTHERIA, INFLUENZA, MALARIA, MEASLES, PELLAGRA, PNEUMONIA (ALL FORMS), POLIOMYELITIS (INFANTILE PARALYSIS), RABIES IN ANIMALS, RABIES IN MAN, SCARLET FEVER, SMALLPOX, TUBERCULOSIS (ALL FORMS AND PULMONARY), AND TYPHOID FEVER—CASES REPORTED, CASE RATES, DEATHS REGISTERED, DEATH RATES, FATALITY RATES, AND AVERAGE NUMBER OF CASES REPORTED DURING PRECEDING YEARS.

The tables shown on the following pages were compiled from data furnished by the health officers of cities. Requests for information were sent to all cities of the United States having 10,000 population or more. The data for cities having more than 100,000 population were published in the Public Health Reports, volume 35, No. 51, December 17, 1920. Similar data for States were published in the Public Health Reports, volume 36, No. 8, February 25, 1921.

The present article contains reports from cities having between 10,000 and 100,000 population which responded to the request for information. It is believed that practically all cities are included which have records of morbidity from communicable diseases which are of value for statistical purposes.

The populations given and which were used in computing the rates were estimated as of July 1, 1919, from the preliminary reports of the census of January 1, 1920, and the reports of the census of April 15, 1910. The figures given probably differ somewhat from estimates which will be made later, which will be based on the final reports of the 1920 census and will take into consideration changes in area of the cities between 1910 and 1920, data for which are not now available. The differences, however, will probably not be such as to seriously affect the rates given in the tables.

The columns under "Averages" show the number of years for which data were available and the average number of cases reported during those years. Where information was obtainable the averages were computed by adding together the number of cases reported during

the five years 1914 to 1918, inclusive, and dividing the sum by five. For many cities, however, the figures for the full five years were not available, and for these cities the averages were computed for as many years as possible, but no data for years earlier than 1914 are included in the tables.

The epidemic of poliomyelitis in 1916 affected many cities, and where the increase in the number of cases of this disease during that year was sufficient to considerably raise the average, the year was not included in the computation of the average.

In comparing the figures for 1919 with the averages for preceding years, it should be borne in mind that there has been a gradual improvement in the reporting of communicable diseases during the last few years. An increase in the number of cases reported may be due to better reporting of the particular disease rather than to an increase in the number of cases existing.

In studying these tables it should be kept in mind that a relatively large number of reported cases of a communicable disease as indicated by a high case rate (and more especially when accompanied by a relatively small number of deaths, as indicated by a low fatality rate) usually means that the health department of that city is active and that the cases of the disease are being well reported by the practicing physicians. It does not usually mean that the disease is more prevalent in that city than in other cities. A high fatality rate may mean that the disease was unusually virulent in a city, that the physicians did not treat the disease in that city with the success usual elsewhere, or that the practicing physicians did not report all of their cases to the health department. On the other hand, an unusually low fatality rate may be due to the fact that the disease in the city was unusually mild, that the physicians treated it with unusual success, that the practicing physicians reported their cases satisfactorily, or that the registration of deaths was incomplete, or the assignment of the causes of death inaccurate.

Cities in which no cases of a certain disease were reported are not included in the table for that disease.

Reported Prevalence, 1919—Averages for Previous Years.

ANTHRAX

City.	1919		City.	1919	
	Cases reported.	Deaths registered.		Cases reported.	Deaths registered.
Allentown, Pa.	1	Gloversville, N. Y.	1
Bakersfield, Calif.	1	Jacksonville, Ill.	1
Benton Harbor, Mich.	1	1	Oklahoma City, Okla.	1
Binghamton, N. Y.	1	1	Peabody, Mass.	2	2
Chelsea, Mass.	2	Sacramento, Calif.	3	1
Concord, N. H.	1	Salem, Mass.	3
Denison, Tex.	1	Somerville, Mass.	1
East Orange, N. J.	1	Williamsport, Pa.	1
Flint, Mich.	1	Woburn, Mass.	2

**Reported Prevalence, 1919—Averages for Previous Years—Continued,
CEREBROSPINAL MENINGITIS.**

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported	Cases reported	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Aberdeen, Wash.	15,251					2	0.13	
Alexandria, Va.	17,919					2	.11	
Allentown, Pa.	72,390	1	1	1		1	.01	
Alliance, Ohio.	21,267	1	3	2		2	.09	
Alton, Ill.	24,314	3	3	1	0.04			
Altoona, Pa.	59,908	2	3	1	.02			
Anaconda, Mont.	11,589	1	6			1	.09	
Anderson, S. C.	10,523	1	1	1		1	.10	
Appleton, Wis.	19,417	2	1	1		1	.05	
Arlington, Mass.	18,280	2	2	2	.11	1	.05	50.0
Asbury Park, N. J.	12,284	2	0	1		1	.08	
Ashland, Ky.	14,418					3	.21	
Ashland, Wis.	11,947	2	6	12	1.06	3	.26	25.0
Ashtabula, Ohio.	21,885	3	2			1	.05	
Attleboro, Mass.	19,550	2	1	1		1	.05	
Auburn, Me.	16,886					4	.24	
Augusta, Ga.	51,955	1	1	4	.08	2	.04	50.0
Bakersfield, Calif.	18,334	2	(1)	3	.16	1	.05	33.3
Baton Rouge, La.	21,427	4	1	1		1	.05	
Battle Creek, Mich.	35,603	4	3	1		1	.03	
Bay City, Mich.	47,431	3	4			7	.15	
Bayonne, N. J.	75,652	4	3	3	.04			
Beacon, N. Y.	10,977	1	3	4	.36	2	.18	50.0
Belair, Ohio.	14,952	2	2			7	.47	
Belleville, N. J.	15,333	2	3			1	.07	
Beloit, Wis.	29,967	2	0			2	.10	
Bohlehem, Pa.	48,426	1	2	1	.02			
Binghamton, N. Y.	65,855	3	5			1	.02	
Bloomfield, N. J.	21,661	3	2	2	.09			
Bluefield, W. Va.	15,071	2	2	4	.23			
Braddock, Pa.	20,801	1	0	6		6	.20	
Bridgeton, N. J.	14,317	1	1	1		1	.07	
Brockton, Mass.	65,661	4	2	3	.05	2	.03	66.7
Brunswick, Ga.	14,195	2	1	2	.14	1	.07	50.0
Butte, Mont.	41,485	2	1			4	.10	
Cambridge, Ohio.	13,012	2	1	1	.08	0		
Cape Girardeau, Mo.	10,160	1	8			2	.20	
Carlisle, Pa.	10,884			2	.18			
Cedar Rapids, Iowa.	44,809	3	1	1	.02			
Centralia, Ill.	12,346	1	2	1	.08			
Charleston, W. Va.	38,752	1	2	1	.03			
Charlotte, N. C.	45,703	1	23	3	.07	1	.02	33.3
Chattanooga, Tenn.	57,210	1	1			7	.12	
Chelsea, Mass.	42,631	5	5			7	.16	
Cicero, Ill.	43,427	2	2			2	.05	
Clinton, Mass.	12,989	2	3	1	.08			
Cohoes, N. Y.	22,898	1	1	1		1	.04	
Colorado Springs, Colo.	30,052	2	(1)	2	.07			
Columbia, S. C.	35,947			4	.11	1	.03	25.0
Columbus, Ga.	30,581	1	1	6		6	.20	
Connellsville, Pa.	13,755	2	2			1	.07	
Covington, Ky.	56,923	2	(1)	1		1	.02	
Cumberland, Md.	23,425	3	2			6	.20	
Dover, N. H.	13,619	5	(1)			1	.08	
Dubois, Pa.	13,627	3	3	1	.07			
Dubuque, Iowa.	39,108	2	9			3	.08	
Duluth, Minn.	97,864	5	8	2	.02			
Duquesne, Pa.	18,842			2	.11			
Durham, N. C.	21,540	2	4			5	.23	
East Chicago, Ind.	35,093	4	2			10	.28	
East Cleveland, Ohio.	26,359	1	0	0		2	.08	
East Orange, N. J.	49,869	3	3	3	.06	2	.04	66.7
East St. Louis, Ill.	66,318	1	3			8	.12	

¹ Average less than 1.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

CEREBROSPINAL MENINGITIS—Continued.

City.	Esti- mated popu- lation July 1, 1919.	Average.		1919				
		Num- ber of years in- cluded.	Cases re- ported	Cases re- ported	Cases per 1,000 inhab- itants.	Deaths regis- tered.	Deaths per 1,000 inhab- itants.	Fatali- ties per 100 cases.
Eau Claire, Wis.	20,748	3	4	1		1	0.05	
Elgin, Ill.	27,378			3	0.11	1	.04	33.3
Elizabeth, N. J.	94,535	4	13			2	.02	
Elmira, N. Y.	44,886	3	2			8	.18	
El Paso, Tex.	75,572	3	10			1	.01	
Elwood, Ind.	10,802	2	1			3	.28	
Elyria, Ohio.	20,183	1	2			6	.30	
Englewood, N. J.	11,539	1	6	1		1	.09	
Enid, Okla.	16,433			1		1	.06	
Erie, Pa.	61,989	3	3	1		1	.01	
Eugene, Oreg.	10,511	2	0			1	.10	
Evanston, Ill.	36,585	1	2	1	.03	0		
Everett, Mass.	38,778	5	1	4	.10	2	.05	50.0
Flint, Mich.	88,867	2	2			8	.09	
Fond du Lac, Wis.	23,189	3	1			2	.09	
Fort Scott, Kans.	10,681	2	1	3	.28	2	.19	66.7
Fort Wayne, Ind.	85,384	3	5	2	.02			
Framingham, Mass.	16,823	2	0	3	.18	1	.06	33.3
Galveston, Tex.	43,850	3	5			5	.11	
Gardner, Mass.	16,554	4	1	3		3	.18	
Geneva, N. Y.	14,535					1	.07	
Granite City, Ill.	14,507	3	4	2		2	.14	
Great Falls, Mont.	23,597	2	2	1		1	.04	
Greenville, S. C.	22,747	2	10	3	.13			
Hammond, Ind.	35,527	2	1			1	.03	
Haverhill, Mass.	73,381	4	2	4		4	.07	
Hibbing, Minn.	14,767			2	.14	1	.07	50.0
Highland Park, Mich.	44,316	2	4	3	.07	2	.05	66.7
Hoboken, N. J.	68,277	2	4			22	.32	
Holland, Mich.	12,080	2	1	1		1	.08	
Holyoke, Mass.	60,076	2	2	3	.05	2	.03	66.7
Huntington, Ind.	13,828	1	0	1		1	.07	
Huntington, W. Va.	49,198	1	5			3	.06	
Ironwood, Mich.	15,589	4	2	4		4	.26	
Jackson, Mich.	47,562	3	(1)			5	.11	
Jacksonville, Fla.	89,814	1	26	11	.12	5	.06	45.5
Jamestown, N. Y.	38,725	2	2	3		3	.08	
Jefferson City, Mo.	14,288			3		3	.21	
Joliet, Ill.	38,211	1	4	4	.10			
Joplin, Mo.	29,969	1	2			4	.13	
Kalamazoo, Mich.	48,373	3	2	5	.10	2	.04	40.0
Kewanee, Ill.	15,680	2	2			2	.13	
Knoxville, Tenn.	75,682	1	0	12		12	.16	
Lackawanna, N. Y.	17,744	2	25			1	.03	
Lancaster, Ohio.	14,623					4	.27	
Lancaster, Pa.	52,845	3	(1)			1	.02	
Lansing, Mich.	95,983					6	.11	
Lawrence, Mass.	93,839	5	7	8	.09	0		
Leavenworth, Kans.	17,038	4	2	3		3	.18	
Lebanon, Pa.	24,365	3	2	2		2	.08	
Leominster, Mass.	19,633	3	1	3	.15			
Lexington, Ky.	41,203	5	2	1		1	.02	
Lincoln, Neb.	54,339	3	4	2	.04	1	.02	50.0
Little Falls, N. Y.	12,390	2	(1)			3	.23	
Little Rock, Ark.	64,016	1	52	6	.09	2	.03	33.3
Long Beach, Calif.	53,647	2	2	2	.04	1	.02	50.0
Long Branch, N. J.	13,510					1	.07	
McKeesport, Pa.	45,803	3	3			1	.02	
Madison, Wis.	37,715	1	1	2		2	.05	

1 Average less than 1.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

CEREBROSPINAL MENINGITIS—Continued.

City.	Esti- mated popu- lation, July 1, 1919.	Average.		1919				
		Num- ber of years in- cluded.	Cases re- ported	Cases re- ported	Cases per 1,000 inhab- itants.	Deaths regis- tered.	Deaths per 1,000 inhab- itants.	Fatali- ties per 100 cases.
Malden, Mass.	48,861	4	4	2	0.04	0		
Manchester, Conn.	18,125	1	11			1	0.06	
Manchester, N. H.	77,955	5	8	1		1	.01	
Manitowoc, Wis.	17,329	3	1	1		1	.06	
Mansfield, Ohio	27,461	5	2			2	.07	
Marion, Ind.	23,521	2	3			4	.17	
Mason City, Iowa	19,610	1	1	1	.05	0		
Medford, Mass.	38,220	2	3	1	.03			
Melrose, Mass.	18,078	1	0	1	.06	0		
Methuen, Mass.	14,996	1	0	1	.07			
Middletown, N. Y.	18,260	2	1			3	.16	
Middletown, Ohio	23,056	3	3			1	.04	
Milford, Mass.	13,450	2	2			4	.30	
Missoula, Mont.	12,678			2		2	.16	
Mobile, Ala.	59,707	4	3	4		4	.07	
Moline, Ill.	30,374	2	1	6		6	.20	
Monessen, Pa.	17,819			2	.11	1	.06	50.0
Montclair, N. J.	28,438	2	2	3	.11			
Montgomery, Ala.	43,190	2	10	2		2	.05	
Mount Vernon, N. Y.	42,118	3	1	1		1	.02	
Muskegon, Mich.	35,926	2	2			2	.06	
Nashua, N. H.	28,257					1	.04	
New Albany, Ind.	22,870	1	1	1	.04	0		
Newark, Ohio	26,650					4	.15	
New Britain, Conn.	58,523	3	12			5	.09	
New Brunswick, N. J.	32,295	2	2	6	.19			
Newburgh, N. Y.	30,234	4	1			2	.07	
Newburyport, Mass.	15,584	1	3	3	.19			
New Castle, Ind.	14,200	1	0	1		1	.07	
New London, Conn.	28,377	2	1	3		3	.12	
Newport, Ky.	20,368	4	4	4		4	.14	
New Rochelle, N. Y.	35,835	1	0	2	.06			
Newton, Mass.	45,732	5	1	2	.04	1	.02	50.0
Niagara Falls, N. Y.	49,714	2	5			1	.02	
Norristown, Pa.	32,090	2	3	2		2	.06	
North Adams, Mass.	22,268	2	(¹)	1		1	.04	
North Tonawanda, N. Y.	15,300	2	0	1		1	.07	
Norwalk, Conn.	27,093			2	.07	0		
Oak Park, Ill.	38,780	1	1			5	.13	
Ogden, Utah.	32,432	2	4	5	.15	3	.09	60.0
Oklahoma City, Okla.	89,865	4	2	4		4	.04	
Orange, N. J.	33,081	2	4	2		2	.06	
Pasadena, Calif.	44,578	2	1	3	.07	2	.04	65.7
Passaic, N. J.	63,358	5	3			5	.08	
Pawtucket, R. I.	63,598	3	4	2	.03	1	.02	50.0
Peabody, Mass.	19,355	3	4	2	.10	1	.05	50.0
Peoria, Ill.	75,649	3	7	3	.04			
Perth Amboy, N. J.	41,213	1	2			4	.10	
Petersburg, Va.	30,648	2	5			3	.10	
Pine Bluff, Ark.	19,065	1	4	2	.10			
Piqua, Ohio	14,950	2	1			3	.20	
Pittsburg, Kans.	17,822					7	.39	
Pittsfield, Mass.	41,255	4	7			5	.12	
Pittston, Pa.	18,382	1	4	1		1	.05	
Pocatello, Idaho	14,698	1	3			6	.41	
Pontiac, Mich.	33,256	2	3	5		5	.15	
Port Chester, N. Y.	16,379	3	1			3	.18	
Port Huron, Mich.	28,579					6	.23	
Portland, Me.	68,721	2	(¹)	2		2	.03	
Portsmouth, Ohio	32,523	2	2	1		1	.03	

¹ Average less than 1.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

CEREBROSPINAL MENINGITIS—Continued.

City.	Esti- mated popula- tion July 1, 1919.	Average.		1919					
		Number of years in- cluded.	Cases re- ported	Cases re- ported	Cases per 1,000 inhab- itants.	Deaths regis- tered.	Deaths per 1,000 inhab- itants.	Fatali- ties per 100 cases.	
Portsmouth, Va.	53,295	2	4	3		3	0.06		
Poughkeepsie, N. Y.	34,636	1	1	2	0.06	1	.03	50.0	
Quincy, Ill.	36,009	3	2	1	.03	0			
Quincy, Mass.	47,091	2	2	6		6	.13		
Rahway, N. J.	10,954	1	1	1		1	.09		
Reno, Nev.	11,957	1	0	1		1	.08		
Richmond, Ind.	26,536	1	6			2	.08		
Riverside, Calif.	19,128					5	.26		
Roanoke, Va.	50,020	1	0			5	.10		
Rockford, Ill.	64,608	2	5	1		1	.02		
Rock Island, Ill.	34,619	2	1			5	.14		
Rocky Mount, N. C.	12,503	2	0	1		1	.08		
Rome, N. Y.	26,040	5	(¹)			1	.04		
Sacramento, Calif.	64,767	4	(¹)	2	.03	1	.02	50.0	
St. Joseph, Mo.	77,911	2	5	1		1	.01		
Salem, Mass.	42,589	5	3	3	.07	2	.05	66.7	
Salem, Oreg.	17,494	1	0			1	.06		
Salina, Kans.	14,807	1	2			2	.14		
San Bernardino, Calif.	18,415	3	3			2	.11		
San Diego, Calif.	72,875	3	20	2	.03	1	.01	50.0	
Sandusky, Ohio.	22,747					1	.04		
Santa Cruz, Calif.	10,929	1	1			1	.09		
Saratoga Springs, N. Y.	13,203	3	1			1	.08		
Savannah, Ga.	82,315			3		3	.04		
Schenectady, N. Y.	87,901	5	6	5	.06	4	.05	80.0	
Sheboygan, Wis.	30,720	2	(¹)	2		2	.07		
Shenandoah, Pa.	24,780	1	3	1	.04				
Sioux Falls, S. Dak.	24,605	2	1	11	.45	1	.04	9.1	
Somerville, Mass.	92,274	5	3	5	.05	3	.03	60.0	
South Bend, Ind.	70,092	2	2			1	.01		
Southbridge, Mass.	14,160	4	(¹)	1	.07				
Spartanburg, S. C.	22,374	2	1	2		2	.05		
Springfield, Ill.	58,703	2	10	1		1	.02		
Springfield, Mo.	39,403					4	.10		
Staunton, Va.	10,622			1		1	.09		
Steubenville, Ohio.	28,193	4	3			6	.21		
Sunbury, Pa.	15,621	2	(¹)	1		1	.06		
Superior, Wis.	39,663	2	5			1	.03		
Tacoma, Wash.	96,284	3	3	7	.07	4	.04	57.1	
Tamagua, Pa.	12,214			1		1	.08		
Temple, Tex.	11,031		1	1		1	.09		
Topeka, Kans.	49,693	1	1	6	.12	4	.08	66.7	
Troy, N. Y.	72,260	4	6	3		3	.04		
Tucson, Ariz.	19,926	1	0			5	.25		
Tyler, Tex.	11,993	1	0	1	.08	0			
Utica, N. Y.	93,140	4	3	4		4	.04		
Waco, Tex.	37,878	1	3	1		1	.03		
Waltham, Mass.	30,756	2	2	1		1	.03		
Warren, Ohio.	26,228	3	3	3	.11	2	.08	66.7	
Waterbury, Conn.	90,469	3	7	10	.11				
Watertown, Mass.	21,015	4	(¹)	1		1	.05		
Watervliet, N. Y.	16,022					1	.03		
Webster, Mass.	13,168			2		2	.15		
Westfield, Mass.	18,472	3	1			1	.05		
West Hoboken, N. J.	39,928	5	2	1	.03				
West New York, N. J.	29,083	4	(¹)	2	.07	1	.03	50.0	
Wheeling, W. Va.	52,969	5	3			6	.11		
White Plains, N. Y.	20,823	3	(¹)	1	.05				
Wichita, Kans.	71,115	3	4	1	.01				
Wilkinsburg, Pa.	24,121	1	1	1		1	.04		
Williamsport, Pa.	35,975	1	1	4		4	.11		
Wilmington, N. C.	32,979	2	2	2		2	.06		
Winston-Salem, N. C.	47,072	3	6			2	.04		
Winthrop, Mass.	15,181	5	(¹)	1		1	.07		
Woburn, Mass.	16,509	5	0	1		1	.03		
York, Pa.	47,370	1	0	3	.06				

¹ Average less than 1.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

DIPHTHERIA.

City.	Estimated population July 1, 1919.	Average.		1919.				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Aberdeen, Wash.	15,251	3	1	3	0.20	1	0.07	33.3
Adams, Mass.	12,970	3	14	31	2.39	2	.15	6.5
Adrian, Mich.	11,821	4	8	6	.51			
Alameda, Calif.	28,527	5	36	92	3.23	3	.11	3.3
Alexandria, Va.	17,919	2	3	21	1.17	2	.11	9.5
Allentown, Pa.	72,390	1	368	206	2.85	10	.14	4.9
Alliance, Ohio.	21,267	2	15			1	.05	
Alton, Ill.	24,314	5	55	32	1.32			
Altoona, Pa.	59,908	4	225	361	6.03	16	.27	4.4
Amarillo, Tex.	15,209	1	3	2	.13	0		
Anaconda, Mont.	11,589	2	4	6	.52			
Anderson, Ind.	29,391	4	65	12	.41	1	.03	8.3
Anderson, S. C.	10,523	1	6	10	.95	0		
Ann Arbor, Mich.	19,274	5	54	49	2.54	2	.10	4.1
Appleton, Wis.	19,417	3	10	16	.82	1	.05	6.2
Arlington, Mass.	13,280	3	24	30	1.64	0		
Asbury Park, N. J.	12,284	5	7	26	2.12	5	.41	19.2
Asheville, N. C.	28,002	5	30	10	.36	2	.07	20.0
Ashland, Ky.	14,418	1	31	33	2.29	2	.14	6.1
Ashland, Wis.	11,347	2	10	16	1.41	0		
Ashtabula, Ohio.	21,885	4	39	24	1.10	3	.14	12.5
Astoria, Oreg.	13,799	2	6	7	.51	4	.29	57.1
Attleboro, Mass.	19,550	2	27	57	2.92	1	.05	1.8
Auburn, Me.	16,886	1	15	8	.47	0		
Auburn, N. Y.	36,114	4	43	55	1.52	4	.11	7.3
Augusta, Ga.	51,955	3	55	39	.75	2	.04	5.1
Aurora, Ill.	36,058	5	56	31	.86	4	.11	12.9
Bakersfield, Calif.	18,334	4	28	8	.44	0		
Barberton, Ohio.	18,327	1	40	39	2.13	4	.22	10.3
Baton Rouge, La.	21,427	2	22	22	1.06	0		
Battle Creek, Mich.	35,603	5	106	287	8.06	18	.51	6.3
Bay City, Mich.	47,431	4	84	115	2.43	6	.13	5.2
Bayonne, N. J.	75,662	4	124	305	4.03			
Beaumont, Tex.	39,403	2	21	5	.13			
Bellaire, Ohio.	14,952	2	23	18	1.20	1	.07	5.6
Belleville, N. J.	15,363	2	38	34	2.21			
Bellingham, Wash.	25,504	3	3	38	1.49	4	.16	10.5
Beloit, Wis.	20,967	5	52	26	1.24	1	.05	3.8
Benton Harbor, Mich.	12,073	2	8	8	.66	4	.33	50.0
Berkeley, Calif.	55,090	5	45	52	.94	2	.04	3.8
Berlin, N. H.	15,881	5	12	10	.63	0		
Bethlehem, Pa.	48,426	3	52	107	2.21			
Beverly, Mass.	22,360	4	31	14	.63	1	.04	7.1
Billings, Mont.	14,839	5	4	10	.67			
Bloomfield, N. J.	21,661	3	40	34	1.57	5	.23	14.7
Bloomington, Ind.	11,453	2	11	28	2.44	1	.09	3.6
Bluefield, W. Va.	15,071	2	21	40	2.65			
Braddock, Pa.	20,801	3	71	75	3.61	4	.19	5.3
Bridgeton, N. J.	14,317	2	30	45	3.14	4	.28	8.9
Bristol, Conn.	20,253	2	11	84	4.15	6	.30	7.1
Brockton, Mass.	65,661	4	125	115	1.75	7	.11	6.1
Brookline, Mass.	37,235	5	47	41	1.10			
Brunswick, Ga.	14,195	4	8	3	.21	2	.14	68.7
Burlington, Iowa.	24,071	5	7			1	.04	
Burlington, Vt.	22,660	3	54	16	.71	0		
Butler, Pa.	23,621	4	90	107	4.53			
Butte, Mont.	41,485	3	50	48	1.16	3	.07	6.2
Cairo, Ill.	15,169	5	16	35	2.31	2	.13	5.7
Cambridge, Ohio.	13,012	3	13	27	2.08	2	.15	7.4

Reported Prevalence, 1919—Averages for Previous Years—Continued.

DIPHTHERIA—Continued.

City.	Estimated population July 1, 1919.	Average.		1919.				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Canton, Ohio.....	85,192	5	99	139	1.63	14	0.16	10.1
Cape Girardeau, Mo.....	10,160	1	18	30	1.62	1	.10
Carbondale, Pa.....	18,558	4	41	30	1.62	5	.27	16.7
Carlisle, Pa.....	10,884	4	12	21	1.93
Cedar Rapids, Iowa.....	44,909	5	69	63	1.40	1	.02	1.6
Central Falls, R. I.....	24,101	3	53	32	1.33	1	.04	3.1
Centralla, Ill.....	12,346	2	5	15	1.21	1	.08	6.7
Chambersburg, Pa.....	13,100	2	10	11	.84
Champaign, Ill.....	15,695	4	22	18	1.15
Charleroi, Pa.....	11,418	1	17	73	6.39	2	.18	2.7
Charleston, W. Va.....	38,752	2	77	117	3.02	2	.05	1.7
Charlotte, N. C.....	45,703	2	35	90	1.97	2	.04	2.2
Chattanooga, Tenn.....	57,210	1	70	39	.68	5	.09	12.8
Chelsea, Mass.....	42,631	5	95	59	1.38	5	.12	8.5
Cheyenne, Wyo.....	13,700	2	61	9	.66
Chicopee, Mass.....	35,657	4	71	65	1.82	8	.22	12.3
Chillicothe, Ohio.....	15,763	5	38	56	3.55	2	.13	3.6
Cicero, Ill.....	43,427	3	62	154	3.55	17	.39	11.0
Clinton, Iowa.....	24,297	5	28	26	1.07	2	.08	7.7
Clinton, Mass.....	12,989	5	9	12	.92	3	.23	25.0
Coatesville, Pa.....	14,338	2	11	13	.91
Cohoes, N. Y.....	22,898	2	13	14	.61	1	.04	7.1
Colorado Springs, Colo.....	30,052	4	21	8	.27	1	.03	12.5
Columbia, S. C.....	36,947	1	31	73	1.98
Columbus, Ga.....	30,581	3	9	27	.88	1	.03	3.7
Concord, N. H.....	22,132	5	52	28	1.27
Connellsville, Pa.....	13,755	4	9	2	.15
Corning, N. Y.....	15,712	3	43	43	2.74	1	.06	2.3
Corpus Christi, Tex.....	10,404	1	11	6	.58	2	.19	33.3
Cortland, N. Y.....	13,202	4	10	4	.30	0
Coshooton, Ohio.....	10,783	2	16	5	.46
Council Bluffs, Iowa.....	35,808	4	23	89	2.49	5	.14	5.6
Covington, Ky.....	56,923	3	123	153	2.69	5	.09	3.3
Cranston, R. I.....	28,980	5	34	35	1.21	1	.03	2.9
Crawfordsville, Ind.....	10,099	1	0	21	2.08	1	.10	4.8
Cumberland, Md.....	29,425	5	50	51	1.73	1	.03	2.0
Danbury, Conn.....	19,075	3	16	25	1.31	2	.10	8.0
Danvers, Mass.....	11,020	1	11	42	3.81	0
Danville, Va.....	21,409	3	26	48	2.24	7	.33	14.6
Davenport, Iowa.....	56,021	5	67	80	1.43
Decatur, Ill.....	43,165	5	36	30	.70	6	.14	20.0
Denison, Tex.....	16,838	20	1.18	4	.24	20.0
Dickson City, Pa.....	10,961	1	81	51	4.65	1	.08
Dover, N. H.....	13,040	5	18	7	.54	1	.08	14.3
Dubois, Pa.....	13,627	4	46	51	3.74	3	.22	5.9
Dubuque, Iowa.....	39,108	3	40	84	2.15
Duluth, Minn.....	97,864	5	140	427	4.36	18	.18	4.2
Dunkirk, N. Y.....	19,227	4	16	33	1.72	4	.21	12.1
Duquesne, Pa.....	18,842	1	21	40	2.12
Durham, N. C.....	21,540	2	15	41	1.90	1	.05	2.4
East Chicago, Ind.....	35,098	4	37	114	3.25	9	.26	7.9
East Cleveland, Ohio.....	26,359	2	22	26	.99	1	.04	3.8
Easton, Pa.....	33,541	4	57	52	1.55	1	.03	1.9
East Orange, N. J.....	49,869	5	65	81	1.62	6	.12	7.4
East St. Louis, Ill.....	66,318	2	170	3	.05
Eau Claire, Wis.....	20,748	5	33	20	.96
Elgin, Ill.....	27,378	5	19	19	.69	1	.04	5.3
Elizabeth, N. J.....	94,535	5	298	214	2.26	9	.10	4.2
Elkhart, Ind.....	24,020	28	1.17	1	.04	3.6
Elmira, N. Y.....	44,886	3	67	45	1.00	6	.13	13.3

Reported Prevalence, 1919—Averages for Previous Years—Continued.

DIPHTHERIA—Continued.

City.	Estimated population July 1, 1919.	Average.		1919.				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Elwood, Ind.	10,802	2	8	7	0.65			
Elyria, Ohio	20,183	4	38	28	1.39	5	0.25	17.9
Enfield, Conn.	11,616	2	12	10	.86	2	.17	20.0
Englewood, N. J.	11,533	2	13	19	1.65			
Enid, Okla.	16,433			9	.55	2	.12	22.2
Erie, Pa.	91,989	5	168	326	3.54	14	.15	4.3
Eugene, Oreg.	10,511	2	0	3	.29	1	.10	33.3
Eureka, Calif.	12,867	4	1	5	.39	1	.08	20.0
Evanston, Ill.	36,585	5	45	20	.55	2	.05	10.0
Everett, Mass.	33,778	5	116	248	6.23	31	.78	12.5
Everett, Wash.	27,498	4	8	8	.29	1	.04	12.5
Fairmont, W. Va.	17,432	2	12	75	4.30			
Findlay, Ohio	16,910	4	27	17	1.01	2	.12	11.8
Flint, Mich.	88,867	2	201	385	4.33	30	.34	7.8
Fond du Lac, Wis.	23,189	5	9	3	.13	1	.04	33.3
Fort Dodge, Iowa.	19,151			36	1.88	2	.10	5.6
Fort Scott, Kans.	10,681	3	14	2	.19	0		
Fort Wayne, Ind.	85,384	5	128	109	1.28	6	.07	5.5
Framingham, Mass.	16,823	3	21	13	.77	0		
Frankfort Ind.	11,433	1	3	9	.79			
Freeport, Ill.	19,561	2	35	15	.77	3	.15	20.0
Fremont, Ohio.	12,338	2	7	12	.97	1	.08	8.3
Galesburg, Ill.	23,744	3	29	19	.80	1	.04	5.3
Galveston, Tex.	43,880	3	55	42	.96	1	.02	2.4
Gardner, Mass.	16,854	4	126	18	1.07	1	.06	5.6
Geneva, N. Y.	14,535			26	1.79	2	.14	7.7
Glens Falls, N. Y.	16,566	2	25	27	1.63	1	.06	3.7
Gloversville, N. Y.	22,001	4	41	10	.45	0		
Grand Island, Nebr.	13,773	3	5	13	.94			
Granite City, Ill.	14,507	3	38	104	7.17	2	.14	1.9
Great Falls, Mont.	23,597	3	20	26	1.10	7	.30	26.9
Green Bay, Wis.	30,719	3	21	41	1.33	3	.10	7.3
Greenfield, Mass.	15,203	4	10	58	3.82	1	.07	1.7
Greenville, S. C.	22,747	5	14	21	.92			
Greenville, Tex.	12,202			60	4.92	4	.33	6.7
Greenwich, Conn.	21,831	5	26	24	1.10	3	.14	12.5
Hackensack, N. J.	17,431	4	20	22	1.26			
Hamilton, Ohio.	39,449	5	28	48	1.22	3	.08	6.2
Hammond, Ind.	35,227	5	41	70	1.99	11	.31	15.7
Harrisburg, Pa.	75,313	5	147	80	1.06	7	.09	8.7
Harrison, N. J.	15,658	4	25	26	1.66	1	.06	3.8
Haverhill, Mass.	53,331	5	136	151	2.83	14	.26	9.3
Hazleton, Pa.	31,925	4	81	48	1.50	8	.25	16.7
Henderson, Ky.	12,132	3	13			1	.08	
Hibbing, Minn.	14,767	1	10	41	2.78	1	.07	2.4
Highland Park, Mich.	44,316	2	118	435	9.82	12	.27	2.8
Hoboken, N. J.	68,277	3	162	201	2.94	18	.23	9.0
Holland, Mich.	12,080	2	11	60	4.97	0		
Holyoke, Mass.	60,076	5	105	52	.87	13	.22	25.0
Homestead, Pa.	20,362	5	34	49	2.41	5	.25	10.2
Hot Springs, Ark.	11,836	1	14	10	.84			
Huntington, Ind.	13,808	4	5	4	.29	1	.07	25.0
Huntington, W. Va.	49,198	1	4	193	3.62	4	.08	2.1
Ironwood, Mich.	15,589	5	24	12	.77	2	.13	16.7
Ithaca, N. Y.	16,891	5	4	2	.12	0		
Jackson, Mich.	47,502	4	102	112	2.36	15	.32	13.4
Jacksonville, Fla.	89,814	4	78	53	.59	2	.02	3.8
Jamestown, N. Y.	38,525	3	72	155	4.02	1	.03	.6
Johnstown, N. Y.	10,834	4	8	5	.46	0		

Reported Prevalence, 1919—Averages for Previous Years—Continued.

DIPHTHERIA—Continued.

City.	Estimated population July 1, 1919.	Average.		1919.				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Joliet, Ill.	38,244	1	193	40	1.05	—	—	—
Joplin, Mo.	29,969	2	5	18	.60	2	0.07	11.1
Kalamazoo, Mich.	48,373	5	60	115	2.38	8	.17	7.0
Kearny, N. J.	26,309	5	48	53	2.01	3	.11	5.7
Kenosha, Wis.	39,488	4	105	53	1.34	5	.13	9.4
Kewanee, Ill.	15,080	2	8	—	—	1	.06	—
Kingston, N. Y.	20,648	4	33	126	4.73	7	.26	5.6
Knoxville, Tenn.	75,682	2	40	110	1.45	19	.25	17.3
Kokomo, Ind.	29,395	4	52	15	.51	0	—	—
Lackawanna, N. Y.	17,744	3	52	111	6.26	0	—	—
La Crosse, Wis.	30,366	5	84	61	2.01	5	.16	8.2
La Fayette, Ind.	22,362	5	16	14	.63	4	.18	28.6
Lakewood, Ohio.	40,365	3	25	42	1.04	5	.12	11.9
Lancaster, Ohio.	14,623	2	73	11	.75	1	.07	9.1
Lancaster, Pa.	52,845	5	85	154	2.91	15	.28	9.7
Lansing, Mich.	55,983	2	92	115	2.05	4	.07	3.5
La Salle, Ill.	12,972	4	45	4	.31	0	—	—
Lawrence, Kans.	12,452	1	4	29	2.33	1	.08	—
Lawrence, Mass.	93,839	5	224	131	1.40	19	.20	14.5
Leavenworth, Kans.	17,038	5	58	115	6.75	2	.12	1.7
Lebanon, Pa.	24,365	3	50	13	.53	—	—	—
Leominster, Mass.	19,633	4	88	8	.41	1	.05	12.5
Lexington, Ky.	41,203	5	79	41	1.00	1	.02	2.4
Lima, Ohio.	40,750	3	73	140	3.44	9	.22	6.4
Lincoln, Nebr.	54,369	5	101	61	1.12	6	.11	9.8
Little Falls, N. Y.	12,990	5	24	23	1.77	2	.15	8.7
Little Rock, Ark.	64,016	3	62	72	1.12	3	.05	4.2
Logansport, Ind.	21,493	5	7	5	.23	1	.05	20.0
Long Beach, Calif.	53,647	5	17	15	.28	—	—	—
Long Branch, N. J.	13,510	5	30	14	1.04	1	.07	7.1
Lorain, Ohio.	36,862	5	71	37	1.00	2	.05	5.4
Lynchburg, Va.	29,932	4	36	23	.77	2	.07	8.7
McAlester, Okla.	12,139	3	10	11	.91	2	.16	18.2
McKeesport, Pa.	45,806	5	132	46	1.00	5	.11	10.9
Macon, Ga.	52,360	2	80	135	2.58	6	.11	4.4
Madison, Wis.	37,716	5	41	17	.45	0	—	—
Malden, Mass.	48,861	5	196	71	1.45	9	.18	12.7
Manchester, Conn.	18,126	1	13	8	.44	—	—	—
Manchester, N. H.	77,955	5	84	175	2.24	13	.17	7.4
Manitowoc, Wis.	17,329	4	19	9	.52	0	—	—
Mankato, Minn.	12,361	3	3	11	.89	—	—	—
Mansfield, Ohio.	27,461	5	23	16	.58	—	—	—
Marinette, Wis.	13,662	5	12	10	.73	1	.07	10.0
Marion, Ind.	23,521	5	49	73	3.10	6	.26	8.2
Marlboro, Mass.	15,005	3	24	21	1.40	0	—	—
Marquette, Mich.	12,655	4	3	12	.95	1	.08	8.3
Marshalltown, Iowa.	15,610	—	—	21	1.35	—	—	—
Martins Ferry, Ohio.	11,505	1	7	36	3.13	5	.43	13.9
Mason City, Iowa.	19,610	3	15	39	1.99	4	.20	10.3
Massillon, Ohio.	17,245	5	33	31	1.80	3	.17	9.7
Maywood, Ill.	11,884	2	22	18	1.52	0	—	—
Meadville, Pa.	14,476	2	5	10	.69	0	—	—
Medford, Mass.	38,220	5	57	58	1.52	2	.05	3.4
Melrose, Mass.	18,076	4	59	13	.72	3	.17	23.1
Methuen, Mass.	14,996	1	17	24	1.60	1	.07	4.2
Middletown, N. Y.	18,260	4	35	32	1.75	3	.16	9.4
Middletown, Ohio.	23,056	5	40	20	.87	1	.01	5.0
Milford, Mass.	13,450	3	13	36	2.68	0	—	—
Mishawaka, Ind.	15,025	4	19	9	.60	—	—	—
Missoula, Mont.	12,678	2	14	6	.47	0	—	—

Reported Prevalence, 1919—Averages for Previous Years—Continued.

DIPHTHERIA—Continued.

City.	Estimated population July 1, 1919.	Average.		1919.				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Mobile, Ala.....	59,707	5	37	97	1.62	6	0.10	6.2
Moline, Ill.....	30,374	4	42	57	1.88	3	.10	5.3
Monessen, Pa.....	17,849	3	83	150	8.40	14	.78	9.3
Montclair, N. J.....	28,436	5	26	21	.74			
Montgomery, Ala.....	43,190	3	42	45	1.04	7	.16	15.6
Morristown, N. J.....	12,546	5	18	13	1.04	4	.32	30.8
Mount Vernon, N. Y.....	42,118	5	60	78	1.85	2	.05	2.6
Muncie, Ind.....	35,879	4	28	35	.98	2	.06	5.7
Muscatine, Iowa.....	16,074	3	2	3	.19	0		
Muskegon, Mich.....	35,926	3	14	87	2.42	8	.22	9.2
Nanticoke, Pa.....	22,422	4	51	41	1.83			
Nashua, N. H.....	28,257	3	35	28	.99			
Natick, Mass.....	10,853	2	14	8	.74	0		
New Albany, Ind.....	22,870	4	21	12	.52	0		
Newark, Ohio.....	26,650	3	34	19	.71	5	.19	26.3
New Britain, Conn.....	58,523	4	85	127	2.17	14	.24	11.0
New Brunswick, N. J.....	32,295	4	42	57	1.76			
Newburgh, N. Y.....	30,234	4	44	34	1.12	4	.13	11.8
Newburyport, Mass.....	15,884	2	12	15	.96	1	.03	6.7
Newcastle, Ind.....	14,200	2	8	10	.70			
New Castle, Pa.....	44,492	5	74	44	.99	7	.16	15.9
New London, Conn.....	25,377	2	88	110	1.33	6	.24	5.5
Newport, Ky.....	29,368	5	36	28	.95	3	.10	10.7
Newport, R. I.....	30,095	5	126	21	.70	2	.07	9.5
New Rochelle, N. Y.....	35,835	4	45	39	1.09	1	.03	2.6
Newton, Mass.....	45,732	5	70	88	1.92	9	.20	10.2
Niagara Falls, N. Y.....	49,714	5	80	94	1.89	6	.12	6.4
Norristown, Pa.....	32,090	5	55	53	1.65	8	.25	15.1
North Adams, Mass.....	22,268	5	14	7	.31	2	.09	28.6
Northampton, Mass.....	21,821	5	18	38	1.74	5	.23	13.2
North Braddock, Pa.....	14,768	3	28	36	2.44	4	.27	11.1
Northbridge, Mass.....	10,104	1	9	4	.50	1	.10	25.0
North Little Rock, Ark.....	13,898	2	11			2	.14	
North Tonawanda, N. Y.....	15,300	5	25	6	.39	1	.07	16.7
Norwalk, Conn.....	27,093	2	39	11	.41	2	.07	18.2
Norwich, Conn.....	22,204	3	21	54	2.43	3	.14	5.6
Norwood, Ohio.....	24,514	5	23	14	.57	0		
Oak Park, Ill.....	38,780	4	46	75	1.88	2	.05	2.7
Ogden, Utah.....	32,432	4	32	71	2.19	8	.25	11.3
Oil City, Pa.....	20,985	3	23	47	2.24			
Oklahoma City, Okla.....	89,863	5	71	138	1.54	12	.13	8.7
Olean, N. Y.....	20,209	5	29	202	14.45	4	.20	1.4
Olyphant, Pa.....	10,147			39	3.84	3	.30	7.7
Orange, N. J.....	33,081	4	73	83	2.51	6	.18	7.2
Oshkosh, Wis.....	33,157	5	27	19	.57	5	.15	26.3
Ossining, N. Y.....	10,777	5	29	158	14.65	4	.37	2.5
Ottumwa, Iowa.....	22,952	2	8	32	2.09	1	.04	2.1
Owensboro, Ky.....	17,351	3	20	34	1.96			
Owosso, Mich.....	12,424	1	22	48	3.86	3	.24	6.2
Paducah, Ky.....	24,633	4	23	32	1.30	4	.16	12.5
Parkersburg, W. Va.....	19,936	3	55	56	2.81	4	.20	7.1
Pasadena, Calif.....	44,578	4	11	32	.72	3	.07	9.4
Passaic, N. J.....	63,358	5	157	174	2.75	12	.19	6.9
Pawtucket, R. I.....	63,598	5	108	81	1.27	10	.16	12.3
Peabody, Mass.....	19,355	4	19	27	1.39	1	.05	3.7
Peekskill, N. Y.....	15,836	5	36	32	2.35	0		
Pekin, Ill.....	11,973	2	45	21	2.00	2	.17	8.3
Peoria, Ill.....	75,649	3	128	253	3.34	16	.21	6.3
Perth Amboy, N. J.....	41,213	5	178	98	2.38	12	.29	12.2
Petersburg, Va.....	30,648	2	26	70	2.28	2	.07	2.8

¹ Year ended Nov. 30, 1919.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

DIPHTHERIA—Continued.

City.	Estimated population July 1, 1919.	Average.		1919.				
		Number of years in- cluded.	Cases re- ported.	Cases re- ported.	Cases per 1,000 inhab- itants.	Deaths regis- tered.	Deaths per 1,000 inhab- itants.	Fatal- ities per 100 cases.
Pine Bluff, Ark.....	19,065	1	16	22	1.15
Piqua, Ohio.....	14,959	5	12	13	.87	2	0.13	15.4
Pittsburg, Kans.....	17,882	25	1.40	0
Pittsfield, Mass.....	41,255	5	42	12	.29	2	.05	16.7
Pittston, Pa.....	18,382	4	21	21	1.14	3	.16	14.3
Plainfield, N. J.....	27,332	5	31	50	1.83	7	.26	14.0
Plattsburg, N. Y.....	10,921	3	22	60	5.49	4	.37	6.7
Plymouth, Pa.....	16,526	5	28	46	2.78	5	.30	10.9
Pomona, Calif.....	13,335	1	1	5	.37
Pontiac, Mich.....	33,256	3	60	344	10.34	13	.39	3.8
Port Chester, N. Y.....	16,379	3	18	54	3.30	5	.31	9.3
Port Huron, Mich.....	25,579	2	46	205	8.01	8	.31	3.9
Portland, Me.....	68,721	4	88	45	.65	5	.07	11.1
Portsmouth, N. H.....	13,451	3	12	24	1.73
Portsmouth, Ohio.....	32,520	2	51	67	2.06	4	.12	6.0
Portsmouth, Va.....	53,295	3	39	77	1.44	3	.06	3.9
Poughkeepsie, N. Y.....	34,636	3	33	145	4.19	10	.29	6.9
Quincy, Ill.....	36,009	5	46	27	.75	2	.05	7.4
Quincy, Mass.....	47,091	3	75	91	2.00	4	.08	4.3
Racine, Wis.....	57,533	3	38	21	.36	2	.03	9.5
Rahway, N. J.....	10,954	2	21	24	2.19	1	.09	4.2
Raleigh, N. C.....	24,150	2	21	51	2.11	2	.08	3.9
Richmond, Ind.....	28,536	2	53	168	7.46	8	.30	4.0
Riverside, Calif.....	19,128	2	7	29	1.52	5	.26	17.2
Roanoke, Va.....	50,020	4	149	90	1.80	3	.05	3.3
Rockford, Ill.....	64,698	5	67	131	2.03	7	.11	5.3
Rock Island, Ill.....	34,619	3	47	43	1.24	1	.03	2.3
Rocky Mount, N. C.....	12,500	2	8	79	6.32	2	.16	2.5
Rome, N. Y.....	26,016	5	21	65	2.50	4	.15	6.2
Sacramento, Calif.....	61,767	4	56	46	.71	2	.03	4.3
St. Joseph, Mo.....	77,911	3	182	159	2.01	17	.22	10.7
Salem, Mass.....	42,580	5	41	238	5.59	15	.35	6.3
Salem, Oreg.....	17,494	3	5	2	.11	0
Salina, Kans.....	14,897	1	6	7	.47
San Bernardino, Calif.....	18,415	4	7	25	1.36	1	.05	4.0
San Diego, Calif.....	72,875	5	132	82	1.13	6	.08	7.3
Sandusky, Ohio.....	22,747	5	13	15	.66	0
Sanford, Me.....	19,606	2	3	5	.28	1	.09	33.3
Santa Barbara, Calif.....	19,040	4	12	34	1.79	5	.26	14.7
Santa Cruz, Calif.....	19,929	3	2	2	.18
Saratoga Springs, N. Y.....	13,238	4	24	51	3.85
Saugus, Mass.....	10,728	52	4.85	3	.28	5.8
Sault Ste Marie, Mich.....	12,123	5	42	8	.66	2	.16	25.0
Savannah, Ga.....	82,315	1	163	158	1.92	10	.12	6.3
Schenectady, N. Y.....	87,904	5	129	92	1.05	5	.06	5.4
Sharon, Pa.....	21,413	2	36	17	.79
Sheboygan, Wis.....	39,720	2	21	25	.81	4	.13	16.0
Shenandoah, Pa.....	24,780	1	63	55	2.22
Sioux City, Iowa.....	70,022	2	39	68	.97
Sioux Falls, S. Dak.....	24,905	3	13	12	.49	1	.04	8.3
Somerville, Mass.....	92,274	5	244	205	2.22	9	.10	4.4
South Bend, Ind.....	70,092	2	49	45	.64	5	.07	11.1
Southbridge, Mass.....	14,160	5	31	8	.56
Spartanburg, S. C.....	22,374	3	24	42	1.88	3	.13	7.1
Springfield, Ill.....	58,796	3	178	75	1.28	4	.07	5.3
Springfield, Mo.....	39,403	1	8	4	.10
Springfield, Ohio.....	60,123	4	59	12	.20	1	.02	8.3
Staunton, Va.....	10,622	1	4	11	1.04
Steeltown, Pa.....	13,470	5	22	34	2.52	3	.22	8.8
Steuenville, Ohio.....	28,193	5	48	65	2.31	4	.11	6.2

Reported Prevalence, 1919—Averages for Previous Years—Continued.

DIPHTHERIA—Continued.

City.	Estimated population July 1, 1919.	Average.		1919.				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Sunbury, Pa.....	15,621	3	29	64	4.10	10	0.64	15.6
Superior, Wis.....	39,663	5	51	52	1.31	5	.13	9.6
Tacoma, Wash.....	96,284	4	68	221	2.29	9	.09	4.1
Tamaqua, Pa.....	12,214	2	50	48	3.93	2	.16	4.2
Tampa, Fla.....	50,558	4	118	99	1.96	3	.06	3.0
Taunton, Mass.....	36,989	5	30	39	1.05	0
Temple, Tex.....	11,031	1	1	5	.45	0
Terre Haute, Ind.....	65,675	2	76	44	.67	5	.08	11.4
Texarkana, Tex.....	11,393	2	7	17	1.49
Tiffin, Ohio.....	14,247	2	9	9	.63
Topeka, Kans.....	49,696	2	94	86	1.73	4	.08	5.0
Traverse City, Mich.....	10,983	1	5	4	.35	1	.09	25.0
Trinidad, Colo.....	10,870	4	4	8	.74
Troy, N. Y.....	72,260	4	102	164	2.27	13	.18	7.9
Tyler, Tex.....	11,998	1	4	57	4.75	6	.50	10.5
Uniontown, Pa.....	15,571	2	27	12	.77
Utica, N. Y.....	53,140	5	88	177	1.90	25	.27	14.1
Vancouver, Wash.....	12,465	2	5	85	6.82	3	.24	3.5
Waco, Tex.....	37,878	2	51	78	2.06	3	.08	3.8
Waltham, Mass.....	30,756	5	71	62	2.02	4	.13	6.5
Warren, Ohio.....	26,228	4	13	30	1.14	3	.11	10.0
Warren, Pa.....	11,062	5	20	22	1.56	0
Washington, Pa.....	21,341	4	23	66	3.09	7	.33	10.6
Waterbury, Conn.....	50,569	4	162	414	4.58	35	.39	8.5
Watertown, Mass.....	21,615	4	73	26	1.24	0
Watertown, N. Y.....	31,650	5	35	149	4.80	11	.35	7.4
Waterville, Me.....	13,254	1	8	8	.60	3	.23	37.5
Watervliet, N. Y.....	16,422	21	1.31	3	.19	14.3
Wausau, Wis.....	18,573	5	10	6	.32
Webster, Mass.....	13,168	5	27	26	1.97	3	.23	11.5
West Chester, Pa.....	11,720	5	11	48	4.10	4	.31	8.3
Westfield, Mass.....	18,472	5	23	132	7.15
West Hoboken, N. J.....	39,828	5	87	85	2.13	4	.10	4.7
West New York, N. J.....	29,083	4	61	74	2.54	7	.24	9.5
West Orange, N. J.....	15,336	4	59	90	5.87	4	.26	4.4
West Springfield, Mass.....	13,226	12	.91	1	.08	8.3
Wheeling, W. Va.....	23,669	5	76	71	1.32	4	.07	5.6
White Plains, N. Y.....	20,828	3	28	51	1.49	3	.14	9.7
Wichita, Kans.....	71,115	5	35	112	1.57	3	.04	2.7
Wilkinsburg, Pa.....	24,121	2	37	34	1.41	3	.12	8.8
Williamsport, Pa.....	35,975	2	132	67	1.86	4	.11	6.0
Willimantic, Conn.....	12,274	2	28	41	3.34	4	.33	9.8
Wilmington, N. C.....	32,979	4	36	42	1.27	2	.06	4.8
Winchester, Mass.....	10,424	2	5	4	.38
Winona, Minn.....	19,114	3	21	2	.10	1	.05	50.0
Winston-Salem, N. C.....	47,072	3	75	81	1.72	2	.04	2.5
Winthrop, Mass.....	15,181	5	16	16	1.05	1	.07	6.2
Woburn, Mass.....	16,509	5	32	17	1.03	3	.18	17.6
Yakima, Wash.....	18,309	4	21	10	.55	2	.11	20.0
York, Pa.....	47,370	3	84	196	4.11
Zanesville, Ohio.....	29,460	4	27	15	.51	1	.03	6.7

Reported Prevalence, 1919—Averages for Previous Years—Continued.

INFLUENZA.

City.	Estimated population July 1, 1919.	Cases reported.	Cases per 1,000 inhabit- ants.	Deaths regis- tered.	Deaths per 1,000 inhabit- ants.	Cases reported for each death reg- istered.
Aberdeen, Wash.	15,251			5	0.33	
Adams, Mass.	12,970	33	2.54	7	.54	4.7
Adrian, Mich.	11,821	27	2.28	1	.08	27.0
Alameda, Calif.	28,527	1,243	43.57	55	1.93	22.6
Alexandria, Va.	17,919			10	.56	
Allentown, Pa.	72,390	179	2.47	14	.19	12.8
Alliance, Ohio.	21,267			21	.99	
Altoona, Pa.	59,908			34	.57	
Amarillo, Tex.	15,209	128	8.42	7	.46	18.3
Anaconda, Mont.	11,589	43	3.71	1	.09	43.0
Anderson, Ind.	29,391	160	5.44	12	.41	13.3
Anderson, S. C.	10,523			20	1.90	
Ann Arbor, Mich.	19,274	624	32.38	117	6.07	5.3
Appleton, Wis.	19,417	452	23.28	22	1.13	20.5
Arlington, Mass.	18,280	174	9.52	4	.22	43.5
Asbury Park, N. J.	12,284	129	10.50	14	1.14	9.2
Asheville, N. C.	28,002	1,284	45.85	45	1.61	28.5
Ashland, Ky.	14,418			2	.14	
Ashland, Wis.	11,347	1,537	135.45	187	16.48	8.2
Ashtabula, Ohio.	21,885	155	7.08	17	.78	9.1
Astoria, Oreg.	13,799	163	11.81			
Attleboro, Mass.	19,550	427	21.84	13	.66	32.8
Auburn, Me.	16,886	9	.53	3	.18	3.0
Auburn, N. Y.	36,114	189	5.23	13	.36	14.5
Augusta, Ga.	51,955	3,700	71.22	112	2.16	33.0
Aurora, Ill.	36,053	268	7.43	2	.06	134.0
Bakersfield, Calif.	18,334	512	44.29	63	3.44	12.9
Barberton, Ohio.	18,327			13	.71	
Baton Rouge, La.	21,427	200	9.33	21	.98	9.5
Battle Creek, Mich.	35,603	119	3.34	6	.17	19.8
Bay City, Mich.	47,431	966	20.37	126	2.66	7.7
Bayonne, N. J.	75,662	359	4.74			
Beacon, N. Y.	10,977	12	1.09	4	.36	3.0
Beaumont, Tex.	39,403			30	.76	
Bellaire, Ohio.	14,952	108	7.22	33	2.21	3.3
Belleville, N. J.	15,363	200	13.02	1	.07	200.0
Bellingham, Wash.	25,504			29	1.14	
Beloit, Wis.	20,967	81	3.85	6	.29	13.5
Berkeley, Calif.	55,090	1,790	32.49	72	1.31	24.9
Berlin, N. H.	15,881	1	.06			
Beverly, Mass.	22,360	215	9.62	7	.31	30.7
Biddeford, Me.	17,960			4	.22	
Billings, Mont.	14,839	147	9.91			
Binghamton, N. Y.	65,835	836	13.00	22	.33	38.9
Bloomfield, N. J.	21,661	167	7.71	5	.23	33.4
Bloomington, Ind.	11,453	561	48.98	4	.35	140.2
Bluefield, W. Va.	15,071	646	42.87			
Bridgeton, N. J.	14,317	74	5.17	5	.35	14.8
Bristol, Conn.	20,253	129	6.37	6	.30	21.5
Brockton, Mass.	65,661	477	7.26	39	.59	12.2
Brookline, Mass.	37,235	450	12.09	24	.64	18.7
Brunswick, Ga.	14,195	222	15.64	19	1.34	11.7
Burlington, Iowa.	24,071			12	.50	
Burlington, Vt.	22,660	100	4.41	19	.84	5.3
Butler, Pa.	23,621	2	.08			
Butte, Mont.	41,485	290	6.90	23	.70	10.0
Cairo, Ill.	15,169	64	4.22	20	1.32	3.2
Cambridge, Ohio.	13,012	50	3.84	10	.77	5.0
Canton, Ohio.	85,192			141	1.66	
Cape Girardeau, Mo.	10,160			7	.69	
Carbondale, Pa.	18,553			5	.27	
Cedar Rapids, Iowa.	44,909			18	.40	
Centralia, Ill.	12,246	77	6.24			
Chambersburg, Pa.	13,190	1	.08			

Reported Prevalence, 1919—Averages for Previous Years—Continued.

INFLUENZA—Continued.

City.	Estimated population July 1, 1919.	Cases reported.	Cases per 1,000 inhabit- ants.	Deaths regis- tered.	Deaths per 1,000 inhabit- ants.	Cases reported for each death reg- istered.
Charleroi, Pa.	11,418			2	0.18	
Charleston, W. Va.	38,752	547	14.12	32	.83	17.1
Charlotte, N. C.	45,703	625	13.68	99	2.17	6.3
Chattanooga, Tenn.	57,210			59	1.03	
Chelsea, Mass.	42,631	502	11.78	49	1.15	10.2
Chicopee, Mass.	35,657	59	1.65			
Chillicothe, Ohio.	15,763	161	10.21	7	.44	23.0
Cicero, Ill.	43,427	273	6.29	17	.39	16.1
Clinton, Mass.	12,989	210	16.17	19	1.46	11.1
Cohoes, N. Y.	22,898	169	7.38	12	.52	14.1
Colorado Springs, Colo.	30,052	797	26.52	17	.57	46.9
Columbia, S. C.	36,947			27	.73	
Columbus, Ga.	30,581	711	23.25	13	.43	54.7
Concord, N. H.	22,132			7	.32	
Connellsville, Pa.	13,755			3	.22	
Corning, N. Y.	15,712	18	1.15	3	.19	6.0
Cortland, N. Y.	13,202	16	1.21	3	.23	5.3
Coshocton, Ohio.	10,783	187	17.34			
Council Bluffs, Iowa.	35,808			37	1.03	
Covington, Ky.	56,923			42	.74	
Cranston, R. I.	28,980			21	.83	
Crawfordsville, Ind.	10,099			2	.20	
Cumberland, Md.	29,425	252	8.56	10	.34	25.2
Danbury, Conn.	19,075	154	8.07	2	.10	77.0
Danvers, Mass.	11,020	114	10.34	0		
Danville, Va.	21,409			20	.93	
Davenport, Iowa.	56,021	74	1.32			
Decatur, Ill.	43,165	1,563	36.21	7	.16	223.3
Denison, Tex.	16,888	50	2.96	6	.36	8.3
Dickson City, Pa.	16,961	2	.18			
Dover, N. H.	13,040			4	.31	
Dubuque, Iowa.	39,108			20	.51	
Duluth, Minn.	97,864	736	7.52	70	.72	10.5
Dunkirk, N. Y.	19,227	502	26.11	3	.16	167.3
Durham, N. C.	21,540			27	1.25	
East Chicago, Ind.	35,098	75	2.14	3	.09	25.0
East Cleveland, Ohio.	26,359	60	2.28	5	.19	12.0
East Orange, N. J.	49,869	473	9.48	31	.62	15.3
East St. Louis, Ill.	66,318			29	.44	
Eau Claire, Wis.	20,748	176	8.48			
Elgin, Ill.	27,378	173	6.32	2	.07	86.5
Elizabeth, N. J.	24,535			62	.66	
Elmira, N. Y.	44,886	31	.69	3	.07	10.3
El Paso, Tex.	75,572			118	1.56	
Elwood, Ind.	10,802	6	.56			
Elvira, Ohio.	20,183	202	10.01	16	.79	12.6
Enfield, Conn.	11,616	700	60.26	7	.60	100.0
Englewood, N. J.	11,539	432	37.44	7	.61	61.7
Enid, Okla.	16,433	175	10.65	7	.43	25.0
Erie, Pa.	91,989			49	.53	
Eugene, Oreg.	10,511	160	15.22	5	.48	32.0
Eureka, Calif.	12,867			23	1.79	
Evanston, Ill.	36,585	124	3.39	13	.36	9.5
Everett, Mass.	39,778	450	11.31	34	.85	13.2
Everett, Wash.	27,498	230	8.36	26	.95	8.8
Fairmont, W. Va.	17,432	54	3.10			
Findlay, Ohio.	16,910			4	.24	
Flint, Mich.	88,867	102	1.15	1	.01	102.0
Fond du Lac, Wis.	23,189			1	.04	
Fort Dodge, Iowa.	19,151	16	.84	0		
Fort Scott, Kans.	10,681	11	1.03	3	.28	3.7
Fort Wayne, Ind.	85,384	2,015	23.60	44	.52	45.8
Framingham, Mass.	16,823	3	.18	0		
Freeport, Ill.	19,561	124	6.34	17	.87	7.3

Reported Prevalence, 1919—Averages for Previous Years—Continued.

INFLUENZA—Continued.

City.	Estimated population July 1, 1919.	Cases reported.	Cases per 1,000 inhabit- ants.	Deaths regis- tered.	Deaths per 1,000 inhabit- ants.	Cases reported for each death reg- istered.
Fremont, Ohio.....	12,338	36	2.92	4	0.32	9.0
Galesburg, Ill.....	23,744	565	23.80	3	.13	188.3
Galveston, Tex.....	43,880	145	3.30	7	.16	20.7
Gardner, Mass.....	16,854	156	9.26	11	.65	14.2
Geneva, N. Y.....	14,535	2	.14			
Glens Falls, N. Y.....	16,566	61	3.68	11	.66	5.5
Gloversville, N. Y.....	22,001	321	14.59	0		
Grand Island, Nebr.....	13,773	550	39.93			
Granite City, Ill.....	14,507	40	2.76	3	.21	13.3
Great Falls, Mont.....	23,597	113	4.79	12	.51	9.4
Green Bay, Wis.....	30,719	222	7.23	14	.46	15.9
Greenfield, Mass.....	15,203			6	.39	
Greenville, S. C.....	22,747	3	.13			
Greenville, Tex.....	12,202	486	39.83	8	.66	60.7
Greenwich, Conn.....	21,831	251	11.50	16	.73	15.7
Hackensack, N. J.....	17,481	183	10.47	7	.40	26.1
Hamilton, Ohio.....	39,449	602	15.26	81	2.05	7.4
Hammond, Ind.....	35,227			20	.57	
Harrisburg, Pa.....	75,313			65	.86	
Harrison, N. J.....	15,658	60	3.83			
Haverhill, Mass.....	53,381	1,352	25.33	53	.99	25.5
Hazleton, Pa.....	31,925	45	1.41	9	.28	5.0
Henderson, Ky.....	12,132			8	.66	
Hibbing, Minn.....	14,767	850	57.56	19	1.29	44.7
Highland Park, Mich.....	44,316	82	1.85	9	.20	9.1
Hoboken, N. J.....	68,277	17	.25	4	.06	4.2
Holyoke, Mass.....	60,076			17	.28	
Huntington, Ind.....	13,808	600	43.45	7	.51	85.7
Huntington, W. Va.....	49,198			36	.73	
Ironwood, Mich.....	15,589	367	23.54	36	2.31	10.2
Ithaca, N. Y.....	16,891	7	.41	2	.12	3.5
Jackson, Mich.....	47,502			27	.57	
Jacksonville, Fla.....	89,814	609	6.78	64	.71	9.5
Jacksonville, Ill.....	15,693	544	34.67	5	.32	108.8
Jamestown, N. Y.....	28,525	875	22.71			
Jefferson City, Mo.....	14,258	12	.84	2	.14	6.0
Johnstown, N. Y.....	10,884	9	.85	1	.09	9.0
Joliet, Ill.....	38,214	4	.10			
Joplin, Mo.....	29,969	105	3.50	10	.33	10.5
Kalamazoo, Mich.....	48,373	130	2.69	3	.06	43.3
Kearny, N. J.....	26,309	423	16.08	11	.42	38.5
Kenosha, Wis.....	39,488	124	3.14	13	.33	9.5
Kewanee, Ill.....	15,680			2	.13	
Key West, Fla.....	18,811			1	.05	
Kingston, N. Y.....	26,648	293	11.00	7	.26	41.9
Knoxville, Tenn.....	75,682	3,100	40.96	60	.79	51.7
Kokomo, Ind.....	29,395			10	.34	
Lackawanna, N. Y.....	17,744	191	10.76	2	.11	95.5
La Crosse, Wis.....	30,366			2	.07	
La Fayette, Ind.....	22,362			163	12.82	
Lakewood, Ohio.....	40,365	45	1.11	8	.20	5.6
Lancaster, Ohio.....	14,623	9	.62	4	.27	2.2
Lancaster, Pa.....	52,845			20	.38	
Lansing, Mich.....	55,983			14	.25	
La Salle, Ill.....	12,972	16	1.23	2	.15	8.0
Lawrence, Kans.....	12,452	181	14.54	2	.16	90.5
Lawrence, Mass.....	93,839	512	5.46	44	.47	11.6
Leavenworth, Kans.....	17,038	98	5.75	0		
Leominster, Mass.....	19,633	320	16.30	11	.56	29.1
Lexington, Ky.....	41,203	705	17.11	72	1.75	9.8
Lima, Ohio.....	40,750	207	5.08	7	.17	29.6
Lincoln, Nebr.....	54,369	202	3.72	28	.51	7.2
Little Falls, N. Y.....	12,990	207	15.94			
Little Rock, Ark.....	64,016	58	.91	44	.69	1.3

Reported Prevalence, 1919—Averages for Previous Years—Continued.

INFLUENZA—Continued.

City.	Estimated population July 1, 1919.	Cases reported.	Cases per 1,000 inhabit- ants.	Deaths regis- tered.	Deaths per 1,000 inhabit- ants.	Cases reported for each death reg- istered.
Long Beach, Calif.	53,647	27	0.50
Long Branch, N. J.	13,510	100	7.40	7	.52	14.3
Lorain, Ohio	36,862	14	.38
Lynchburg, Va.	29,932	1,041	34.78	66	2.21	15.8
McKeesport, Pa.	45,806	32	.70
Macon, Ga.	52,360	262	5.00	12	.23	21.8
Madison, Wis.	37,716	793	21.03
Malden, Mass.	48,861	627	12.83	50	1.02	12.5
Manchester, Conn.	18,126	1,037	57.21	20	1.10	51.8
Manchester, N. H.	77,955	102	1.31
Manitowoc, Wis.	17,329	100	5.77	2	.12	50.0
Mankato, Minn.	12,361	1	.08
Mansfield, Ohio	27,461	54	1.97	14	.51	3.9
Marinette, Wis.	13,662	46	3.37	4	.29	11.5
Marion, Ind.	23,521	18	.77
Marlboro, Mass.	15,005	104	6.93	6	.40	17.3
Marquette, Mich.	12,655	1,233	97.43	144	13.48
Marshalltown, Iowa	15,610	102	6.53
Mason City, Iowa	19,610	75	3.82	1	.05	75.0
Massillon, Ohio	17,245	26	1.51	18	1.04	1.4
McJannet, Ill.	11,864	9	.76	0
Meadville, Pa.	14,476	319	22.04	2	.14	150.5
Medford, Mass.	38,220	535	14.00	12	.31	44.6
Melrose, Mass.	18,076	226	12.50	12	.66	18.8
Methuen, Mass.	14,996	122	8.14	7	.47	17.4
Middletown, N. Y.	18,260	422	23.11	37	2.03	11.4
Middletown, Ohio	23,056	12	.52
Milford, Mass.	13,450	91	6.77	14	1.04	6.5
Mishawaka, Ind.	13,025	5	.33
Missoula, Mont.	12,678	469	36.99	40	3.16	11.7
Mobile, Ala.	59,707	1,049	17.57	129	2.16	8.1
Moline, Ill.	30,374	42	1.38	0
Monessen, Pa.	17,849	52	2.91
Montclair, N. J.	28,436	445	15.65	6	.21	74.2
Montgomery, Ala.	43,190	63	1.46	50	1.16	1.3
Morristown, N. J.	12,546	136	10.84	2	.16	68.0
Mount Vernon, N. Y.	42,118	835	20.30	19	.45	45.0
Muncie, Ind.	35,879	50	1.39	28	.78	1.8
Muscatine, Iowa	10,074	2	.12	0
Muskegon, Mich.	35,926	100	2.78	16	.45	6.2
Nanticoke, Pa.	22,422	3	.13
Nashua, N. H.	28,257	14	.50
Natick, Mass.	10,853	5	.46
New Albany, Ind.	22,870	35	1.53	28	1.22	1.2
Newark, Ohio	26,650	10	.38
New Britain, Conn.	58,523	736	12.58	35	.60	21.0
New Brunswick, N. J.	32,295	2	.06
Newburgh, N. Y.	30,234	20	.66	5	.17	4.0
Newburyport, Mass.	15,584	88	5.65	1	.06	88.0
New Castle, Ind.	14,200	200	14.08	12	.85	16.7
New Castle, Pa.	44,492	48	1.08	37	.83	1.3
New London, Conn.	25,377	59	2.32	25	.99	2.4
Newport, Ky.	29,368	22	.75	10	.34	2.2
Newport, R. I.	30,095	6	.20
New Rochelle, N. Y.	35,835	15	.42
Newton, Mass.	45,732	612	13.38	32	.70	19.1
Niagara Falls, N. Y.	49,714	747	15.03	90	1.81	8.3
Norristown, Pa.	32,090	25	.78
North Adams, Mass.	22,268	107	4.81	2	.09	53.5
Northampton, Mass. ²	21,821	549	25.16	12	.55	45.7
North Braddock, Pa.	14,768	4	.27	0
Northbridge, Mass.	10,104	58	5.74	3	.30	19.3
North Little Rock, Ark.	13,898	2	.14
North Tonawanda, N. Y.	15,300	224	14.64	13	.85	17.2
Norwalk, Conn.	27,093	17	.63

¹Including pneumonia.²Year ended Nov. 30, 1919.

Reported Prevalence, 1919—Averages for Previous Years—Continued,

INFLUENZA—Continued.

City.	Estimated population July 1, 1919.	Cases reported.	Cases per 1,000 inhabit- ants.	Deaths regis- tered.	Deaths per 1,000 inhabit- ants.	Cases reported for each death reg- istered.
Norwich, Conn.	22,204	218	9.82	18	0.81	12.1
Norwood, Ohio	24,514	166	6.77	28	1.14	5.9
Oak Park, Ill.	38,780	172	4.44	18	.46	9.6
Ogden, Utah	32,432	969	29.88	38	1.17	25.5
Oil City, Pa.	20,985	286	13.63			
Oklahoma City, Okla.	89,865	287	3.19	180	2.00	1.6
Olean, N. Y.	20,209	69	3.41	11	.54	6.3
Olyphant, Pa.	10,147	5	.49	3	.30	1.7
Orange, N. J.	33,081	717	21.67	5	.15	143.4
Ossining, N. Y.	10,777	46	4.27	10	.93	4.6
Owensboro, Ky.	17,351	6	.35			
Owosso, Mich.	12,424	36	2.90	5	.40	7.2
Paducah, Ky.	24,633			14	.57	
Pasadena, Calif.	44,578			15	.34	
Passaic, N. J.	63,358	390	6.16			
Peabody, Mass.	19,355	71	3.67	7	.36	10.1
Peekskill, N. Y.	15,836	210	13.26	7	.44	30.0
Pekin, Ill.	11,973	155	12.95			
Pecunia, Ill.	75,649	1,252	16.55	129	1.71	9.7
Perth Amboy, N. J.	41,213	49	1.19	5	.12	9.8
Petersburg, Va.	30,618			42	1.37	
Pine Bluff, Ark.	19,065	492	25.81			
Pittsburg, Kans.	17,882	585	32.71	16	.89	36.6
Pittsfield, Mass.	41,255	105	2.55	34	.82	3.1
Plainfield, N. J.	27,332	374	13.68	20	.73	18.7
Plattsburg, N. Y.	10,921	6	.55			
Pocatello, Idaho	14,698			127	8.64	
Pontiac, Mich.	33,256	604	18.16	37	1.11	16.3
Port Chester, N. Y.	16,379	163	9.95	10	.61	16.3
Port Huron, Mich.	25,579	389	15.21	21	.82	18.5
Portland, Me.	68,721	325	4.73	52	.76	6.2
Portsmouth, N. H.	13,451	14	1.01			
Portsmouth, Ohio	32,520			22	.68	
Portsmouth, Va.	53,265			28	.53	
Provo, Utah	10,232			15	1.47	
Quincy, Ill.	36,009			4	.11	
Quincy, Mass.	47,091	615	13.06	20	.42	30.7
Racine, Wis.	57,533	500	8.69	13	.23	38.5
Rahway, N. J.	10,954	5	.46			
Raleigh, N. C.	24,150			32	1.33	
Reno, Nev.	11,957	131	10.96			
Richmond, Ind.	26,536			3	.11	
Riverside, Calif.	19,178	496	25.93	1	.05	496.0
Roanoke, Va.	50,020	1,068	21.95	46	.92	23.9
Rockford, Ill.	64,608			4	.06	
Rock Island, Ill.	34,619	2	.06			
Rocky Mount, N. C.	12,500			23	1.84	
Rome, N. Y.	26,040	61	2.34	7	.27	8.7
Sacramento, Calif.	64,767	1,094	16.89	23	.36	47.6
St. Joseph, Mo.	77,911	137	1.76	12	.15	11.4
Salem, Mass.	42,580	184	4.32	9	.21	20.4
Salem, Oreg.	17,494	392	22.41	13	.74	30.2
San Bernardino, Calif.	18,415	237	12.87			
San Diego, Calif.	72,875	648	8.89	44	.60	14.7
Sandusky, Ohio	22,747	432	18.99	5	.22	86.4
Sanford, Me.	10,606	10	.94	1	.09	10.0
Santa Barbara, Calif.	19,040			17	.89	
Santa Cruz, Calif.	10,929	401	36.69			
Saratoga Springs, N. Y.	13,208	868	65.72	13	.93	66.8
Saugus, Mass.	10,728	414	38.59	12	1.12	34.5
Sault Ste. Marie, Mich.	12,123	134	11.05	1	.08	134.0
Savannah, Ga.	82,315	2,132	25.90	143	1.74	14.9
Schenectady, N. Y.	87,904	422	4.80	63	.72	6.7
Sharon, Pa.	21,413	3	.14			
Sheboygan, Wis.	30,720			12	.39	

Reported Prevalence, 1919—Averages for Previous Years—Continued.

INFLUENZA—Continued.

City.	Estimated population July 1, 1919.	Cases reported.	Cases per 1,000 inhabit- ants.	Deaths regis- tered.	Deaths per 1,000 inhabit- ants.	Cases reported for each death reg- istered.
Sioux Falls, S. Dak.	24,605	294	11.95	5	0.20	58.8
Somerville, Mass.	92,274	1,309	14.19	38	.41	34.4
South Bend, Ind.	70,092	198	11.40
Southbridge, Mass.	14,160	50	3.53	3	.21	16.7
Spartanburg, S. C.	22,374	119	5.32	7	.31	17.0
Springfield, Ill.	58,796	573	9.75
Springfield, Mo.	39,403	49	1.24
Springfield, Ohio.	60,123	51	.85
Staunton, Va.	10,622	16	1.51	6	.56	2.7
Steelton, Pa.	13,470	1	.07
Stenbenville, Ohio.	28,193	51	1.81
Sumbury, Pa.	15,621	117	7.49	3	.19	39.0
Superior, Wis.	39,663	243	6.13	10	.25	24.3
Tacoma, Wash.	96,284	881	9.15	39	.41	22.6
Tamaqua, Pa.	12,214	5	.41
Tampa, Fla.	50,558	179	3.54	11	.22	16.3
Taunton, Mass.	36,989	318	8.60	43	1.16	7.4
Terre Haute, Ind.	65,675	229	3.49	17	.26	13.5
Tiffin, Ohio.	14,247	40	2.81
Topeka, Kans.	49,696	1,853	37.29	35	.70	52.9
Traverse City, Mich.	10,986	95	8.65	22	2.00	4.3
Trinidad, Colo.	10,870	538	49.49
Troy, N. Y.	72,260	310	4.29	52	.72	6.0
Tucson, Ariz.	19,926	18	.90
Tyler, Tex.	11,998	1	.08
Utica, N. Y.	93,140	9	.10
Vancouver, Wash.	12,465	32	2.57
Waco, Tex.	37,878	78	2.05	45	1.19	1.7
Waltham, Mass.	30,756	478	15.54	35	1.14	13.7
Warren, Ohio.	26,228	890	33.93	47	1.79	18.9
Warren, Pa.	14,092	196	13.91	10	.71	19.6
Washington, Pa.	21,341	517	24.23	32	1.50	16.2
Waterbury, Conn.	50,469	17	.19	2	.02	8.5
Watertown, Mass.	21,015	268	12.75	2	.10	134.0
Watertown, N. Y.	31,050	103	3.32	8	.26	12.9
Waterville, Me.	13,254	10	.75
Watervliet, N. Y.	16,022	11	.69	11	.69
Wausau, Wis.	18,553	1,084	58.97	27	1.46	40.5
Webster, Mass.	13,168	62	4.71	3	.23	20.7
Westfield, Mass.	18,472	55	2.98	18	.97	3.1
West Hoboken, N. J.	39,828	160	4.02	5	.13	32.0
West New York, N. J.	29,083	46	1.58	11	.38	4.2
West Orange, N. J.	15,336	207	13.50	1	.07	207.0
West Springfield, Mass.	13,226	22	1.65	6	.45	3.7
Wheeling, Va.	53,669	528	9.84	125	2.33	4.2
White Plains, N. Y.	20,828	51	2.45	12	.58	4.2
Wichita, Kans.	71,115	1,609	22.63	135	1.90	11.9
Wilkinsburg, Pa.	24,121	39	2.45	16	.66	3.7
Williamsport, Pa.	33,975	13	.36
Willimantic, Conn.	12,274	5	.41
Wilmington, N. C.	32,979	831	25.20	32	.97	28.0
Winchester, Mass.	10,424	237	22.74	12	1.15	19.7
Winona, Minn.	19,114	18	.94
Winston-Salem, N. C.	47,072	10	.21
Winthrop, Mass.	15,181	146	9.62	6	.40	24.3
Woburn, Mass.	16,509	174	10.54	10	.61	17.4
Yakima, Wash.	18,309	21	1.15
York, Pa.	47,370	9	.19
Zanesville, Ohio.	29,490	8	.27

¹ Including pneumonia.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

MALARIA.

City.	Estimated population July 1, 1919.	Cases reported.	Cases per 1,000 inhabit- ants.	Deaths regis- tered.	Deaths per 1,000 inhabit- ants.	Cases reported for each death regis- tered.
Alameda, Calif.	28,527	5	0.18	0		
Alton, Ill.	24,314	1	.04			
Anderson, S. C.	10,523			1	0.10	
Augusta, Ga.	51,955			5	.10	
Bakersfield, Calif.	18,334	3	.16	0		
Baton Rouge, La.	21,427			1	.05	
Beaumont, Tex.	39,403			8	.20	
Bellaire, Ohio	14,952	8	.54			
Belleville, N. J.	15,363	1	.07			
Berkeley, Calif.	55,090	4	.07	0		
Bloomfield, N. J.	21,661	1	.05			
Bristol, Conn.	20,253	1	.05			
Brockton, Mass.	65,661	1	.02	0		
Brunswick, Ga.	14,195	16	1.13	5	.35	3.2
Cairo, Ill.	15,169	37	2.44			
Charlotte, N. C.	45,703			2	.04	
Chattanooga, Tenn.	57,210			2	.03	
Columbia, S. C.	36,947			7	.19	
Columbus, Ga.	30,581	48	1.57	5	.16	9.6
Corpus Christi, Tex.	10,404	8	.77			
Danville, Va.	21,409	103	4.81	1	.05	103.0
East Chicago, Ind.	35,098			1	.03	
East Orange, N. J.	49,869	2	.04	0		
Elgin, Ill.	27,378	6	.22			
Framingham, Mass.	16,823	11	.65	0		
Galveston, Tex.	43,880			1	.02	
Gardner, Mass.	16,854	1	.06	0		
Granite City, Ill.	14,507	4	.28			
Greenville, S. C.	22,747	1	.04			
Hackensack, N. J.	17,481	1	.06			
Haverhill, Mass.	53,381	1	.02			
Holyoke, Mass.	60,076	5	.08			
Hot Springs, Ark.	11,836	7	.59			
Jacksonville, Fla.	89,814	234	2.61	15	.17	15.6
Jeffersonville, Mo.	14,258			1	.07	
Joliet, Ill.	38,214	2	.05			
Joplin, Mo.	29,669	51	1.70	0		
Knoxville, Tenn.	75,682			1	.01	
La Crosse, Wis.	30,366	2	.07			
Little Rock, Ark.	64,016	177	2.76	6	.09	29.5
Long Beach, Calif.	53,647	7	.13			
Long Branch, N. J.	13,510	6	.44			
Mansfield, Ohio	27,461	1	.04			
Millford, Mass.	13,450	21	1.56	0		
Missoula, Mont.	12,678	1	.08	0		
Mobile, Ala.	59,707			6	.10	
Moline, Ill.	30,374	1	.03	0		
Montclair, N. J.	28,436	4	.14			
Montgomery, Ala.	43,190	5	.12	4	.09	1.2
Morristown, N. J.	12,546	1	.08	0		
Muscatine, Iowa	16,074	10	.62	0		
Newton, Mass.	45,732	1	.02	0		
Northbridge, Mass.	10,104	5	.49	0		
Norwich, Conn.	22,204	3	.14			
Oak Park, Ill.	38,780	3	.08	0		
Oklahoma City, Okla.	89,865			3	.03	
Orange, N. J.	33,081	2	.06	0		
Paducah, Ky.	24,633			7	.28	
Pasadena, Calif.	44,578	1	.02			
Passaic, N. J.	63,358	2	.03			
Pawtucket, R. I.	63,598			1	.02	
Pekin, Ill.	11,973	20	1.67			

Reported Prevalence, 1919—Averages for Previous Years—Continued.

MALARIA—Continued.

City.	Estimated population July 1, 1919.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.
Perth Amboy, N. J.....	41,213	1	0.02	0
Petersburg, Va.....	30,648	21	.69	1	0.03	21.0
Pine Bluff, Ark.....	19,065	40	2.10
Piqua, Ohio.....	14,959	3	.20
Pittsburg, Kans.....	17,882	6	.34	1	.06	6.0
Plainfield, N. J.....	27,332	5	.18
Pontiac, Mich.....	33,256	3	.09	0
Portsmouth, Va.....	53,295	1	.02
Quincy, Ill.....	36,009	1	.03
Riverside, Calif.....	19,128	1	.05
Rocky Mount, N. C.....	12,500	2	.16
Sacramento, Calif.....	64,767	19	.29	0
San Bernardino, Calif.....	18,415	8	.43
San Diego, Calif.....	72,875	1	.01
Santa Cruz, Calif.....	10,929	3	.27	1	.09	3.0
Savannah, Ga.....	82,315	188	2.28	37	.45	5.1
Spartanburg, S. C.....	22,374	4	.18	0
Springfield, Mo.....	39,403	3	.08
Sunbury, Pa.....	15,621	1	.06
Tampa, Fla.....	50,558	6	.12
Temple, Tex.....	11,031	2	.18	0
Terre Haute, Ind.....	65,675	1	.02
Topeka, Kans.....	49,696	1	.02	0
Tyler, Tex.....	11,998	2	.17
Waco, Tex.....	37,878	17	.45	11	.29	1.5
Warren, Pa.....	14,092	1	.07	0
Wilmington, N. C.....	32,979	2	.06
Winston-Salem, N. C.....	47,072	9	.19	1	.02	9.0
Winthrop, Mass.....	15,181	1	.07	0

MEASLES.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Aberdeen, Wash.....	15,251	3	156	1	0.07	0
Adams, Mass.....	12,970	3	13	5	.39	0
Adrian, Mich.....	11,821	4	569	233	19.71
Alameda, Calif.....	28,527	5	330	163	5.71	0
Alexandria, Va.....	17,919	2	2	5	.28	1	0.06	20.0
Allentown, Pa.....	72,360	1	1,217	716	9.89	4	.06	.6
Alton, Ill.....	24,314	4	153	10	.41
Altoona, Pa.....	59,908	4	148	1,187	19.81	6	.10	.5
Anarillo, Tex.....	15,203	1	115	10	.66	0
Anaconda, Mont.....	11,589	1	94	4	.35	0
Anderson, Ind.....	29,391	4	68	17	.58
Anderson, S. C.....	10,523	1	25	10	.95	0
Ann Arbor, Mich.....	19,274	5	198	25	1.30	0
Appleton, Wis.....	19,417	2	24	28	1.44
Arlington, Mass.....	18,280	3	189	15	.82	0
Asbury Park, N. J.....	12,284	5	85	50	4.07	0
Ashville, N. C.....	28,002	4	112	22	.79
Ashland, Ky.....	14,418	1	125	9	.62	1	.07	11.1
Ashland, Wis.....	11,347	2	17	31	2.73	0
Ashtabula, Ohio.....	21,885	2	15	78	3.56
Astoria, Oreg.....	13,799	2	193	30	2.17	0
Atleboro, Mass.....	19,550	2	48	12	.61	0
Auburn, N. Y.....	36,114	4	210	11	.30
Augusta, Ga.....	51,955	2	289	3	.06	0

Reported Prevalence, 1919—Averages for Previous Years—Continued.

MEASLES—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Aurora, Ill.	36,068	3	313	52	1.44			
Bakersfield, Calif.	18,334	4	76	41	2.24	0		
Barberton, Ohio.	18,327	1	2	5	.27	0		
Baton Rouge, La.	21,427	1	10	25	1.17	0		
Battle Creek, Mich.	35,603	5	321	331	9.30	0		
Bay City, Mich.	47,431	4	104	58	1.22	0		
Bayonne, N. J.	75,662	4	356	32	.42			
Beaumont, Tex.	39,403	2	2	3	.08	0		
Belleville, N. J.	15,363	2	148	1	.07			
Bellingham, Wash.	25,504	3	146	5	.20	0		
Beloit, Wis.	20,967	5	43	24	1.14	0		
Benton Harbor, Mich.	12,076	2	20	20	1.66			
Bethlehem, Pa.	48,426	3	86	393	8.12			
Beverly, Mass.	22,360	4	170	18	.81			
Billings, Mont.	14,339	5	173	8	.54			
Binghamton, N. Y.	65,855	5	621	36	.55	1	0.02	2.8
Bloomfield, N. J.	21,661	3	306	10	.46			
Bloomington, Ind.	11,453	2	133	21	1.83	0		
Bluefield, W. Va.	15,071	2	53	2	.13			
Braddock, Pa.	20,801	3	152	205	9.86	2	.10	1.0
Bridgeton, N. J.	14,317	2	246	13	.91			
Bristol, Conn.	20,253	2	18	52	2.57	1	.05	1.9
Brockton, Mass.	65,661	4	706	491	7.48	1	.02	.2
Brookline, Mass.	37,235	5	241	126	3.38	0		
Brunswick, Ga.	14,195	4	108	114	8.03	0		
Burlington, Vt.	22,660	3	206	372	16.42	5	.22	1.3
Butler, Pa.	23,621	4	128	2	.08			
Butte, Mont.	41,485	3	56	11	.26			
Cairo, Ill.	15,169	4	189	21	1.38			
Cambridge, Ohio	13,012	3	99	3	.23	0		
Canton, Ohio	85,192	5	79	155	1.82	8	.09	5.2
Carlisle, Pa.	10,884	4	26	246	22.60			
Central Falls, R. I.	24,101	3	27	29	1.20	0		
Centralia, Ill.	12,346	2	107	8	.65			
Chambersburg, Pa.	13,100	2	143	20	1.53			
Champaign, Ill.	15,695	2	83	256	16.31	1	.06	.4
Charleroi, Pa.	11,418	1	43	20	1.75	0		
Charleston, W. Va.	38,752	2	107	57	1.47	2	.05	3.5
Charlotte, N. C.	45,703	1	420	204	4.46	1	.02	
Chelsea, Mass.	42,631	5	325	31	.73	0		
Cheyenne, Wyo.	13,700	2	76	58	4.23			
Chicopee, Mass.	35,657	4	54	40	1.12	0		
Chillicothe, Ohio.	15,763	5	135	4	.25	0		
Cicero, Ill.	43,427	3	71	144	3.32	0		
Clinton, Mass.	12,989	5	83			1	.08	
Coatesville, Pa.	14,338	2	48	237	16.53			
Cohoes, N. Y.	22,898	2	47	2	.09			
Colorado Springs, Colo.	30,052	4	572	17	.57			
Columbia, S. C.	36,947	1	180	25	.68			
Columbus, Ga.	30,581			174	5.69	0		
Concord, N. H.	22,132	5	185	7	.32			
Corning, N. Y.	15,712	4	136	75	4.77			
Cortland, N. Y.	13,202	4	237	20	1.51	0		
Coshocton, Ohio.	10,783			2	.19			
Council Bluffs, Iowa.	35,808	4	63	23	.78	0		
Covington, Ky.	56,923	3	125	30	.53	0		
Cranston, R. I.	28,980	5	35	15	.52			
Crawfordsville, Ind.	10,099	1	57	2	.20	0		
Cumberland, Md.	29,425	5	316	534	18.15	1	.03	.2

Reported Prevalence, 1919—Averages for Previous Years—Continued.

MEASLES—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years in- cluded.	Cases re- ported.	Cases re- ported.	Cases per 1,000 inhab- itants.	Deaths regis- tered.	Deaths per 1,000 inhab- itants.	Fatali- ties per 100 cases.
Danbury, Conn.	19,075	3	35	34	1.78	0		
Danvers, Mass.	11,020	1	32	137	12.43	0		
Danville, Va.	21,409	2	187	13	.61	0		
Davenport, Iowa	56,021	3	67	36	.64			
Decatur, Ill.	43,165	5	291	239	5.54			
Denison, Tex.	16,888			21	1.24			
Dickson City, Pa.	10,961	1	3	55	5.02			
Dover, N. H.	13,040	4	195	2	.15	0		
Dubuque, Iowa	33,108	3	138	3	.08			
Duluth, Minn.	97,864	5	453	627	6.41	3	0.03	0.5
Dunkirk, N. Y.	19,227	5	102	7	.36			
Duquesne, Pa.	18,842	1	29	111	5.89	0		
Durham, N. C.	21,540	2	383	73	3.39	0		
East Chicago, Ind.	35,098	4	143	241	6.87	5	.14	2.1
East Cleveland, Ohio	26,359	2	37	26	.99	0		
Easton, Pa.	33,541	4	217	97	2.89			
East Orange, N. J.	49,869	5	687	55	1.10	0		
East St. Louis, Ill.	66,318	2	464	125	1.88	2	.03	1.6
Eau Claire, Wis.	20,748	5	164	279	13.45			
Elgin, Ill.	27,378	4	206	57	2.08			
Elizabeth, N. J.	94,535	5	588	173	1.83	0		
Elkhart, Ind.	24,020			153	6.37	1	.04	.7
Elmira, N. Y.	44,886	3	444	374	8.33	0		
Elwood, Ind.	10,802	2	95	8	.74			
Elyria, Ohio	20,183	5	85	462	22.89			
Enfield, Conn.	11,616	2	60	1	.09			
Englewood, N. J.	11,539	2	134	13	1.13			
Enid, Okla.	16,433			57	3.47	0		
Erie, Pa.	91,989	5	909	115	1.25	1	.01	.9
Eugene, Oreg.	10,511	2	57	49	4.66	0		
Eureka, Calif.	12,867	4	46	7	.54			
Evanston, Ill.	36,585	5	253	1,206	32.96	0		
Everett, Mass.	39,778	5	256	26	.91	1	.03	2.8
Everett, Wash.	27,498	5	596	7	.25	0		
Fairmont, W. Va.	17,432	2	41	54	3.10			
Findlay, Ohio	16,910	4	148	269	15.91	0		
Flint, Mich.	88,867	2	618	379	4.26	1	.01	.3
Fort Scott, Kans.	10,681	3	38	8	.75	1	.09	12.5
Fort Wayne, Ind.	85,384	5	578	57	.67			
Framingham, Mass.	16,823	3	96	60	3.57	0		
Frankfort, Ind.	11,433	1	66	4	.35			
Freeport, Ill.	19,561	2	142	61	3.12	2	.10	3.3
Fremont, Ohio	12,338	2	26	16	1.30			
Galesburg, Ill.	23,744	2	134	180	7.58			
Gardner, Mass.	16,854	4	193	17	1.01	0		
Geneva, N. Y.	14,535	1	287	15	1.03	0		
Glens Falls, N. Y.	16,566	2	90	154	9.30	0		
Gloversville, N. Y.	22,091	4	81	308	14.00	0		
Granite City, Ill.	14,507	4	110	37	2.55			
Great Falls, Mont.	23,597	3	129	134	5.68	1	.04	.7
Greenfield, Mass.	15,263	4	186	13	.86			
Greenville, S. C.	22,747	5	156	15	.66			
Greenville, Tex.	12,202			2	.16			
Greenwich, Conn.	21,831	5	266	14	.64	0		
Hackensack, N. J.	17,481	4	262	18	1.03			
Hamilton, Ohio	30,449	5	149	99	2.51	0		
Hammond, Ind.	35,227	5	111	94	2.67	0		
Harrisburg, Pa.	75,313	5	608	1,489	19.77	2	.03	1.3
Harrison, N. J.	15,658	4	110	3	.19			
Haverhill, Mass.	53,381	5	289	51	.96	3	.06	5.9

Reported Prevalence, 1919—Averages for Previous Years—Continued.

MEASLES—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Hazleton, Pa.	31,925	4	172	407	12.75	2	0.06	0.5
Henderson, Ky.	12,132	2	339	1	.08	0		
Hibbing, Minn.	14,767			315	21.33	4	.27	1.3
Highland Park, Mich.	44,316	2	231	122	2.75	0		
Hoboken, N. J.	68,277	3	327	78	1.14	0		
Holland, Mich.	12,080	2	217	3	.25	0		
Holyoke, Mass.	60,076	5	309	16	.27			
Homestead, Pa.	20,362	5	151	28	1.38	1	.05	3.6
Hot Springs, Ark.	11,836	1	125	4	.34			
Huntington, Ind.	13,808	3	46	5	.36	0		
Huntington, W. Va.	49,198					1	.02	
Ironwood, Mich.	15,589	5	94	5	.32			
Ithaca, N. Y.	16,891	5	127	15	.89	0		
Jackson, Mich.	47,502	4	517	1,132	23.93	1	.02	.1
Jacksonville, Fla.	89,814	4	804	382	4.25	10	.11	2.6
Jacksonville, Ill.	15,693	3	134	16	1.02			
Jamestown, N. Y.	38,525	3	569	74	1.92			
Joliet, Ill.	38,214	1	417	9	.24			
Joplin, Mo.	29,969	2	116	45	1.50	0		
Kalamazoo, Mich.	48,373	5	540	370	7.65	1	.02	.3
Kearny, N. J.	26,309	5	266	65	2.47	0		
Kenosha, Wis.	39,488	4	535	571	14.46	0		
Kingston, N. Y.	26,648	3	30	99	3.72	0		
Knoxville, Tenn.	75,682	2	435	142	1.88	3	.04	2.1
Kokomo, Ind.	29,395	4	164	5	.17	0		
Lackawanna, N. Y.	17,744	3	153	186	10.48	3	.17	1.6
La Fayette, Ind.	22,362	5	143	18	.80			
Lakewood, Ohio.	40,365	3	96	107	2.65	0		
Lancaster, Ohio	14,623	2	34	30	2.05	1	.07	3.3
Lancaster, Pa.	52,845	4	602	1,687	31.92	6	.11	.4
Lansing, Mich.	55,983	2	240	682	12.18	0		
La Salle, Ill.	12,972	3	190	3	.23	0		
Lawrence, Kans.	12,452	1	46	27	2.17	0		
Lawrence, Mass.	93,839	5	558	23	.25	0		
Leavenworth, Kans.	17,038	5	137	1	.06	0		
Lebanon, Pa.	24,365	3	26	619	25.41			
Leominster, Mass.	19,633	3	87	450	22.92			
Lexington, Ky.	41,203	5	392	226	5.49	4	.10	1.8
Lima, Ohio.	40,750	3	60	347	8.52	1	.02	.3
Lincoln, Nebr.	54,369	5	659	27	.50	0		
Little Falls, N. Y.	12,990	5	112	8	.62			
Little Rock, Ark.	64,016	3	471	36	.56	0		
Logansport, Ind.	21,493	5	164	35	1.63	0		
Long Beach, Calif.	53,647	5	161	17	.32			
Long Branch, N. J.	13,510	5	89	22	1.63			
Lorain, Ohio.	36,862	5	106	225	6.10			
Lynchburg, Va.	29,932	4	471	17	.57	0		
McAlester, Okla.	12,139	3	30	2	.16	0		
McKeesport, Pa.	45,806	5	388	143	3.12			
Macon, Ga.	52,360	2	158	42	.80	1	.02	2.4
Madison, Wis.	37,716	5	317	386	10.23			
Malden, Mass.	48,861	5	414	38	.78	0		
Manchester, Conn.	18,126	1	6	22	1.21	1	.06	4.6
Manchester, N. H.	77,955	5	388	7	.09	0		
Manitowoc, Wis.	17,329	4	62	300	17.31	0		
Mankato, Minn.	12,361	3	71	27	2.18			
Mansfield, Ohio.	27,461	5	228	12	.44			
Marinette, Wis.	13,662	5	58	83	6.08			
Marion, Ind.	23,521	5	71	38	1.62	1	.04	2.6
Marlboro, Mass.	15,005	3	267	17	1.13	0		

Reported Prevalence, 1919—Averages for Previous Years—Continued.

MEASLES—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Marquette, Mich.....	12,655	4	32	139	10.98			
Marshalltown, Iowa.....	15,610			6	.38			
Mason City, Iowa.....	19,610	3	26	69	3.52	0		
Massillon, Ohio.....	17,245	5	60	189	10.96	0		
Maywood, Ill.....	11,864	2	110	210	17.70	0		
Meadville, Pa.....	14,476	2	40	10	.69	0		
Medford, Mass.....	38,220	5	344	35	.92	0		
Melrose, Mass.....	18,076	4	211	111	6.14	0		
Methuen, Mass.....	14,996	1	7	2	.13			
Middletown, N. Y.....	18,260	4	75	6	.33			
Middletown, Ohio.....	23,056	4	131	81	3.51	1	0.04	1.2
Milford, Mass.....	13,450	3	92	15	1.12	0		
Mishawaka, Ind.....	15,025	2	38	17	1.13			
Missoula, Mont.....	12,678	4	23	8	.63	0		
Mobile, Ala.....	59,707	3	179	61	1.02	11	.18	18.0
Moline, Ill.....	30,374	4	199	28	.92	0		
Monessen, Pa.....	17,849	3	189	81	4.54	3	.17	3.7
Montclair, N. J.....	28,436	5	494	29	1.02			
Montgomery, Ala.....	43,190	3	337	18	.42	1	.02	5.6
Morristown, N. J.....	12,546	5	118	6	.48	0		
Mount Vernon, N. Y.....	42,118	5	412	144	3.42	0		
Muncie, Ind.....	35,879	4	363	10	.28			
Muscataine, Iowa.....	16,074	3	305	1	.06	0		
Muskegon, Mich.....	35,926	3	64	38	1.06	2	.06	5.3
Nanticoke, Pa.....	22,422	4	66	77	3.43			
Nashua, N. H.....	28,257	3	214	3	.11	0		
Natick, Mass.....	10,853	2	122	4	.37	0		
New Albany, Ind.....	22,870	4	92	24	1.05	0		
Newark, Ohio.....	26,650	2	199	12	.45			
New Britain, Conn.....	58,523	4	409	471	8.05	3	.05	.6
New Brunswick, N. J.....	32,295	4	67	86	2.66			
Newburgh, N. Y.....	30,234	4	291	8	.26	0		
Newburyport, Mass.....	15,584	2	214	18	1.16			
New Castle, Ind.....	14,200	2	18	150	10.56	1	.07	.7
New Castle, Pa.....	44,492	5	169	10	.22			
New London, Conn.....	25,377	2	62	11	.43	0		
Newport, Ky.....	29,368			40	1.36	1	.03	2.5
Newport, R. I.....	30,095	5	133	4	.13	0		
New Rochelle, N. Y.....	35,835	4	258	34	.95	1	.03	2.9
Newton, Mass.....	45,732	5	375	29	.63	0		
Niagara Falls, N. Y.....	49,714	5	458	503	10.12	9	.18	1.8
Norristown, Pa.....	32,090	5	208	710	22.13	5	.16	.7
North Adams, Mass.....	22,268	5	144	2	.09	0		
Northampton, Mass. ¹	21,821	5	172	11	.50	0		
North Braddock, Pa.....	14,768	3	186	102	6.91	0		
Northbridge, Mass.....	10,104	1	47	31	3.07	0		
North Little Rock, Ark.....	13,898	1	77			3	.22	
North Tonawanda, N. Y.....	15,300	5	110	293	19.15	0		
Norwalk, Conn.....	27,093	1	25	2	.07	0		
Norwich, Conn.....	22,204	3	34	7	.32			
Norwood, Ohio.....	24,514	5	271	359	14.28	0		
Oak Park, Ill.....	28,780	4	383	620	15.99	0		
Ogden, Utah.....	32,432	4	453	6	.19	0		
Oil City, Pa.....	20,985	3	36	607	28.93			
Oklahoma City, Okla.....	59,865	5	387	59	.66	1	.01	1.7
Olean, N. Y.....	20,209	4	154	98	4.85	0		
Olyphant, Pa.....	10,147			35	3.45	0		
Orange, N. J.....	33,081	4	368	11	.33	0		
Oshkosh, Wis.....	33,157	5	78	5	.15	0		
Ossining, N. Y.....	10,777	5	57	41	3.80			

¹ Week ended Nov. 30, 1919.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

MEASLES—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Num- ber of years in- cluded.	Cases re- ported.	Cases re- ported.	Cases per 1,000 inhab- itants.	Deaths regis- tered.	Deaths per 1,000 inhab- itants.	Fatali- ties per 100 cases.
Owosso, Mich.....	12,424	1	49	53	4.27	0
Paducah, Ky.....	24,633	4	385	394	15.99	0
Parkersburg, W. Va.....	19,936	3	98	33	1.66
Pasadena, Calif.....	44,578	4	624	14	.31
Passaic, N. J.....	63,358	5	412	39	.62
Pawtucket, R. I.....	63,598	4	106	5	.08
Peabody, Mass.....	19,355	4	139	27	1.39	0
Peekskill, N. Y.....	15,836	5	299	17	1.07	0
Pekin, Ill.....	11,973	2	10	11	.92
Peoria, Ill.....	75,649	3	526	30	.40
Perth Amboy, N. J.....	41,213	5	154	5	.12	0
Petersburg, Va.....	30,648	2	124	50	1.63	0
Pine Bluff, Ark.....	19,065	1	42	18	.94
Piqua, Ohio.....	14,959	5	28	3	.20
Pittsfield, Mass.....	41,255	5	264	5	.12	0
Pittston, Pa.....	18,382	4	59	19	1.03
Plainfield, N. J.....	27,332	5	258	398	14.56	1	0.01	0.3
Plattsburg, N. Y.....	10,921	2	352	4	.37
Plymouth, Pa.....	16,526	5	132	467	28.26	5	.30	1.1
Pocatello, Idaho.....	14,698	1	41	2	.14
Pontiac, Mich.....	33,256	3	226	809	24.33	7	.21	.9
Port Chester, N. Y.....	16,879	2	489	13	.79	1	.06	7.7
Port Huron, Mich.....	25,679	2	147	590	23.07	2	.08	.3
Portland, Me.....	68,721	4	511	11	.16
Portsmouth, N. H.....	13,451	3	170	8	.59
Portsmouth, Va.....	53,295	3	179	56	1.05	0
Poughkeepsie, N. Y.....	34,636	3	337	7	.20	0
Quincy, Ill.....	36,009	5	239	1	.03	0
Quincy, Mass.....	47,091	3	398	23	.49	0
Racine, Wis.....	57,533	3	72	39	.68
Rahway, N. J.....	10,954	2	25	5	.46	0
Raleigh, N. C.....	24,150	2	275	29	1.20	0
Reno, Nev.....	11,857	4	125	4	.33
Richmond, Ind.....	26,536	2	191	14	.53
Riverside, Calif.....	19,128	2	24	3	.16
Roanoke, Va.....	50,020	4	714	468	9.36	0
Rockford, Ill.....	64,608	4	507	452	7.00	6	.09	1.3
Rock Island, Ill.....	34,619	3	178	14	.40	0
Rocky Mount, N. C.....	12,500	2	268	4	.32	0
Rome, N. Y.....	26,040	5	283	73	2.80	1	.04	1.4
Sacramento, Calif.....	64,767	4	359	12	.19	0
St. Joseph, Mo.....	77,911	3	315	15	.19
Salem, Mass.....	42,589	5	394	38	.89
Salem, Oreg.....	17,494	4	233	1	.06	0
San Bernardino, Calif.....	18,415	5	75	3	.16
San Diego, Calif.....	72,875	5	790	14	.19	0
Sandusky, Ohio.....	22,747	5	122	37	1.63	0
Sanford, Me.....	10,606	1	10	4	.38	1	.09	25.0
Santa Barbara, Calif.....	19,040	2	54	5	.26
Santa Cruz, Calif.....	10,929	1	49	2	.18
Saratoga Springs, N. Y.....	13,208	4	171	10	.76
Saugus, Mass.....	10,728	57	57	5.31	1	.09	1.8
Sault Ste. Marie, Mich.....	12,123	2	55	26	2.14	0
Savannah, Ga.....	82,315	23	23	.28	2	.02	8.7
Schenectady, N. Y.....	87,904	5	802	70	.80	2	.02	2.9
Sharon, Pa.....	21,413	2	18	30	1.40
Sheboygan, Wis.....	30,720	2	27	10	.33	0
Shenandoah, Pa.....	24,780	1	25	80	3.23
Sioux Falls, S. Dak.....	24,605	3	55	39	1.59	1	.04	2.6
Somerville, Mass.....	92,274	5	480	99	1.07

Reported Prevalence, 1919—Averages for Previous Years—Continued.

MEASLES—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
South Bend, Ind.....	70,092	2	284	676	9.64	0
Southbridge, Mass.....	14,160	5	29	17	1.20
Spartanburg, S. C.....	22,374	3	228	71	3.17	1	0.04	1.4
Springfield, Ill.....	58,736	3	451	11	.19
Springfield, Ohio.....	60,123	4	377	452	8.02	3	.05	.6
Steelton, Pa.....	13,470	5	135	144	10.69	0
Steubenville, Ohio.....	28,193	5	74	3	.11
Sunbury, Pa.....	15,621	3	105	20	1.28
Superior, Wis.....	39,663	3	108	84	2.12	1	.03	1.2
Tacoma, Wash.....	96,284	4	680	229	2.38	1	.01	.4
Tamaqua, Pa.....	12,214	2	59	249	20.39	1	.08	.4
Tampa, Fla.....	50,558	4	321	214	4.83	1	.02	.4
Taunton, Mass.....	36,989	5	100	250	6.76	8	.22	3.2
Terre Haute, Ind.....	65,675	2	324	28	.43
Tiffin, Ohio.....	14,247	2	175	7	.49
Topeka, Kans.....	49,696	2	498	18	.36	0
Traverse City, Mich.....	10,986	1	26	30	2.73
Trinidad, Colo.....	10,870	4	134	11	1.01
Troy, N. Y.....	72,290	4	501	33	.46	1	.01	3.0
Tucson, Ariz.....	19,925	1	24	1	.05	0
Utica, N. Y.....	93,140	5	742	168	1.80	1	.01	.6
Vancouver, Wash.....	12,465	2	195	1	.08
Waltham, Mass.....	30,756	5	314	33	1.07	0
Warren, Ohio.....	26,228	3	43	75	2.86	0
Warren, Pa.....	14,092	5	116	7	.50	0
Washington, Pa.....	21,341	4	343	8	.37
Waterbury, Conn.....	90,469	4	77	330	3.65	6	.07	1.8
Watertown, Mass.....	21,015	4	105	45	2.14	0
Watertown, N. Y.....	31,050	5	431	10	.32	0
Waterville, Me.....	13,254	1	25	1	.08
Watervliet, N. Y.....	16,022	744
Wausau, Wis.....	18,553	4	136	20	1.08
Webster, Mass.....	13,168	4	48	37	2.81
West Chester, Pa.....	11,720	5	84	28	2.39
Westfield, Mass.....	18,472	5	195	4	.22	0
West Hoboken, N. J.....	39,828	5	117	23	.58
West Orange, N. J.....	15,336	4	296	29	1.89
Wheeling, W. Va.....	53,669	5	368	31	.58	0
White Plains, N. Y.....	20,828	3	308	23	1.10
Wichita, Kans.....	71,115	5	883	31	.44	0
Wilkesburg, Pa.....	24,121	2	23	50	2.07	0
Williamsport, Pa.....	35,975	2	371	101	2.81	0
Willimantic, Conn.....	12,274	2	53	12	.98
Wilmington, N. C.....	32,979	4	305	18	.55	0
Winchester, Mass.....	10,424	1	32	1	.10
Winona, Minn.....	19,114	3	74	93	4.87	1	.05	1.1
Winston-Salem, N. C.....	47,072	3	688	431	9.16	4	.08	.9
Winthrop, Mass.....	15,181	5	123	21	1.33	0
Woburn, Mass.....	16,509	5	81	2	.12	0
Yakima, Wash.....	18,309	4	389	13	.71	0
York, Pa.....	47,370	3	545	349	7.37
Zanesville, Ohio.....	29,490	3	39	107	3.63

Reported Prevalence, 1919—Averages for Previous Years—Continued.

PELLAGRA.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.
Amarillo, Tex.	15,209	1	2	2	2	0.13	1.0
Anderson, S. C.	10,523	1	11	3	3	.29	1.0
Asbury Park, N. J.	12,284	2	0	2	.16	0
Asheville, N. C.	28,002	5	5	.18	1.0
Ashland, Ky.	14,418	1	.07
Augusta, Ga.	51,955	2	6	11	.21
Baton Rouge, La.	21,427	1	20	5	.23
Beaumont, Tex.	39,403	2	5	4	.10
Bluefield, W. Va.	15,071	1	1	1	1	.07	1.0
Brunswick, Ga.	14,195	2	16	6	.42	3	.21	2.0
Burlington, Vt.	22,660	1	0	1	1	.04	1.0
Charleston, W. Va.	38,752	1	0	1	.03
Charlotte, N. C.	45,703	13	.28
Chattanooga, Tenn.	57,210	1	28	19	.33
Columbia, S. C.	36,947	1	7	45	1.22
Columbus, Ga.	30,581	1	96	56	1.83	18	.59	3.1
Concord, N. H.	22,132	1	2	1	.05
Danvers, Mass.	11,020	1	0	2	.18	0
Danville, Va.	21,409	3	11	5	.23
Denison, Tex.	16,888	3	.1806	3.0
Durham, N. C.	21,540	2	5	10	.46
Enid, Okla.	16,433	3	3	.18	1.0
Fort Wayne, Ind.	85,384	1	.01
Galveston, Tex.	43,880	7	.16
Greenville, S. C.	22,747	4	10	3	.13
Hamilton, Ohio.	39,449	1	0	1	.03	0
Harrisburg, Pa.	75,313	2	0	1	.01	1.0
Hot Springs, Ark.	11,836	1	20	3	.25
Jacksonville, Fla.	89,814	2	22	13	.14
Joplin, Mo.	29,969	2	1	2	.07
Kalamazoo, Mich.	48,373	2	1	1	1	.02	1.0
Knoxville, Tenn.	75,682	2	5	12	12	.16	1.0
Lexington, Ky.	41,203	1	1	11	.27
Little Rock, Ark.	64,016	2	8	32	.50
Lynchburg, Va.	29,932	2	15	4	.13
Macon, Ga.	52,369	1	8	16	.31
Medford, Mass.	38,220	1	.03
Melrose, Mass.	18,076	1	0	1	1	.06	1.0
Milford, Mass.	13,459	2	1	1	.07
Mobile, Ala.	59,707	3	31	24	.40
Montgomery, Ala.	43,190	1	26	13	.42
Morristown, N. J.	12,546	1	0	1	.08	0
Muscataine, Iowa.	16,074	1	0	1	1	.06	1.0
North Little Rock, Ark.	13,898	2	3	1	.07
Norwood, Ohio.	24,514	1	0	1	.04	0
Oklahoma City, Okla.	89,865	10	.11
Pasadena, Calif.	44,578	1	0	2	.04
Petersburg, Va.	30,648	2	2	4	.13
Pine Bluff, Ark.	19,065	1	2	22	1.15
Portland, Me.	68,721	2	101
Portsmouth, Va.	53,285	2	2	6	.11
Raleigh, N. C.	24,150	2	21	19	.79
Riverside, Calif.	19,128	2	.10	1	.05	2.0
Roanoke, Va.	50,020	2	3	3	.06
Rocky Mount, N. C.	12,500	2	4	1	.08
Rome, N. Y.	26,040	2	0	1	1	.04	1.0
Sacramento, Calif.	64,767	2	(1)	1	1	.02	1.0

1 Average less than 1.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

PELLAGRA—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.
San Diego, Calif.	72,875	3	3			1	0.01	
Savannah, Ga.	82,315					17	.21	
Somerville, Mass.	92,274	2	1	1	0.01			
Spartanburg, S. C.	22,374	2	30	4		4	.18	1.0
Springfield, Mo.	39,403					2	.05	
Staunton, Va.	10,622					10	.94	
Tampa, Fla.	50,558					8	.16	
Taunton, Mass.	36,989	4	2			1	.03	
Topeka, Kans.	49,696	1	3	1	.02	0		
Tyler, Tex.	11,998					3	.25	
Waco, Tex.	37,878	1	5			18	.48	
Wichita, Kans.	71,115	4	3	1	.01			
Wilmington, N. C.	32,979	3	52			10	.30	
Winston Salem, N. C.	47,072	3	25	14	.30	11	.23	1.3

PNEUMONIA (ALL FORMS).

City.	Estimated population, July 1, 1919.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.
Aberdeen, Wash.	15,251			24	1.57	
Adams, Mass.	12,970	12	0.93	9	.69	1.3
Adrian, Mich.	11,821			18	1.52	
Alameda, Calif.	28,527	8	.28	1	.04	8.0
Alexandria, Va.	17,919			37	2.06	
Allentown, Pa.	72,390			118	1.63	
Alliance, Ohio.	21,267			57	2.68	
Alton, Ill.	24,314	15	.62			
Altoona, Pa.	59,908			90	1.50	
Amarillo, Tex.	15,209			78	5.13	
Anaconda, Mont.	11,589			25	2.16	
Anderson, Ind.	29,391			73	2.48	
Anderson, S. C.	10,523			32	3.04	
Ann Arbor, Mich.	19,274	33	1.71	15	.78	2.2
Arlington, Mass.	18,280			28	1.53	
Asbury Park, N. J.	12,284	23	1.87	2	.16	11.5
Asheville, N. C.	28,002			39	1.39	
Ashland, Ky.	14,418			49	2.77	
Ashland, Wis.	11,347	69	5.29	22	1.94	2.7
Ashtabula, Ohio.	21,885			19	.87	
Astoria, Oreg.	13,799			39	2.83	
Attleboro, Mass.	19,550			31	1.59	
Auburn, Me.	16,886			30	1.78	
Auburn, N. Y.	36,114			45	1.25	
Augusta, Ga.	51,955			160	3.08	
Aurora, Ill.	36,058			110	3.05	
Bakersfield, Calif.	18,334			20	1.09	
Barberton, Ohio.	18,327			63	3.44	
Baton Rouge, La.	21,427			39	1.82	
Battle Creek, Mich.	35,603	17	.48	11	.31	1.5
Bay City, Mich.	47,431	20	.42	6	.13	3.3
Bayonne, N. J.	75,662	10	.13			
Beacon, N. Y.	10,977			25	2.28	
Beaumont, Tex.	39,403			85	2.16	
Bellaire, Ohio.	14,932			27	1.81	
Belleville, N. J.	15,363	55	3.58	29	1.89	1.9
Bellingham, Wash.	25,504			17	.67	
Beloit, Wis.	20,967			25	1.19	
Berkeley, Calif.	55,090			44	.80	

Reported Prevalence, 1919—Averages for Previous Years—Continued.

PNEUMONIA (ALL FORMS)—Continued.

City.	Estimated population, July 1, 1919.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.
Berlin, N. H.	15,881			24	1.51	
Bethlehem, Pa.	48,426	17	.35			
Beverly, Mass.	22,360			30	1.34	
Biddeford, Me.	17,960			26	1.45	
Binghamton, N. Y.	65,855	93	1.41	33	.50	2.8
Bloomfield, N. J.	21,661	31	1.43	24	1.11	1.3
Bloomington, Ind.	11,453			26	2.27	
Bluefield, W. Va.	15,071	34	2.26			
Braddock, Pa.	20,801	72	3.46	68	3.27	1.1
Bridgeton, N. J.	14,317			33	2.30	
Bristol, Conn.	20,253			50	2.47	
Brockton, Mass.	65,661			37	.56	
Brookline, Mass.	37,235	149	1.32	21	.56	
Brunswick, Ga.	14,195	39	2.75	25	1.76	1.6
Burlington, Iowa.	24,071	60	2.49	21	.87	2.9
Burlington, Vt.	22,660			33	1.46	
Butler, Pa.	23,621	1	.04			
Butte, Mont.	41,485			116	2.80	
Cairo, Ill.	15,169	80	5.27	19	1.25	4.2
Cambridge, Ohio.	13,012	5	.38	3	.23	1.7
Canton, Ohio.	85,192			110	1.29	
Cape Girardeau, Mo.	10,160			32	3.15	
Carbondale, Pa.	18,558			61	3.29	
Cedar Rapids, Iowa.	44,909			34	.70	
Champaign, Ill.	15,695			13	.83	
Charleroi, Pa.	11,418			26	2.28	
Charleston, W. Va.	38,752			50	1.29	
Charlotte, N. C.	45,703			78	1.71	
Chattanooga, Tenn.	57,210			144	2.52	
Chelsea, Mass.	42,631			93	2.18	
Chicopee, Mass.	35,657			71	1.99	
Chillicothe, Ohio.	15,763			26	1.65	
Cicero, Ill.	43,427			47	1.08	
Clinton, Mass.	12,989	11	.85			
Coatesville, Pa.	14,338	7	.49			
Cohoes, N. Y.	22,898			58	2.53	
Colorado Springs, Colo.	30,052			90	2.99	
Columbia, S. C.	36,947			124	3.36	
Columbus, Ga.	30,581	111	3.63	51	1.67	2.2
Concord, N. H.	22,132			44	1.99	
Connellsville, Pa.	13,755			37	2.69	
Corning, N. Y.	15,712	14	.89	4	.25	3.5
Corpus Christi, Tex.	10,404	4	.38			
Cortland, N. Y.	13,202	35	2.65	22	1.67	1.6
Covington, Ky.	56,923			110	1.93	
Cranston, R. I.	28,980			45	1.55	
Crawfordsville, Ind.	10,099			20	1.98	
Cumberland, Md.	29,425	139	4.72	50	1.70	2.8
Danbury, Conn.	19,075			25	1.31	
Danvers, Mass.	11,020			14	1.27	
Denville, Va.	21,409			29	1.35	
Decatur, Ill.	43,165			25	.58	
Denison, Tex.	16,888	32	1.89			
Dover, N. H.	13,040			27	2.07	
Dubois, Pa.	13,627			28	2.05	
Dubuque, Iowa.	39,108			42	1.07	
Duluth, Minn.	97,864			104	1.03	
Dunkirk, N. Y.	19,227			30	1.56	
Durham, N. C.	21,540			32	1.49	
East Chicago, Ind.	35,098			106	3.02	
East Cleveland, Ohio.	26,359			44	1.67	
Easton, Pa.	33,541			62	1.85	
East Orange, N. J.	49,869	113	2.27	33	.66	3.4
East St. Louis, Ill.	66,318			162	2.44	

¹Includes lobar pneumonia only.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

PNEUMONIA (ALL FORMS)—Continued.

City.	Estimated population, July 1, 1919.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.
Elizabeth, N. J.	94,535			175	1.85	
Elkhart, Ind.	21,020			49	2.04	
Elmira, N. Y.	44,886			90	2.01	
El Paso, Tex.	75,572			255	3.37	
Elwood, Ind.	10,802			9	.83	
Elyria, Ohio.	20,183			69	3.42	
Enfield, Conn.	11,616	45	3.87	25	2.15	1.8
Englewood, N. J.	11,539	39	3.38	19	1.65	2.0
Enid, Okla.	16,433	45	2.74	30	1.83	1.5
Eric, Pa.	91,989			128	1.39	
Eugene, Oreg.	10,511			25	2.38	
Eureka, Calif.	12,867			16	1.24	
Evanston, Ill.	36,585			58	1.59	
Everett, Mass.	39,778	38	.96	11	.28	3.4
Everett, Wash.	27,498			17	.62	
Findlay, Ohio.	16,910	18	1.06	15	.89	1.2
Flint, Mich.	88,867	147	1.65	100	1.13	1.5
Fond du Lac, Wis.	23,189			30	1.29	
Fort Scott, Kans.	10,681			11	1.03	
Fort Wayne, Ind.	85,384			153	1.82	
Framingham, Mass.	16,823	14	.83	6	.36	2.3
Freeport, Ill.	19,561			33	1.69	
Fremont, Ohio.	12,338			27	2.19	
Galesburg, Ill.	23,744			49	2.06	
Galveston, Tex.	43,880			29	.66	
Gardner, Mass.	16,854	50	2.97	25	1.48	2.0
Geneva, N. Y.	14,535			27	1.86	
Glens Falls, N. Y.	16,568			29	1.75	
Gloversville, N. Y.	22,001	33	1.50	8	.36	4.1
Granite City, Ill.	14,507	20	1.38	9	.62	2.2
Great Falls, Mont.	23,597			47	1.99	
Green Bay, Wis.	30,719			71	2.31	
Greenfield, Mass.	15,203			23	1.51	
Greenville, Tex.	12,202	35	2.87	16	1.31	2.2
Greenwich, Conn.	21,831	45	2.06	17	.78	2.6
Hackensack, N. J.	17,481	56	3.20	55	3.15	1.0
Hamilton, Ohio.	39,449			25	.63	
Hammond, Ind.	35,227			109	3.09	
Harrisburg, Pa.	75,313			126	1.67	
Harrison, N. J.	15,658	43	2.75			
Haverhill, Mass.	53,381	187	3.50	49	.92	
Hazleton, Pa.	31,925			63	1.97	
Henderson, Ky.	12,132			18	1.48	
Hibbing, Minn.	14,767	81	5.49	6	.41	13.5
Highland Park, Mich.	41,316	115	2.59	70	1.58	1.6
Hoboken, N. J.	68,277			122	1.79	
Holland, Mich.	12,080	11	.91	5	.41	2.2
Holyoke, Mass.	60,076			118	1.96	
Homestead, Pa.	20,362			51	2.50	
Huntington, Ind.	13,803			22	1.59	
Huntington, W. Va.	49,198			83	1.89	
Ironwood, Mich.	15,589			10	.64	
Ithaca, N. Y.	16,891			28	1.66	
Jackson, Mich.	47,502			78	1.64	
Jacksonville, Fla.	89,814			175	1.84	
Jacksonville, Ill.	15,693			73	4.97	
Jamestown, N. Y.	38,525	150	3.89	25	.65	6.0
Jefferson City, Mo.	14,258			31	2.17	
Johnstown, N. Y.	10,884	3	.28	2	.18	1.5
Joliet, Ill.	38,214	54	1.41			
Joplin, Mo.	29,669			91	3.04	
Kalamazoo, Mich.	48,373	146	3.02	78	1.61	1.9
Kearny, N. J.	26,309	125	4.75	52	1.98	2.4
Kenosha, Wis.	39,488			58	1.47	

¹ Includes lobar pneumonia only.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

PNEUMONIA (ALL FORMS)—Continued.

City.	Estimated population, July 1, 1919.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.
Kewanee, Ill.	15,680			40	2.55	
Key West, Fla.	18,811			14	.74	
Knoxville, Tenn.	75,682			101	1.33	
Kokomo, Ind.	29,395			79	2.69	
Lackawanna, N. Y.	17,744	145	8.17	9	2.20	3.7
La Crosse, Wis.	30,366	49	1.61	43	1.42	1.1
La Fayette, Ind.	22,362	1	.04			
Lakewood, Ohio.	40,365	151	3.74	69	1.71	2.2
Lancaster, Ohio.	14,623			35	2.39	
Lancaster, Pa.	52,845			82	1.55	
Lansing, Mich.	55,983			69	1.23	
La Salle, Ill.	12,972			17	1.31	
Lawrence, Kans.	12,452			11	.88	
Lawrence, Mass.	93,839	107	1.14	36	.38	
Lebanon, Pa.	24,365	36	1.48	10	.41	3.6
Leominster, Mass.	19,633			50	2.55	
Lexington, Ky.	41,203			108	2.62	
Lima, Ohio.	40,750			72	1.77	
Lincoln, Nebr.	54,369			125	1.46	
Little Falls, N. Y.	12,990	60	4.62	17	1.31	3.5
Little Rock, Ark.	64,016			104	1.62	
Logansport, Ind.	21,493			36	1.67	
Long Beach, Calif.	53,647			44	.82	
Long Branch, N. J.	13,510			19	1.41	
Loain, Ohio.	36,862			81	2.20	
Lynchburg, Va.	29,932			47	1.57	
McKeesport, Pa.	45,806			135	2.95	
Macon, Ga.	52,360			139	2.65	
Madison, Wis.	37,716			122	3.23	
Malden, Mass.	48,861	142	1.86	31	.63	
Manchester, Conn.	18,126			26	1.43	
Manchester, N. H.	77,955			42	.54	
Manitowoc, Wis.	17,329			24	1.38	
Mankato, Minn.	12,361			27	2.18	
Mansfield, Ohio.	27,461			35	1.27	
Marion, Ind.	23,521			23	.98	
Marlboro, Mass.	15,005			13	.87	
Martins Ferry, Ohio.	11,505	16	1.39	13	1.13	1.2
Massillon, Ohio.	17,245			16	.93	
Maywood, Ill.	11,864	5	.42	3	.25	1.7
Meadville, Pa.	14,476			18	1.24	
Medford, Mass.	38,220			67	1.75	
Melrose, Mass.	18,076	113	1.72	14	.77	
Methuen, Mass.	14,936	18	1.20	13	.87	1.4
Middletown, N. Y.	18,260	89	4.87	22	1.20	4.0
Middletown, Ohio.	23,056			21	.91	
Milford, Mass.	13,450			27	2.01	
Mishawaka, Ind.	15,025			19	1.26	
Missoula, Mont.	12,678			24	1.89	
Mobile, Ala.	59,707			90	1.51	
Moline, Ill.	30,374			49	1.61	
Monessen, Pa.	17,849			23	1.29	
Montclair, N. J.	28,436	119	3.87	42	1.48	2.6
Montgomery, Ala.	43,190			38	.88	
Morristown, N. J.	12,546	38	4.62	39	3.11	1.5
Mount Vernon, N. Y.	42,118	158	3.75	68	1.61	2.3
Muncie, Ind.	35,879	65	1.81	51	1.42	1.3
Muskegon, Mich.	35,926			41	1.14	
Nashua, N. H.	28,257			48	1.70	
New Albany, Ind.	22,870			32	1.40	

¹ Includes lobar pneumonia only.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

PNEUMONIA (ALL FORMS)—Continued.

City.	Estimated population, July 1, 1919.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.
Newark, Ohio.....	26,650	73	2.74
New Britain, Conn.....	58,523	88	1.50
Newburgh, N. Y.....	30,234	53	1.75
Newburyport, Mass.....	15,584	22	1.41	20	1.28	1.1
New Castle, Ind.....	14,200	19	1.34
New Castle, Pa.....	44,492	114	2.56
New London, Conn.....	25,377	76	2.99
Newport, Ky.....	29,368	150	5.11	68	2.32	2.2
Newport, R. I.....	30,095	27	.90
New Rochelle, N. Y.....	35,835	52	1.45
Newton, Mass.....	45,732	26	.57	19	.42	1.4
Niagara Falls, N. Y.....	49,714	77	1.55
Norristown, Pa.....	32,000	40	1.25
North Adams, Mass.....	22,268	117	1.76	12	.54
Northampton, Mass. ²	21,821	23	1.05	11	.50	2.1
North Braddock, Pa.....	14,768	54	3.66
Northbridge, Mass.....	10,104	14	1.39
North Little Rock, Ark.....	13,898	29	2.09
North Tonawanda, N. Y.....	15,300	69	4.51	25	1.63	2.8
Norwalk, Conn.....	27,093	44	1.62
Norwich, Conn.....	22,204	37	1.67
Norwood, Ohio.....	24,514	27	1.10
Oak Park, Ill.....	38,780	77	1.99
Ogden, Utah.....	32,432	37	1.14	35	1.08	1.1
Olean, N. Y.....	20,209	81	4.01	43	2.13	1.9
Olyphant, Pa.....	10,147	39	3.84	24	2.37	1.6
Orange, N. J.....	33,081	95	2.87	61	1.84	1.6
Oshkosh, Wis.....	33,157	37	1.12
Ossining, N. Y.....	10,777	17	1.58
Owensboro, Ky.....	17,351	4	.23
Owosso, Mich.....	12,424	3	.24
Paducah, Ky.....	24,633	40	1.62
Parkersburg, W. Va.....	19,936	38	1.91
Pasadena, Calif.....	44,578	46	.90
Passaic, N. J.....	63,368	90	1.42	53	.84	1.7
Pawtucket, R. I.....	63,598	158	2.48
Peabody, Mass.....	19,355	27	1.39
Peekskill, N. Y.....	15,836	19	1.20
Pekin, Ill.....	11,973	26	2.17	14	1.17	1.9
Peoria, Ill.....	75,649	89	1.18
Perth Amboy, N. J.....	41,213	97	2.35
Petersburg, Va.....	30,648	39	1.27
Pine Bluff, Ark.....	19,065	46	2.41
Piqua, Ohio.....	14,959	27	1.80	17	1.14	1.6
Pittsburg, Kans.....	17,882	55	3.08
Pittsfield, Mass.....	41,255	137	1.90	47	1.14
Pittston, Pa.....	18,382	1	.05
Plainfield, N. J.....	27,332	137	5.01	57	2.09	2.4
Plattsburg, N. Y.....	10,921	15	1.37
Pocatello, Idaho.....	14,698	37	2.52
Pomona, Calif.....	13,335	10	.75
Pontiac, Mich.....	33,256	67	2.01	47	1.41	1.4
Port Chester, N. Y.....	16,379	112	6.84	34	2.08	3.3
Port Huron, Mich.....	25,579	52	2.03	43	1.68	1.2
Portland, Me.....	68,721	80	1.16
Portsmouth, Ohio.....	32,520	45	1.38
Portsmouth, Va.....	53,295	129	2.42
Provo, Utah.....	10,232	23	2.25
Quincy, Ill.....	36,009	48	1.33
Quincy, Mass.....	47,091	50	1.06
Racine, Wis.....	57,533	230	4.00	61	1.11	3.6
Rahway, N. J.....	10,954	22	2.01
Raleigh, N. C.....	24,150	23	.95
Reno, Nev.....	11,957	55	4.60
Richmond, Ind.....	26,531	32	1.21

²Includes lobar pneumonia only.³Year ended Nov. 30, 1919.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

PNEUMONIA (ALL FORMS)—Continued.

City.	Estimated population, July 1, 1919.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.
Riverside, Calif.	19,128			23	1.20	
Roanoke, Va.	50,020	153	3.06	50	1.00	3.1
Rockford, Ill.	64,608			89	1.38	
Rock Island, Ill.	34,619			35	1.01	
Rocky Mount, N. C.	12,500			17	1.36	
Rome, N. Y.	26,040	52	2.00	42	1.61	1.2
Sacramento, Calif.	64,767			183	2.83	
St. Joseph, Mo.	77,911			167	2.14	
Salem, Mass.	42,589	72	1.69	62	1.46	1.2
Salem, Oreg.	17,494			35	2.00	
San Bernardino, Calif.	18,415			23	1.25	
San Diego, Calif.	72,875	34	.47	29	.40	1.2
Sandusky, Ohio.	22,747	74	3.25	26	1.14	2.8
Sanford, Me.	10,606			13	1.23	
Santa Barbara, Calif.	19,040			31	1.63	
Santa Cruz, Calif.	10,929	46	4.21	16	1.46	2.9
Saratoga Springs, N. Y.	13,208	53	4.01	23	1.74	2.3
Saugus, Mass.	10,728	5	.47	3	.28	1.7
Sault Ste. Marie, Mich.	12,123	46	3.79	15	1.24	3.1
Savannah, Ga.	82,315			71	.86	
Schenectady, N. Y.	87,904	165	1.88	71	.81	2.3
Sheboygan, Wis.	30,720	32	1.04	22	.72	1.5
Sioux Falls, S. Dak.	24,605			53	2.15	
Somerville, Mass.	92,274	¹ 111	¹ 1.20	141	1.53	
Southbridge, Mass.	14,160			10	.71	
Spartanburg, S. C.	22,374			50	2.23	
Springfield, Ill.	58,796			156	2.65	
Springfield, Mo.	39,403			34	.86	
Springfield, Ohio.	60,123			64	1.06	
Staunton, Va.	10,622			57	5.37	
Steelton, Pa.	13,470	45	3.34	33	2.45	1.4
Steubenville, Ohio.	28,193			80	2.84	
Sunbury, Pa.	15,621			23	1.47	
Superior, Wis.	39,663			72	1.82	
Tacoma, Wash.	96,281	334	3.47	268	2.78	1.2
Tamaqua, Pa.	12,214			16	1.31	
Tampa, Fla.	50,558			71	1.40	
Taunton, Mass.	36,989			45	1.22	
Terre Haute, Ind.	65,675			145	2.21	
Tiffin, Ohio.	14,247			19	1.33	
Topeka, Kans.	49,693			69	1.39	
Traverse City, Mich.	10,986			36	3.28	
Troy, N. Y.	72,260			215	2.98	
Tucson, Ariz.	19,926			58	2.91	
Tyler, Tex.	11,998			9	.75	
Utica, N. Y.	93,140			145	1.56	
Vancouver, Wash.	12,465			4	.32	
Waco, Tex.	37,878	82	2.16	77	2.03	1.1
Waltham, Mass.	30,755			16	.52	
Warren, Ohio.	26,228	70	2.67	47	1.79	1.5
Warren, Pa.	14,692			1	.07	
Washington, Pa.	21,341			84	3.94	
Waterbury, Conn.	90,469	5	.06			
Watertown, Mass.	21,015			28	1.33	
Waterville, Me.	13,254			23	1.74	
Watervliet, N. Y.	16,022			40	2.50	
Wausau, Wis.	18,553			28	1.51	
Webster, Mass.	13,168			17	1.29	
West Chester, Pa.	11,720			22	1.88	
Westfield, Mass.	18,472	¹ 87	¹ 2.00	36	1.95	

¹ Includes lobar pneumonia only.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

PNEUMONIA (ALL FORMS)—Continued.

City.	Estimated population, July 1, 1919.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.
West Hoboken, N. J.	39,828			61	1.53	
West Orange, N. J.	15,336	38	2.48	11	.72	3.5
West Springfield, Mass.	13,226			16	1.21	
Wheeling, W. Va.	53,669			47	.88	
White Plains, N. Y.	20,828			39	1.87	
Wichita, Kans.	71,115			39	.55	
Wilksburg, Pa.	24,121	105	4.35	66	2.74	1.6
Williamsport, Pa.	35,975			54	1.50	
Willimantic, Conn.	12,274			17	1.39	
Wilmington, N. C.	32,979			53	1.61	
Winchester, Mass.	10,424	11	1.06	1	.10	11.0
Winona, Minn.	19,114			26	1.36	
Winston-Salem, N. C.	47,072	198	4.21	101	2.15	2.0
Winthrop, Mass.	15,181	17	1.12	10	.66	1.7
Woburn, Mass.	16,509			26	1.57	
Yakima, Wash.	18,309			26	1.42	
York, Pa.	47,370	12	.25			
Zanesville, Ohio.	29,490			50	1.70	

POLIOMYELITIS (INFANTILE PARALYSIS).

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Alexandria, Va.	17,919	2	1	1		1	0.06	
Altoona, Pa.	59,908	4	2	1	0.02			
Amarillo, Tex.	15,209	1	1	1		1	.07	
Anaconda, Mont.	11,589					1	.09	
Anderson, Ind.	29,391	3	1	1		1	.03	
Ann Arbor, Mich.	19,274		5	2	.10	1	.05	50.0
Arlington, Mass.	18,280	2	1	1	.05	0		
Asheville, N. C.	28,002	2	2	1	.04			
Auburn, N. Y.	36,114	1	1	1		1	.03	
Augusta, Ga.	51,955	1	2	1	.02			
Battle Creek, Mich.	35,603	3	3	2	.06	0		
Bayonne, N. J.	75,662	1	1	1	.01			
Belleville, N. J.	15,363		1	1	.07			
Beloit, Wis.	20,967	4	(1)	8	.38	1	.05	12.5
Bethlehem, Pa.	48,426	1	1	3	.06			
Bloomfield, N. J.	21,661	2	0	1	.05			
Bluefield, W. Va.	15,071	1	1	5	.33			
Braddock, Pa.	20,801	2	1	1	.05			
Brockton, Mass.	65,661	4	3	1	.02	0		
Burlington, Vt.	22,660	3	3	1	.04	0		
Butler, Pa.	23,621	1	1	5	.21			
Cedar Rapids, Iowa	44,969	3	2	1	.02			
Charleston, W. Va.	38,752	1	2	6	.15	2	.05	35.3
Chattanooga, Tenn.	57,210			2	.03			
Chillicothe, Ohio.	15,763	2	0	1	.06	0		
Clinton, Iowa.	24,297	3	6	1		1	.04	
Clinton, Mass.	12,989	1	1	1	.08			
Columbia, S. C.	36,947	1	2	1	.03			
Columbus, Ga.	36,531	1	1	1	.03	0		
Covington, Ky.	56,923	3	2	1	.02	0		
Cumberland, Md.	29,425	5	2	1	.03	1		
Dubuque, Iowa.	32,108	1	1	1	.03			
Duluth, Minn.	97,864	4	2	1		1	.01	
East Chicago, Ind.	35,698	2	3	1	.03	0		

¹ Average less than 1.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
East St. Louis, Ill.	66,318	1	5	2		2	0.03	
Eau Claire, Wis.	20,748	1	5	3	0.14			
Elyria, Ohio.	20,183	2	3	1	.05			
Enid, Okla.	16,433			1		1	.06	
Evauston, Ill.	36,585	3	5	2	.05	1	.03	50.0
Flint, Mich.	88,867	1	2	13	.15	4	.05	30.8
Fond du Lac, Wis.	23,189	4	(1)	3	.13	1	.04	33.3
Fort Scott, Kans.	10,681	2	(1)	2	.19	0		
Framingham, Mass.	16,823	3	3	1		1	.06	
Galesburg, Ill.	23,744			2	.08	1	.04	50.0
Granite City, Ill.	14,507	2	1	1	.07			
Greenwich, Conn.	21,831	2	(1)	1	.05	0		
Hammond, Ind.	35,227	2	2			1	.03	
Highland Park, Mich.	44,316	2	(1)	1	.02	0		
Hoboken, N. J.	68,277	1	2	1	.01	0		
Holyoke, Mass.	60,076	1	5	2	.03			
Jackson, Mich.	47,502	3	1			1	.02	
Jacksonville, Fla.	89,814	2	(1)	1	.01	0		
Jacksonville, Ill.	15,693					1	.06	
Joplin, Mo.	29,969	1	1	2	.07	1	.03	50.0
Kalamazoo, Mich.	48,373	2	1	1	.02	0		
Kenosha, Wis.	39,448	3	6	4	.10	0		
Kokomo, Ind.	29,335	2	1			1	.03	
Lancaster, Pa.	52,845	3	2	2	.04			
La Salle, Ill.	12,972	3	3	1	.08	0		
Lawrence, Mass.	93,839	4	3	1	.01	0		
Lexington, Ky.	41,203	3	1	2	.05			
Lima, Ohio.	40,750	1	2	1		1	.02	
Lincoln, Nebr.	54,339	4	2	4	.07	2	.04	50.0
Lynchburg, Va.	29,932	2	(1)	2	.07	0		
McAlester, Okla.	12,139	2	(1)	1	.08	0		
Madison, Wis.	37,716	3	3	2	.05			
Manchester, N. H.	77,955	4	3	1	.01	0		
Manitowoc, Wis.	17,329	2	1	2	.12	0		
Mansfield, Ohio.	27,461	4	1	1	.04			
Marshalltown, Iowa.	15,610			1	.06			
Medford, Mass.	38,220	2	2	2	.05			
Melrose, Mass.	18,076	3	1	1	.06	0		
Methuen, Mass.	14,996	1	0	1	.07			
Middletown, N. Y.	18,260	2	(1)	1	.05			
Milford, Mass.	13,450	3	2	1	.07	0		
Missoula, Mont.	12,678	1	1	1	.08	0		
Mobile, Ala.	59,707	2	(1)	1	.02			
Moline, Ill.	39,374	2	2	1	.03	0		
Montgomery, Ala.	43,190	2	(1)	1	.02			
Mount Vernon, N. Y.	42,118	4	(1)	1	.02	0		
New Brunswick, N. J.	32,295	2	2	1	.03			
New Rochelle, N. Y.	35,831	2	1	1	.03			
Newton, Mass.	45,732	4	1	1	.02	0		
North Adams, Mass.	22,568	2	0	1	.04	0		
Oak Park, Ill.	38,780	4	2	1	.03	0		
Orange, N. J.	33,081	2	1	1		1	.03	
Oshkosh, Wis.	33,157	3	1	1	.03	0		
Passaic, N. J.	63,338	5	2	2	.08			
Pekin, Ill.	11,973			1	.08			
Peoria, Ill.	75,649	1	1	1	.01			
Petersburg, Va.	30,648	2	1	1	.03	0		
Pine Bluff, Ark.	19,063	1	1	2	.10			
Piqua, Ohio.	14,959	3	1	2	.13			

¹ Average less than 1.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Pontiac, Mich.	33,256	2	5	25	0.75	13	0.39	52.0
Port Huron, Mich.	25,579			1	.04	0		
Portland, Me.	68,721	3	3			2	.03	
Poughkeepsie, N. Y.	31,635	1	1	1	.03			
Quincy, Ill.	36,009	4	3	1		1	.03	
Racine, Wis.	57,533	1	2	2		2	.03	
Richmond, Ind.	26,536	1	1	1		1	.04	
Rockford, Ill.	64,608	3	2	1	.02			
Saratoga Springs, N. Y.	13,208	3	3	1		1	.08	
Schenectady, N. Y.	87,904	3	2	5	.06	0		
Sioux Falls, S. Dak.	24,605	1	1	2	.08	0		
Somerville, Mass.	92,274	4	4	1	.01			
South Bend, Ind.	70,092	2	0	1		1	.01	
Spartanburg, S. C.	22,374	2	1	1	.04	0		
Springfield, Ill.	58,796	2	2	3	.05	0		
Tacoma, Wash.	96,284	4	1	2	.02	1	.01	50.0
Tamaqua, Pa.	12,214			1	.08			
Topeka, Kans.	49,696	1	1	3	.06	1	.02	33.3
Uniontown, Pa.	15,571			1		1	.06	
Vancouver, Wash.	12,465	1	0	1	.08			
Waco, Tex.	37,878			6	.16			
Warren, Ohio.	26,228	3	1	1		1	.04	
Washington, Pa.	21,341	1	0	1	.05			
White Plains, N. Y.	20,823	1	0	1	.05			
Wilkinsburg, Pa.	24,121	2	3	1	.04			
Winthrop, Mass.	15,181	1	4	1	.07	0		
Yakima, Wash.	18,309	2	0	1		1	.05	

RABIES IN ANIMALS.

City.	Cases reported.	City.	Cases reported.
Alexandria, Va.	4	Lawrence, Kans.	2
Anderson, S. C.	2	Lincoln, Nebr.	1
Chillicothe, Ohio.	5	McAlester, Okla.	8
Covington, Ky.	1	Oil City, Pa.	2
Cranston, R. I.	1	Orange, N. J.	2
Danville, Va.	2	Ossining, N. Y.	2
Denison, Tex.	4	Peekskill, N. Y.	1
East Orange, N. J.	1	Portafello, Idaho.	4
Elizabeth, N. J.	1	Portsmouth, Ohio.	1
Findlay, Ohio.	1	Poughkeepsie, N. Y.	4
Greenville, S. C.	4	Rocky Mount, N. C.	1
Greenwich, Conn.	5	Spartanburg, S. C.	1
Hackensack, N. J.	1	Springfield, Ohio.	5
Highland Park, Mich.	2	Taunton, Mass.	1
Jacksonville, Fla.	9	West Orange, N. J.	2
Kearny, N. J.	1	Winston-Salem, N. C.	10

RABIES IN MAN.

City.	Cases reported.	Deaths registered.	City.	Cases reported.	Deaths registered.
Alliance, Ohio.		1	McAlester, Okla.	1	1
Cairo, Ill.		1	Portsmouth, Ohio.	1	1
Columbus, Ga.	1	1	Terre Haute, Ind.	1	1

Reported Prevalence, 1919—Averages for Previous Years—Continued.

SCARLET FEVER.

City.	Estimated population July 1, 1919.	Average.		1919.				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Aberdeen, Wash.....	15,251	3	8	20	1.31	0
Adams, Mass.....	12,970	3	15	2	.15	1	0.08	50.0
Adrian, Mich.....	11,821	4	17	5	.42
Alameda, Calif.....	28,527	5	73	26	.91	0
Alexandria, Va.....	17,919	2	34	27	1.51	1	.06	3.7
Allentown, Pa.....	72,390	1	42	83	1.15	1	.01	1.2
Alton, Ill.....	24,314	5	18	56	2.30
Altoona, Pa.....	59,908	4	69	52	.87	2	.03	3.8
Amarillo, Tex.....	15,209	1	11	22	1.45	1	.07	4.5
Anaconda, Mont.....	11,589	2	96	10	.86	1	.09	10.0
Anderson, Ind.....	20,391	4	36	8	.27
Ann Arbor, Mich.....	19,274	5	56	41	2.13	1	.05	2.4
Appleton, Wis.....	19,417	3	32	117	6.03	1	.05	.9
Arlington, Mass.....	18,280	3	30	39	2.13	0
Asbury Park, N. J.....	12,284	5	17	15	1.22	0
Asheville, N. C.....	28,002	5	20	45	1.61
Ashland, Ky.....	14,418	1	75	65	4.51	0
Ashland, Wis.....	11,347	2	4	16	1.41	1	.09	6.2
Ashtabula, Ohio.....	21,885	4	18	39	1.78
Astoria, Oreg.....	13,799	2	25	8	.58	0
Attleboro, Mass.....	19,550	2	23	50	2.56	1	.05	2.0
Auburn, Me.....	16,886	1	11	13	.77	0
Auburn, N. Y.....	36,114	4	73	61	1.69
Augusta, Ga.....	51,955	3	24	19	.37	0
Aurora, Ill.....	36,058	5	83	90	2.50	0
Bakersfield, Calif.....	18,334	4	17	18	.98	0
Barberton, Ohio.....	18,327	1	20	17	.93	0
Baton Rouge, La.....	21,427	3	6	15	.70	0
Battle Creek, Mich.....	35,603	5	89	278	7.81	2	.06	.7
Bay City, Mich.....	47,431	4	89	65	1.37	0
Bayonne, N. J.....	75,662	4	90	60	.79
Beacon, N. Y.....	10,977	1	0	9	.82
Beaumont, Tex.....	39,403	2	1	3	.08
Bellaire, Ohio.....	14,952	2	31	10	.67
Belleville, N. J.....	15,363	2	17	69	4.49	1	.07	1.4
Bellingham, Wash.....	25,504	3	6	34	1.33	1	.04	2.9
Beloit, Wis.....	20,967	5	25	43	2.05	1	.05	2.3
Benton Harbor, Mich.....	12,076	2	23	9	.75	0
Berkeley, Calif.....	55,090	5	71	45	.82	0
Berlin, N. H.....	15,881	4	3	22	1.39	1	.06	4.5
Bethlehem, Pa.....	48,426	3	20	24	.50
Beverly, Mass.....	22,360	4	31	42	1.88
Billings, Mont.....	14,839	5	36	108	7.28
Binghamton, N. Y.....	65,855	5	105	71	1.08	2	.03	2.8
Bloomfield, N. J.....	21,661	3	29	63	2.91
Bloomington, Ind.....	11,453	2	102	9	.79	0
Bluefield, W. Va.....	15,071	2	27	83	5.51
Braddock, Pa.....	20,801	3	39	38	1.83	2	.10	5.3
Bridgeton, N. J.....	14,317	2	11	15	1.05
Bristol, Conn.....	20,253	2	47	53	2.62	1	.05	1.9
Brockton, Mass.....	65,661	4	129	117	1.78	0
Brookline, Mass.....	37,235	5	72	62	1.67	0
Burlington, Iowa.....	24,071	5	36	66	2.74
Burlington, Vt.....	22,660	3	9	17	.75	0
Butler, Pa.....	23,621	4	37	113	4.78
Butte, Mont.....	41,485	3	144	131	3.16	6	.14	4.6
Cairo, Ill.....	15,169	5	12	32	2.11	0
Cambridge, Ohio.....	13,012	3	38	9	.69	0
Canton, Ohio.....	85,192	5	197	63	.74	1	.01	1.6

Reported Prevalence, 1919—Averages for Previous Years—Continued.

SCARLET FEVER—Continued.

City.	Estimated population July 1, 1919.	Average.		1919.				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Carbondale, Pa.....	18,553	4	24	9	0.48	2	0.11	22.2
Carlisle, Pa.....	10,884	4	4	18	1.65			
Cedar Rapids, Iowa.....	44,909	5	37	20	.45	1	.02	5.0
Central Falls, R. I.....	24,101	3	21	19	.79	0		
Centralia, Ill.....	12,346	2	9	4	.32			
Chambersburg, Pa.....	13,100	2	8	6	.46			
Champaign, Ill.....	15,695	4	21	41	2.61	1	.06	2.4
Charleot, Pa.....	11,418	1	1	19	1.66	1	.09	5.3
Charleston, W. Va.....	38,752	2	37	60	1.55	5	.13	8.3
Charlotte, N. C.....	45,703	2	87	52	1.14	0		
Chattanooga, Tenn.....	57,210	1	28	48	.84			
Chelsea, Mass.....	42,631	5	95	58	1.35	0		
Cheyenne, Wyo.....	13,700	2	74	44	3.21			
Chicopee, Mass.....	35,657	4	39	42	1.18	2	.06	4.8
Chillicothe, Ohio.....	15,763	5	40	46	2.92	0		
Cicero, Ill.....	43,427	3	75	54	1.24	0		
Clinton, Iowa.....	24,297	5	51	20	.82			
Clinton, Mass.....	12,989	5	29	24	1.85			
Coatesville, Pa.....	14,338	2	25	11	.77			
Cohoes, N. Y.....	22,898	2	10	47	2.05			
Colorado Springs, Colo.....	30,052	4	37	51	1.70	1	.03	2.0
Columbia, S. C.....	36,947	1	40	8	.22			
Columbus, Ga.....	30,581	3	11	44	1.44	0		
Concord, N. H.....	22,132	5	26	34	1.54			
Connellsville, Pa.....	13,755	4	33			1	.07	
Corning, N. Y.....	15,712	4	9	2	.13			
Cortland, N. Y.....	13,202	4	25	90	6.82	0		
Coshocton, Ohio.....	10,783	2	4	1	.09			
Council Bluffs, Iowa.....	35,808	4	137	82	2.29	2	.06	2.4
Covington, Ky.....	56,923	3	55	83	1.46	2	.04	2.4
Cranston, R. I.....	28,980	5	44	41	1.41			
Crawfordsville, Ind.....	10,099	1	0	7	.69	0		
Cumberland, Md.....	29,425	5	93	128	4.35	3	.10	2.3
Danbury, Conn.....	19,075	3	33	33	1.73	0		
Danvers, Mass.....	11,020	1	8	22	2.00	0		
Danville, Va.....	21,409	4	17	61	2.85	0		
Davenport, Iowa.....	56,021	5	138	152	2.71			
Decatur, Ill.....	43,165	5	124	30	.70			
Denison, Tex.....	16,888			3	.18	1	.06	33.3
Dickson City, Pa.....	10,961	1	4	5	.46			
Dover, N. H.....	13,040	4	12	6	.46	0		
Dubois, Pa.....	13,627	4	22	100	7.34	3	.22	3.0
Dubuque, Iowa.....	39,108	3	47	37	.95			
Duluth, Minn.....	97,864	5	280	54	.55	1	.01	1.9
Dunkirk, N. Y.....	19,227	5	17	60	3.12	1	.05	1.7
Duquesne, Pa.....	18,842	1	20	6	.32			
Durham, N. C.....	21,540	3	35	28	1.30	0		
East Chicago, Ind.....	35,098	4	47	22	.63	1	.03	4.5
East Cleveland, Ohio.....	26,359	2	35	23	.87	1	.04	4.3
Easton, Pa.....	33,541	4	42	13	.39	0		
East Orange, N. J.....	49,869	5	97	69	1.38	1	.02	1.4
East St. Louis, Ill.....	66,318	2	66	50	.75			
Eau Claire, Wis.....	20,748	5	29	83	4.00			
Elgin, Ill.....	27,378	5	52	25	.91			
Elizabeth, N. J.....	94,535	5	174	271	2.87	2	.02	.7
Elkhart, Ind.....	24,020		44	44	1.83			
Elmira, N. Y.....	44,886	3	44	46	1.02	0		
El Paso, Tex.....	75,572	5	82			1	.01	
Elwood, Ind.....	10,802	2	10	4	.37			

Reported Prevalence, 1919—Averages for Previous Years—Continued.

SCARLET FEVER—Continued.

City.	Estimated population July 1, 1919.	Average.		1919.				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Elvria, Ohio.....	20,183	5	20	4	0.20			
Enfield, Conn.....	11,616	2	8	42	3.62			
Englewood, N. J.....	11,539	2	11	30	2.60			
Enid, Okla.....	16,433			34	2.07	0		
Erie, Pa.....	91,989	5	117	136	1.48	1	0.01	0.7
Eugene, Oreg.....	10,511	2	4	11	1.05	0		
Eureka, Calif.....	12,867	3	43	9	.70			
Evanston, Ill.....	36,585	5	95	46	1.26	0		
Everett, Mass.....	39,778	5	103	89	2.24			
Everett, Wash.....	27,498	5	29	64	2.33	1	.04	1.6
Fairmont, W. Va.....	17,432	2	3	101	5.79			
Findlay, Ohio.....	16,910	4	31	6	.35	0		
Flint, Mich.....	88,867	2	352	161	1.81	2	.03	1.9
Fond du Lac, Wis.....	23,189	4	47	101	4.36	2	.09	2.0
Fort Dodge, Iowa.....	19,151			19	.99	0		
Fort Scott, Kans.....	10,681	3	2	3	.28	0		
Fort Wayne, Ind.....	85,381	5	60	46	.47	1	.01	2.5
Frammingham, Mass.....	16,823	3	28	51	3.03	1	.03	2.0
Frankfort, Ind.....	11,433	1	29	11	.96	0		
Freeport, Ill.....	19,551	2	27	22	1.12	3	.15	13.6
Galesburg, Ill.....	23,744	3	11	21	.88			
Galveston, Tex.....	43,880	3	23	6	.14	1	.02	16.7
Gardner, Mass.....	16,854	4	45	15	.89	0		
Geneva, N. Y.....	14,555	1	31	20	1.38	0		
Glens Falls, N. Y.....	16,566	2	30	5	.39	1	.05	20.0
Grand Island, Nebr.....	13,773	3	39	1	.07			
Granite City, Ill.....	14,507	4	16	46	3.17			
Great Falls, Mont.....	23,597	3	85	92	3.90	2	.08	2.2
Green Bay, Wis.....	30,719	3	37	28	.91			
Greenfield, Mass.....	15,203	4	35	24	1.58			
Greenville, S. C.....	22,747	5	13	34	1.49			
Greenville, Tex.....	12,202			5	.41			
Greenwich, Conn.....	21,831	5	34	78	3.57	0		
Hackensack, N. J.....	17,481	4	14	21	1.20			
Hamilton, Ohio.....	39,449	5	37	50	1.27	0		
Hammond, Ind.....	35,227	5	58	40	1.14	0		
Harrisburg, Pa.....	75,313	4	77	124	1.65	0		
Harrison, N. J.....	15,658	4	31	51	3.26			
Haverhill, Mass.....	53,381	5	122	35	.66	0		
Hazleton, Pa.....	31,925	4	38	57	1.79			
Henderson, Ky.....	12,132	2	44	3	.25	0		
Hibbing, Minn.....	13,767	1	114	29	1.96	1	.07	3.4
Highland Park, Mich.....	44,316	2	162	109	2.46	3	.07	2.8
Hoboken, N. J.....	68,277	3	173	20	.29	0		
Holland, Mich.....	12,080	2	6	2	.17	0		
Holyoke, Mass.....	60,076	5	153	203	3.38	3	.05	1.5
Homestead, Pa.....	20,362	5	53	11	.69			
Hot Springs, Ark.....	11,836	2	24	1	.08			
Huntington, Ind.....	13,808	4	25	42	3.04	1	.07	2.4
Huntington, W. Va.....	49,198	1	2	271	5.51	3	.06	1.1
Ironwood, Mich.....	15,589	4	127	41	2.63	1	.06	2.4
Ithaca, N. Y.....	16,891	5	27	200	11.84	2	.12	1.0
Jackson, Mich.....	47,502	4	223	454	9.56	6	.13	1.3
Jacksonville, Fla.....	89,514	4	18	51	.57	2	.02	3.9
Jacksonville, Ill.....	15,693	3	6	15	.96			
Jamestown, N. Y.....	38,525	3	82	74	1.92	1	.03	1.4
Jefferson City, Mo.....	14,258					2	.14	
Joliet, Ill.....	38,214	1	37	16	.42			
Joplin, Mo.....	29,969	2	17	21	.70	0		

Reported Prevalence, 1919—Averages for Previous Years—Continued.

SCARLET FEVER—Continued.

City.	Estimated population July 1, 1919.	Average.		1919.				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Kalamazoo, Mich.....	48,373	5	48	265	5.48	1	0.02	0.4
Kearny, N. J.....	20,309	5	70	93	3.53	2	.08	2.2
Kenosha, Wis.....	39,488	4	93	154	3.90	1	.03	.6
Kingston, N. Y.....	20,648	4	60	26	.98	0
Knoxville, Tenn.....	75,682	2	52	133	1.76	2	.03	1.5
Kokomo, Ind.....	29,395	4	40	121	4.12	1	.03	.8
Lackawanna, N. Y.....	17,744	3	19	41	2.31	0
La Crosse, Wis.....	30,366	5	27	18	.59	1	.03	5.6
La Fayette, Ind.....	22,362	5	60	85	3.80
Lakewood, Ohio.....	40,365	3	41	29	.72	0
Lansing, Mich.....	55,583	2	224	52	1.64	0
La Salle, Ill.....	12,972	5	45	1	.08	0
Lawrence, Kans.....	12,452	1	65	15	1.20	0
Lawrence, Mass.....	93,839	5	90	206	2.19	6	.06	2.9
Leavenworth, Kans.....	17,638	5	34	18	1.06	0
Lebanon, Pa.....	24,365	3	23	13	.53
Leominster, Mass.....	19,633	4	43	56	2.85
Lexington, Ky.....	41,203	5	57	56	1.36
Lima, Ohio.....	40,750	3	92	251	6.16	1	.02	.4
Lincoln, Nebr.....	54,369	5	182	87	1.60	1	.02	1.1
Little Falls, N. Y.....	12,990	5	33	90	6.93	1	.08	1.1
Little Rock, Ark.....	64,016	3	50	155	2.42	1	.02	.6
Logansport, Ind.....	21,493	5	34	179	8.33	4	.19	2.2
Long Beach, Calif.....	53,647	5	24	41	.76
Long Branch, N. J.....	13,510	5	15	44	3.26	1	.07	2.3
Lorain, Ohio.....	36,862	5	93	43	1.17	1	.03	2.3
Lynchburg, Va.....	29,932	4	25	42	1.40	0
McAlester, Okla.....	12,139	3	19	7	.58
McKeesport, Pa.....	46,806	5	50	51	1.11	2	.04	3.9
Macon, Ga.....	52,360	2	50	16	.31	1	.02	6.2
Madison, Wis.....	37,716	5	108	60	1.59
Malden, Mass.....	48,861	5	127	118	2.42	4	.08	3.4
Manchester, Conn.....	18,126	1	11	62	3.42
Manchester, N. H.....	77,955	5	119	47	.60	1	.01	2.1
Manitowoc, Wis.....	17,329	4	20	117	6.75	5	.29	4.3
Mankato, Minn.....	12,361	3	53	23	1.86	1	.08	4.3
Mansfield, Ohio.....	27,461	5	23	16	.58	1	.04	6.2
Marinette, Wis.....	13,662	5	44	76	5.56	1	.07	1.3
Marion, Ind.....	23,521	5	39	229	9.74	3	.13	1.3
Marlboro, Mass.....	15,005	3	20	7	.47	0
Marquette, Mich.....	12,655	4	32	24	1.90
Marshalltown, Iowa.....	15,610	10	.64
Martins Ferry, Ohio.....	11,505	15	1.30	1	.09	6.7
Mason City, Iowa.....	19,610	3	20	26	1.33	0
Massillon, Ohio.....	17,245	5	12	21	1.22
Maywood, Ill.....	11,864	2	33	22	1.85	0
Meadville, Pa.....	14,476	2	11	11	.76	0
Medford, Mass.....	38,220	5	83	63	1.65
Melrose, Mass.....	18,076	4	48	48	2.66	1	.06	2.1
Methuen, Mass.....	14,996	1	15	27	1.80
Middletown, N. Y.....	18,260	4	10	59	3.23
Middletown, Ohio.....	23,056	5	24	29	1.26	1	.04	3.4
Milford, Mass.....	13,450	3	26	83	6.17	1	.07	1.2
Mishawaka, Ind.....	15,025	4	29	55	3.66
Missoula, Mont.....	12,678	4	21	86	6.78	1	.08	1.2
Mobile, Ala.....	59,707	5	24	39	.65	1	.02	2.6
Moline, Ill.....	30,374	4	58	21	.69	0
Monessen, Pa.....	17,849	3	18	59	3.31	2	.11	3.4
Montclair, N. J.....	28,436	5	33	66	2.32	1	.04	1.5
Montgomery, Ala.....	43,190	3	44	52	1.20

Reported Prevalence, 1919—Averages for Previous Years—Continued.

SCARLET FEVER—Continued.

City.	Estimated population July 1, 1919.	Average.		1919.				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Morristown, N. J.	12,546	5	26	16	1.28	0
Mount Vernon, N. Y.	42,118	5	62	20	.48
Muncie, Ind.	35,879	4	48	25	.70	2	0.06	8.0
Muscatine, Iowa	16,074	3	13	3	.19	0
Muskogon, Mich.	35,926	3	173	28	.78	1	.03	3.6
Nanticoke, Pa.	22,422	4	16	36	1.61
Nashua, N. H.	28,257	3	24	126	4.46	1	.04	.8
Natick, Mass.	10,853	2	27	11	1.01	0
New Albany, Ind.	22,870	4	12	43	1.88	1	.04	2.3
Newark, Ohio	26,650	3	45	37	1.39
New Britain, Conn.	58,523	4	55	168	2.87	2	.03	1.2
New Brunswick, N. J.	32,295	4	55	45	1.39
Newburgh, N. Y.	30,234	4	20	29	.96	0
Newburyport, Mass.	15,534	2	11	5	.32	2	.13	40.0
New Castle, Ind.	14,200	2	9	12	.85	0
New Castle, Pa.	44,492	5	68	236	5.30	4	.09	1.7
New London, Conn.	25,377	2	42	46	1.81	0
Newport, Ky.	29,368	5	29	59	2.01	1	.03	1.7
Newport, R. I.	30,095	5	35	109	3.62	1	.03	.9
New Rochelle, N. Y.	35,835	4	44	67	1.87
Newton, Mass.	45,732	5	70	108	2.36	0
Niagara Falls, N. Y.	49,714	5	39	84	1.69	0
Norristown, Pa.	32,090	5	33	91	2.84	0
North Adams, Mass.	22,268	5	23	7	.31	0
Northampton, Mass.	21,821	5	55	42	1.92	1	.05	2.4
North Braddock, Pa.	14,768	3	25	27	1.83	0
Northbridge, Mass.	10,104	1	16	6	.59	0
North Tonawanda, N. Y.	15,300	5	16	119	7.78	2	.13	1.7
Norwalk, Conn.	27,093	2	37	15	.55	0
Norwich, Conn.	22,204	3	27	12	.54	1	.05	8.3
Norwood, Ohio	24,514	5	19	23	.94	0
Oak Park, Ill.	38,780	4	87	65	1.68	1	.03	1.5
Ogden, Utah	32,432	4	106	19	.59	0
Oil City, Pa.	20,985	3	28	10	.48
Oklahoma City, Okla.	89,895	5	95	144	1.60	1	.01	.7
Olean, N. Y.	20,209	5	26	15	.74	0
Olyphant, Pa.	10,147	19	1.87	0
Orange, N. J.	33,081	4	71	61	1.84	1	.03	1.6
Oshkosh, Wis.	33,157	5	45	27	.81	0
Ossining, N. Y.	10,777	5	23	26	2.41
Ottumwa, Iowa	22,952	2	72	18	.78	0
Owensboro, Ky.	17,351	3	30	7	.40
Owosso, Mich.	12,424	1	65	7	.56	0
Paducah, Ky.	24,633	4	13	43	1.75	0
Parkersburg, W. Va.	19,936	3	16	38	1.91
Pasadena, Calif.	44,578	4	30	40	.90
Passaic, N. J.	63,358	5	105	34	.54	1	.02	2.9
Pawtucket, R. I.	63,588	5	59	101	1.59
Peabody, Mass.	18,355	4	25	27	1.59	0
Peekskill, N. Y.	15,836	5	10	30	1.89
Pekin, Ill.	11,973	2	6	21	1.75
Peoria, Ill.	75,649	3	177	203	2.68	5	.07	2.5
Perth Amboy, N. J.	41,213	5	46	32	.78	0
Petersburg, Va.	30,648	2	12	10	.33	0
Pine Bluff, Ark.	19,065	1	10	42	2.20
Piqua, Ohio	14,959	5	49	10	.67	1	.07	10.0
Pittsburg, Kans.	17,882	26	1.45
Pittsfield, Mass.	41,255	5	74	49	1.19	1	.02	2.0
Pittston, Pa.	18,382	3	17	7	.38
Plainfield, N. J.	27,332	5	35	47	1.72	1	.04	2.1

¹Year ended Nov. 30, 1919.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

SCARLET FEVER—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Plattsburg, N. Y.	10,921	3	37	4	0.37			
Plymouth, Pa.	16,526	4	21	8	.48	1	0.06	12.5
Pocatello, Idaho.	14,698	1	21	18	1.22	2	.14	11.1
Pontiac, Mich.	33,256	3	144	23	.69	0		
Port Chester, N. Y.	16,379	3	18	23	1.40	0		
Port Huron, Mich.	25,579	2	63	25	.98	0		
Portland, Me.	68,721	4	74	271	3.94			
Portsmouth, N. H.	13,451	3	46	41	3.05			
Portsmouth, Ohio.	32,520	2	40	52	1.60	1	.03	1.9
Portsmouth, Va.	53,295	3	68	21	.39	2	.04	9.5
Poughkeepsie, N. Y.	34,636	3	59	54	1.56	1	.03	1.9
Quincy, Ill.	36,009	5	11	73	2.03	2	.06	2.7
Quincy, Mass.	47,091	3	118	141	2.99	0		
Racine, Wis.	57,533	3	64	132	2.29	3	.06	2.3
Rahway, N. J.	10,954	2	2	6	.55	0		
Raleigh, N. C.	24,150	2	19	54	2.24	0		
Reno, Nev.	11,957	4	51	5	.42			
Richmond, Ind.	26,536	2	51	57	2.15			
Riverside, Calif.	19,128	2	13	19	.99			
Roanoke, Va.	50,020	4	28	97	1.94	4	.08	4.1
Rockford, Ill.	64,608	5	116	118	1.83	1	.02	.8
Rock Island, Ill.	34,619	3	68	16	.46	0		
Rocky Mount, N. C.	12,500	2	2	9	.72	0		
Rome, N. Y.	26,040	5	18	20	.77	0		
Sacramento, Calif.	64,767	4	78	76	1.17	2	.03	2.6
St. Joseph, Mo.	77,911	3	113	120	1.54	1	.01	.8
Salem, Mass.	42,589	5	46	232	5.45	4	.09	1.7
Salem, Oreg.	17,494	4	32	20	1.14	2	.11	10.0
San Bernardino, Calif.	18,415	5	11	15	.81			
San Diego, Calif.	72,875	5	130	69	.95	7	.10	10.1
Sandusky, Ohio.	22,747	5	13	6	.26	0		
Sanford, Me.	10,606	1	2	9	.85			
Santa Barbara, Calif.	19,040	4	8	2	.11			
Santa Cruz, Calif.	10,929	4	12	19	1.74			
Saratoga Springs, N. Y.	13,208	4	20	5	.38			
Saugus, Mass.	10,728			45	4.19	1	.09	2.2
Sault Ste. Marie, Mich.	12,123	5	7	17	1.40	0		
Savannah, Ga.	82,315	1	30	70	.85	1	.01	1.4
Schenectady, N. Y.	87,904	5	147	77	.88	1	.01	1.3
Sharon, Pa.	21,413	2	36	35	1.63			
Sheboygan, Wis.	30,720	2	88	203	6.61	16	.52	7.9
Shenandoah, Pa.	24,780	2	25	17	.69			
Sioux City, Iowa.	70,622	2	265	78	1.11			
Sioux Falls, S. Dak.	24,605	3	22	82	3.33	4	.16	4.9
Somerville, Mass.	92,274	5	223	204	2.21	1	.01	.5
South Bend, Ind.	70,092	2	249	67	.96	2	.03	3.0
Southbridge, Mass.	14,160	5	2	4	.28			
Spartanburg, S. C.	22,374	3	33	9	.40			
Springfield, Ill.	58,796	3	96	73	1.24	1	.02	1.4
Springfield, Mo.	39,403	1	9			1	.03	
Springfield, Ohio.	60,123	4	52	24	.40			
Staunton, Va.	10,622	1	12	8	.75			
Steelton, Pa.	13,470	4	21	2	.15			
Steubenville, Ohio.	28,193	5	30	11	.39			
Sunbury, Pa.	15,621		56	26	1.65			
Superior, Wis.	79,663		110	53	2.34	2	.05	2.2
Tacoma, Wash.	56,284	4	249	154	1.60	2	.02	1.3
Tamaqua, Pa.	12,214	2	16	14	1.15			
Tampa, Fla.	50,558	4	31	18	.36	0		
Taunton, Mass.	36,989	5	71	34	.92	1	.03	2.9

Reported Prevalence, 1919—Averages for Previous Years—Continued.

SCARLET FEVER—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Temple, Tex.	11,031	1	9	2	0.18			
Terre Haute, Ind.	65,675	2	35	73	1.11			
Texarkana, Tex.	11,393	2	12	13	1.14			
Tiffin, Ohio.	14,247	2	8	8	.56			
Topeka, Kans.	49,696	2	76	26	.52	0		
Traverse City, Mich.	10,986	1	1	1	.09			
Trinidad, Colo.	10,870	4	18	22	2.02			
Troy, N. Y.	72,260	4	160	121	1.67	2	0.03	1.7
Tucson, Ariz.	19,926	1	4	4	.20	0		
Tyler, Tex.	11,998	1	1	7	.58	0		
Uniontown, Pa.	15,571	2	28	12	.77			
Utica, N. Y.	93,140	5	146	77	.83	2	.02	2.6
Vancouver, Wash.	12,465	2	33	22	1.76	1	.08	4.5
Waco, Tex.	37,878	2	26	23	.61			
Waltham, Mass.	30,756	5	53	70	2.28	2	.07	2.9
Warren, Ohio.	26,228	4	11	54	2.06	0		
Warren, Pa.	14,692	5	15	11	.78	0		
Washington, Pa.	21,341	4	33	16	.75	1	.05	6.2
Waterbury, Conn.	90,469	4	93	304	3.36	6	.07	2.0
Watertown, Mass.	21,015	4	26	23	1.09	0		
Watertown, N. Y.	31,050	5	12	101	3.25	5	.16	5.0
Waterville, Me.	13,254	1	11	19	1.43	0		
Watervliet, N. Y.	16,022			15	.94			
Wausau, Wis.	18,553	5	41	7	.38	1	.05	14.3
Webster, Mass.	13,168	4	12	1	.08			
West Chester, Pa.	11,720	5	19	181	15.44	1	.09	.6
Westfield, Mass.	18,472	5	63	96	5.20	0		
West Hoboken, N. J.	39,828	5	62	18	.45			
West New York, N. J.	29,083	4	80	36	1.24	2	.07	5.6
West Orange, N. J.	15,336	4	37	47	3.06			
West Springfield, Mass.	13,223			27	2.04	0		
Wheeling, W. Va.	53,669	5	47	21	.39	0		
White Plains, N. Y.	20,828	3	17	55	2.64	1	.05	1.8
Wichita, Kans.	71,115	5	78	64	.90	1	.01	1.6
Wilkinsburg, Pa.	24,121	2	153	18	.75	0		
Williamsport, Pa.	35,975	2	25	78	2.17	2	.03	2.6
Willimantic, Conn.	12,274	2	16	32	2.61			
Wilmington, N. C.	32,979	4	11	47	1.43	0		
Winchester, Mass.	10,424	2	3	13	1.25			
Winona, Minn.	19,114	3	11	16	.84	3	.16	18.7
Winston-Salem, N. C.	47,072	3	126	19	.40	0		
Winthrop, Mass.	15,181	5	42	56	3.69	0		
Woburn, Mass.	16,509	5	42	10	.61	0		
Yakima, Wash.	18,309	4	10	111	6.06	0		
York, Pa.	47,570	3	38	291	6.14			
Zanesville, Ohio.	29,490	4	28	22	.75			

SMALLPOX.

Aberdeen, Wash.	15,251	1	1	16	1.05	0		
Adrian, Mich.	11,821	2	1	122	10.32			
Alameda, Calif.	28,527	3	1	28	.98	0		
Alexandria, Va.	17,919			17	.95	0		
Alton, Ill.	24,314	5	241	18	.74			
Altoona, Pa.	59,903	4	13	1	.02			
Amarillo, Tex.	15,209	1	20	12	.79	0		
Anaconda, Mont.	11,589			9	.78	0		
Anderson, Ind.	29,391	4	190	428	14.56	3	0.10	6.7
Ann Arbor, Mich.	19,274	5	12	10	.52	0		

Reported Prevalence, 1919—Averages for Previous Years—Continued.

SMALLPOX—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years in- cluded.	Cases re- ported.	Cases re- ported.	Cases per 1,000 inhab- itants.	Deaths regis- tered.	Deaths per 1,000 inhab- itants.	Fatali- ties per 100 cases.
Appleton, Wis.....	19,417	3	1	1	0.05	—	—	—
Asbury Park, N. J.....	12,284	3	(1)	1	.08	0	—	—
Asheville, N. C.....	28,002	5	26	16	.57	—	—	—
Ashland, Ky.....	14,418	1	1	10	.69	0	—	—
Ashland, Wis.....	11,347	2	29	9	.79	0	—	—
Astoria, Oreg.....	13,799	2	33	11	.80	0	—	—
Auburn, Me.....	16,886	—	—	25	1.48	0	—	—
Augusta, Ga.....	51,955	2	144	10	.19	0	—	—
Aurora, Ill.....	36,658	5	14	19	.53	0	—	—
Bakersfield, Calif.....	18,334	4	2	2	.11	0	—	—
Baton Rouge, La.....	21,427	3	12	11	.51	2	0.09	18.2
Battle Creek, Mich.....	35,603	5	14	45	1.26	0	—	—
Beaumont, Tex.....	39,403	2	70	10	.25	—	—	—
Bellingham, Wash.....	25,504	3	11	146	5.72	1	.04	.7
Beloit, Wis.....	20,967	4	57	32	1.53	0	—	—
Berkeley, Calif.....	55,090	3	(1)	4	.07	0	—	—
Berlin, N. H.....	15,881	5	9	4	.25	—	—	—
Billings, Mont.....	14,339	5	20	32	2.16	—	—	—
Binghamton, N. Y.....	65,855	5	(1)	1	.02	—	—	—
Bloomington, Ind.....	11,453	2	80	1	.09	0	—	—
Bluefield, W. Va.....	15,071	2	18	56	3.72	—	—	—
Brunswick, Ga.....	14,195	5	2	10	.70	0	—	—
Burlington, Iowa.....	24,071	4	27	7	.29	—	—	—
Butler, Pa.....	23,621	4	(1)	1	.04	—	—	—
Butte, Mont.....	41,485	3	166	50	.48	—	—	—
Cairo, Ill.....	15,169	4	20	6	.40	0	—	—
Canton, Ohio.....	85,192	5	90	51	.60	—	—	—
Carbondale, Pa.....	18,558	—	—	12	.65	—	—	—
Cedar Rapids, Iowa.....	44,909	5	58	203	4.52	1	.02	.5
Centralia, Ill.....	12,316	2	15	5	.40	—	—	—
Champaign, Ill.....	15,695	4	7	20	1.27	—	—	—
Charleston, W. Va.....	38,752	2	39	23	.59	—	—	—
Charlotte, N. C.....	45,703	2	9	6	.13	0	—	—
Chatanooga, Tenn.....	57,210	1	73	30	.52	—	—	—
Cheyenne, Wyo.....	13,700	2	29	24	1.75	—	—	—
Chillicothe, Ohio.....	15,763	5	10	21	1.33	0	—	—
Clinton, Iowa.....	24,297	5	78	1	.04	—	—	—
Coffeeville, Kans.....	13,413	5	43	137	10.21	1	.07	.7
Colorado Springs, Colo.....	30,052	4	17	22	.73	—	—	—
Columbia, S. C.....	36,947	1	3	23	.62	—	—	—
Columbus, Ga.....	30,581	3	11	161	5.27	2	.07	1.2
Coshocton, Ohio.....	10,783	2	32	42	3.90	—	—	—
Council Bluffs, Iowa.....	35,808	4	242	102	2.85	0	—	—
Covington, Ky.....	56,923	3	78	26	.46	0	—	—
Cumberland, Md.....	29,425	3	12	10	.34	0	—	—
Danville, Va.....	21,409	4	3	24	1.12	0	—	—
Davenport, Iowa.....	56,021	5	197	273	6.66	—	—	—
Decatur, Ill.....	43,165	5	66	33	.76	—	—	—
Denison, Tex.....	16,888	1	105	22	1.30	0	—	—
Dubois, Pa.....	13,627	4	(1)	2	.15	—	—	—
Dubuque, Iowa.....	39,108	3	55	26	.66	—	—	—
Duluth, Minn.....	97,864	4	73	108	1.19	—	—	—
Duquesne, Pa.....	18,842	—	—	1	.05	—	—	—
Durham, N. C.....	21,540	3	23	24	1.11	0	—	—
East Cleveland, Ohio.....	26,359	2	13	6	.23	0	—	—
East St. Louis, Ill.....	66,318	2	289	24	.36	—	—	—
Eau Claire, Wis.....	20,748	5	11	21	1.01	—	—	—
Elgin, Ill.....	27,378	5	20	53	1.94	—	—	—

Average less than 1.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

SMALLPOX—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Elkhart, Ind.	24,020	—	—	236	9.83	—	—	—
El Paso, Tex.	75,572	5	84	—	—	1	0.01	—
Elwood, Ind.	10,802	2	28	3	.28	—	—	—
Elyria, Ohio	20,183	4	30	37	1.83	—	—	—
Enid, Okla.	16,433	—	—	16	.97	0	—	—
Eric, Pa.	91,989	5	21	3	.03	0	—	—
Eugene, Oreg.	10,511	2	0	13	1.24	0	—	—
Eureka, Calif.	12,867	3	6	58	4.51	—	—	—
Everett, Mass.	39,778	5	(1)	1	.03	—	—	—
Everett, Wash.	27,498	3	17	124	4.51	0	—	—
Fairmont, W. Va.	17,432	2	21	7	.40	—	—	—
Findlay, Ohio	16,910	4	18	5	.30	0	—	—
Flint, Mich.	88,867	2	116	19	.21	—	—	—
Fond du Lac, Wis.	23,189	5	8	184	7.93	—	—	—
Fort Dodge, Iowa.	19,151	—	—	90	4.70	0	—	—
Fort Scott, Kans.	10,681	3	32	2	.19	0	—	—
Fort Wayne, Ind.	85,384	5	142	73	.85	—	—	—
Framingham, Mass.	16,823	3	0	1	.06	0	—	—
Freeport, Ill.	19,561	2	13	4	.20	—	—	—
Fremont, Ohio.	12,338	2	11	1	.08	—	—	—
Galesburg, Ill.	23,744	3	24	92	3.87	—	—	—
Galveston, Tex.	43,880	3	47	7	.16	0	—	—
Gardner, Mass.	16,854	4	0	2	.12	0	—	—
Grand Island, Nebr.	13,773	3	182	185	13.43	—	—	—
Granite City, Ill.	14,507	4	36	12	.83	—	—	—
Great Falls, Mont.	23,597	3	41	73	3.09	0	—	—
Green Bay, Wis.	30,719	3	19	127	4.13	—	—	—
Greenville, S. C.	22,747	3	18	28	1.23	—	—	—
Greenville, Tex.	12,202	1	10	7	.57	—	—	—
Hamilton, Ohio.	39,440	4	86	301	7.63	0	—	—
Hammond, Ind.	35,227	5	23	22	.62	0	—	—
Harrisburg, Pa.	75,313	4	11	2	.03	0	—	—
Henderson, Ky.	12,132	1	9	2	.16	0	—	—
Hibbing, Minn.	14,767	1	8	2	.14	—	—	—
Highland Park, Mich.	44,316	2	67	5	.11	0	—	—
Hoboken, N. J.	68,277	3	(1)	2	.03	0	—	—
Hot Springs, Ark.	11,836	1	42	15	1.27	—	—	—
Huntington, Ind.	13,803	2	3	142	10.28	0	—	—
Huntington, W. Va.	49,198	—	—	70	1.42	—	—	—
Ironwood, Mich.	15,589	3	9	40	2.57	—	—	—
Jackson, Mich.	47,502	2	22	74	1.56	0	—	—
Jacksonville, Fla.	89,814	4	26	3	.03	0	—	—
Jacksonville, Ill.	15,693	3	23	32	2.04	—	—	—
Joliet, Ill.	38,211	1	3	15	.39	—	—	—
Joplin, Mo.	29,969	1	769	16	.53	0	—	—
Kalamazoo, Mich.	48,373	4	46	91	1.88	0	—	—
Kenosha, Wis.	39,488	3	8	18	.46	0	—	—
Knoxville, Tenn.	75,682	2	58	42	.55	—	—	—
Kokomo, Ind.	29,395	4	27	311	10.58	—	—	—
La Crosse, Wis.	30,366	5	65	16	.53	0	—	—
La Fayette, Ind.	22,362	5	21	104	4.65	1	.04	1.0
Lakewood, Ohio.	40,355	2	14	2	.05	0	—	—
Lansing, Mich.	55,983	2	55	514	9.18	0	—	—
La Salle, Ill.	12,972	5	1	1	.08	0	—	—
Lawrence, Kans.	12,452	1	39	3	.24	0	—	—
Lawrence, Mass.	93,839	5	0	1	.01	0	—	—
Leavenworth, Kans.	17,038	5	12	30	1.76	0	—	—
Lexington, Ky.	41,203	5	29	54	1.31	2	.05	3.7
Lima, Ohio.	40,750	3	133	1	.02	—	—	—

Average less than 1.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

SMALLPOX—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Lincoln, Nebr.....	51,369	5	108	442	8.13	1	0.02	0.2
Little Rock, Ark.....	64,016	3	153	23	.36	0		
Logansport, Ind.....	21,493	4	28	161	7.49	0		
Long Beach, Calif.....	53,647	5	6	93	1.73	1	.02	1.1
Lorain, Ohio.....	36,862	5	17	6	.16			
Lynchburg, Va.....	23,932	4	17	14	.47	0		
McAlester, Okla.....	12,139	3	35	1	.08			
Macon, Ga.....	52,360	2	29	22	.42			
Madison, Wis.....	37,716	5	37	76	2.02			
Manitowoc, Wis.....	17,329	4	88	15	.87	0		
Mankato, Minn.....	12,361	3	49	3	.24			
Mansfield, Ohio.....	27,461	3	5	88	3.20			
Marinette, Wis.....	13,662	4	17	68	4.98			
Marion, Ind.....	23,521	4	37	3	.13			
Marquette, Mich.....	12,655	4	10	14	1.11			
Marshalltown, Iowa.....	15,610			164	10.51	1	.06	.6
Mason City, Iowa.....	19,610	3	27	100	5.10	0		
Middletown, Ohio.....	23,056	4	100	59	2.56	0		
Mishawaka, Ind.....	15,025	3	1	3	.20			
Missoula, Mo.....	12,678	3	37	9	.71	0		
Mobile, Ala.....	59,707	4	28	124	2.08	0		
Moline, Ill.....	30,374	4	42	33	1.09	0		
Montclair, N. J.....	28,436	5	0	6	.21			
Montgomery, Ala.....	43,190	3	73	8	.19			
Muncie, Ind.....	35,879	4	31	54	1.51			
Muscatine, Iowa.....	16,074	2	38	2	.12	0		
Muskegon, Mich.....	35,926	3	7	1	.03			
Nashua, N. H.....	28,257			2	.07			
Newark, Ohio.....	26,650	3	15	3	.11			
New Castle, Ind.....	14,200	2	9	7	.49			
New London, Conn.....	25,377	2	3	1	.04	0		
Newport, Ky.....	29,368	4	11	5	.17	0		
Niagara Falls, N. Y.....	49,714	4	91	3	.06	0		
Norwood, Ohio.....	24,514	5	1	4	.16	0		
Oak Park, Ill.....	38,780	4	(1)	5	.13	0		
Ogden, Utah.....	32,432	4	59	473	14.58	0		
Oklahoma City, Okla.....	89,865	5	252	361	4.02	0		
Olean, N. Y.....	26,209	3	11	2	.10	0		
Oshkosh, Wis.....	33,157	5	31	251	7.57	0		
Ottumwa, Iowa.....	22,952	2	72	60	2.61	0		
Owosso, Mich.....	12,424	1	15	19	1.53	0		
Paducah, Ky.....	21,633	4	10	2	.08			
Parkersburg, W. Va.....	19,936	3	18	9	.45			
Pasadena, Calif.....	44,578	1	1	8	.18			
Pekin, Ill.....	11,973	2	29	186	15.53			
Peoria, Ill.....	75,649	3	138	267	2.74			
Pine Bluff, Ark.....	19,065	1	54	84	4.41			
Piqua, Ohio.....	14,959	4	26	68	4.55			
Pittsburg, Kans.....	17,882			54	3.02			
Pocatello, Idaho.....	14,698	1	17	99	6.74			
Pontiac, Mich.....	33,256	3	98	16	.48	0		
Port Huron, Mich.....	25,579	2	90	3	.12	0		
Portland, Me.....	68,721	4	6	4	.05			
Portsmouth, Ohio.....	32,520	2	161	55	1.69	0		
Portsmouth, Va.....	53,295	3	4	28	.53	0		
Quincy, Ill.....	36,009	5	147	14	.39	0		
Quincy, Mass.....	47,091	3	0	2	.04			
Racine, Wis.....	57,533	3	52	195	3.39			
Raleigh, N. C.....	24,150	2	13	12	.50	0		
Reno, Nev.....	11,957	4	1	4	.33			

¹ Average less than 1.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

SMALLPOX—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Richmond, Ind.	26,536	2	108	8	0.30
Riverside, Calif.	19,128	1	19	32	1.67
Roanoke, Va.	50,020	4	28	114	2.28
Rockford, Ill.	64,608	5	19	38	.59	0
Rock Island, Ill.	34,619	2	53	142	4.10
Rocky Mount, N. C.	12,500	2	9	2	.16	0
Sacramento, Calif.	64,767	3	5	16	.25	0
St. Joseph, Mo.	77,911	3	239	430	5.52
Salem, Oreg.	17,494	4	3	5	.29	0
San Bernardino, Calif.	18,415	4	3	6	.33
San Diego, Calif.	72,875	5	17	37	.51	0
Sandusky, Ohio.	22,747	5	39	2	.09	0
Santa Barbara, Calif.	19,040	4	(¹)	7	.37
Santa Cruz, Calif.	10,929	4	19	13	1.19
Sault Ste. Marie, Mich.	12,123	3	18	1	.08	0
Savannah, Ga.	82,315	1	14	10	.12	0
Schenectady, N. Y.	87,904	2	(¹)	1	.01	0
Sheboygan, Wis.	30,720	2	1	3	.10	0
Sioux City, Iowa	70,022	2	338	116	1.66
Sioux Falls, S. Dak.	24,605	3	66	36	1.46	0
South Bend, Ind.	70,092	2	15	86	1.23	0
Spartanburg, S. C.	22,374	2	5	42	1.88	0
Springfield, Ill.	58,796	3	59	27	.46	0
Springfield, Ohio	60,123	4	44	6	.10	0
Steubenville, Ohio	28,193	4	10	77	2.73
Superior, Wis.	39,663	5	42	115	2.90	0
Tacoma, Wash.	96,284	4	42	240	2.49
Tampa, Fla.	50,558	4	20	21	.42	0
Temple, Tex.	11,031	1	2	1	.09
Terre Haute, Ind.	65,675	2	245	31	.47
Texarkana, Tex.	11,393	2	24	11	.97
Tiffin, Ohio.	14,247	2	5	18	1.26
Topeka, Kans.	49,696	2	70	33	.65	0
Traverse City, Mich.	10,986	1	6	9	.82
Trinidad, Colo.	10,870	3	1	6	.55
Tucson, Ariz.	19,926	1	2	1	.05	0
Utica, N. Y.	93,140	3	32	1	.01
Vancouver, Wash.	12,465	2	3	5	.40
Waco, Tex.	37,878	2	229	12	.32
Warren, Ohio.	26,228	4	18	8	.31	0
Waterbury, Conn.	50,469	1	1	5	.06
Waterville, Me.	13,254	1	0	1	.08	0
Wausau, Wis.	18,553	4	4	81	4.37
Wheeling, W. Va.	53,669	5	4	5	.09	0
Wichita, Kans.	71,115	5	185	271	3.81
Wilkinsburg, Pa.	24,121	2	1	3	.12
Wilmington, N. C.	32,979	3	8	1	.03	0
Winona, Minn.	19,114	3	10	3	.16	0
Winston-Salem, N. C.	47,072	3	40	387	8.22	0
Yakima, Wash.	18,309	4	16	278	15.18	0
Zanesville, Ohio	29,430	1	30	35	1.19

¹ Average less than 1.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

TUBERCULOSIS (ALL FORMS).

City.	Estimated population July 1, 1919.	Cases reported.	Cases per 1,000 inhab- itants.	Deaths regis- tered.	Deaths per 1,000 inhab- itants.	Cases reported for each death reg- istered.
Adrian, Mich.	11,821	5		5	0.42	1.0
Alameda, Calif.	28,527	38	1.33	13	.46	2.9
Alexandria, Va.	17,919			29	1.62	
Allentown, Pa.	72,390	94	1.30	64	.88	1.5
Alliance, Ohio.	21,267			22	1.03	
Altoona, Pa.	59,908			28	.47	
Amarillo, Tex.	15,209	31	2.04	16	1.05	1.9
Anaconda, Mont.	11,589			8	.69	
Anderson, Ind.	29,391	39	1.33	26	.88	1.5
Anderson, S. C.	10,523			26	2.47	
Arlington, Mass.	18,280	38	2.08	11	.60	3.5
Asbury Park, N. J.	12,284	9	.73	6	.49	1.5
Asheville, N. C.	28,002	554	19.78	217	7.75	2.6
Ashland, Ky.	14,418			20	1.39	
Ashland, Wis.	11,347	53	4.67	16	1.41	3.3
Ashtabula, Ohio.	21,885			18	.82	
Astoria, Oreg.	13,799			20	1.45	
Attleboro, Mass.	19,550	16	.82	14	.72	1.1
Auburn, Me.	16,886			15	.89	
Auburn, N. Y.	36,114			38	1.05	
Aurora, Ill.	36,058	44	1.22	36	1.00	1.2
Bakersfield, Calif.	18,334			36	1.96	
Baton Rouge, La.	21,427			45	2.10	
Battle Creek, Mich.	35,603	36	1.01	18	.51	2.0
Bay City, Mich.	47,431			49	1.03	
Bayonne, N. J.	75,062	172	2.27			
Beacon, N. Y.	10,977	20	1.82	11	1.00	1.8
Beaumont, Tex.	39,403			49	1.24	
Bellaire, Ohio.	14,952	11	.74	9	.60	1.2
Belleville, N. J.	15,363	34	2.21	26	1.69	1.3
Bellingham, Wash.	25,504			24	.94	
Beloit, Wis.	20,907	35	1.67	14	.67	2.5
Benton Harbor, Mich.	12,076	8	.66			
Berkeley, Calif.	55,090	37	.67	26	.47	1.4
Berlin, N. H.	15,581	16	1.01	11	.69	1.5
Bethlehem, Pa.	48,426	61	1.26			
Beverly, Mass.	22,360	31	1.39	11	.49	2.8
Biddeford, Me.	17,460			25	1.39	
Billings, Mont.	14,839	37	2.49			
Binghamton, N. Y.	65,855	110	1.67	54	.82	2.0
Bloomfield, N. J.	21,661	25	1.15	13	.60	1.9
Bluefield, W. Va.	15,071	1	.07			
Braddock, Pa.	20,801	24	1.15	14	.67	1.7
Bristol, Conn.	20,253	36	1.78			
Brockton, Mass.	65,661	126	1.92	53	1.42	1.4
Brookline, Mass.	37,235	63	1.69	25	.67	2.5
Brunswick, Ga.	14,195	20	2.04	21	1.48	1.4
Burlington, Iowa.	24,071	41	1.70	19	.79	2.2
Burlington, Vt.	22,660			29	1.28	
Butler, Pa.	23,021	11	.47			
Butte, Mont.	41,485	80	1.93	68	1.64	1.2
Canton, Ohio.	85,192			61	.72	
Cape Girardeau, Mo.	10,160			29	2.85	
Carbondale, Pa.	18,558	8	.43	7	.38	1.1
Carlisle, Pa.	10,884	7	.64			
Cedar Rapids, Iowa.	44,909			34	.76	
Chambersburg, Pa.	13,100	11	.84			
Charleroi, Pa.	11,418			15	1.31	
Charleston, W. Va.	38,752			52	1.34	
Charlotte, N. C.	45,703			53	1.16	
Chattanooga, Tenn.	57,210			125	2.18	
Chelsea, Mass.	42,631			99	2.32	
Chicopee, Mass.	25,657	63	1.77	48	1.35	1.3
Cicero, Ill.	43,427	60	1.50			

Reported Prevalence, 1919—Averages for Previous Years—Continued.

TUBERCULOSIS (ALL FORMS)—Continued.

City.	Estimated population July 1, 1919.	Cases reported.	Cases per 1,000 inhab- itants.	Deaths regis- tered.	Deaths per 1,000 inhab- itants.	Cases reported for each death reg- istered.
Clinton, Mass.	12,989	29	2.23	19	1.46	0.5
Coatesville, Pa.	14,338	37	2.58			
Cohoes, N. Y.	22,898			38	1.66	
Colorado Springs, Colo.	30,052			223	7.42	
Columbia, S. C.	36,947			63	1.70	
Columbus, Ga.	30,581	71	2.32	58	1.90	1.2
Concord, N. H.	22,132			23	1.04	
Connellsville, Pa.	13,755			10	.73	
Corning, N. Y.	15,712	57	3.63	8	.51	7.1
Cortland, N. Y.	13,202	33	2.50	4	.30	8.2
Council Bluffs, Iowa.	35,808			24	.67	
Cranston, R. I.	28,980			15	.52	
Crawfordsville, Ind.	10,099			8	.79	
Cumberland, Md.	29,425			25	.85	
Danbury, Conn.	19,075			22	1.15	
Danvers, Mass.	11,020			8	.73	
Decatur, Ill.	43,165			16	.37	
Denison, Tex.	16,888	7	.41			
Dickson City, Pa.	10,961	11	1.00			
Dubois, Pa.	13,627			8	.59	
Duluth, Minn.	97,864	153	1.59	16	.16	9.7
Dunkirk, N. Y.	19,227			15	.83	
Durham, N. C.	21,540	48	2.23	44	2.01	1.1
East Chicago, Ind.	35,098			19	.51	
East Cleveland, Ohio.	26,359			5	.30	
Easton, Pa.	33,541	42	1.25	31	1.01	1.2
East Orange, N. J.	49,839	80	1.59	40	.83	2.0
Elgin, Ill.	27,378	62	2.25	18	.66	3.4
Elizabeth, N. J.	94,535	201	2.13	99	1.05	2.0
Elkhart, Ind.	24,020			11	.46	
Elmira, N. Y.	44,883	81	1.87	24	.53	3.5
El Paso, Tex.	75,572			331	4.78	
Elwood, Ind.	10,802			11	1.02	
Enfield, Conn.	11,616			17	1.46	
Englewood, N. J.	11,539	11	.95	4	.35	2.8
Enid, Okla.	16,433			23	1.40	
Erie, Pa.	91,989	253	2.80	83	.99	3.1
Eugene, Oreg.	10,511			11	1.05	
Evanston, Ill.	36,585			12	.33	
Findlay, Ohio.	16,910			22	1.30	
Flint, Mich.	88,867			30	.34	
Fort Wayne, Ind.	85,384			50	.59	
Framingham, Mass.	16,823	44	2.62	22	1.31	2.0
Freeport, Ill.	19,531			18	.92	
Fremont, Ohio.	12,338			11	.89	
Galesburg, Ill.	23,744			14	.59	
Galveston, Tex.	43,880			71	1.62	
Gardner, Mass.	16,851			21	1.25	
Geneva, N. Y.	14,535	15	1.03	5	.34	3.0
Glens Falls, N. Y.	16,596			23	1.39	
Granite City, Ill.	14,507	10	.69	2	.14	5.0
Great Falls, Mont.	23,597			29	1.23	
Green Bay, Wis.	39,719			15	.49	
Greenfield, Mass.	15,203	18	1.18	5	.33	3.6
Greenville, Tex.	12,202			7	.57	
Greenwich, Conn.	21,831	35	1.60	17	.78	2.1
Hackensack, N. J.	17,481	43	2.46	13	.74	3.3
Hamilton, Ohio.	39,449			41	1.04	
Harrisburg, Pa.	75,313			76	1.01	
Haverhill, Mass.	53,381	150	2.81	60	1.12	2.5
Hazleton, Pa.	31,925			22	.69	

Reported Prevalence, 1919—Averages for Previous Years—Continued.

TUBERCULOSIS (ALL FORMS)—Continued.

City.	Estimated population July 1, 1919.	Cases reported.	Cases per 1,000 inhab- itants.	Deaths regis- tered.	Deaths per 1,000 inhab- itants.	Cases reported for each death reg- istered.
Henderson, Ky.....	12,132	23	1.90
Hibbing, Minn.....	14,767	9	0.61	6	.41	1.5
Hoboken, N. J.....	68,277	165	2.42	80	1.17	2.1
Holyoke, Mass.....	60,076	68	1.13
Homestead, Pa.....	20,362	18	.88
Hot Springs, Ark.....	11,836	10	.84
Huntington, Ind.....	13,808	10	.72
Ironwood, Mich.....	15,589	26	1.67
Ithaca, N. Y.....	16,891	53	3.14	15	.89	3.5
Jackson, Mich.....	47,502	42	.88
Jacksonville, Fla.....	89,814	141	1.57
Jacksonville, Ill.....	15,693	35	2.23
Jamestown, N. Y.....	38,525	86	2.23	40	1.04	2.1
Jefferson City, Mo.....	14,258	22	1.54
Jonstown, N. Y.....	10,881	29	2.66
Joplin, Mo.....	29,969	58	1.94
Kalamazoo, Mich.....	48,373	119	2.46	63	1.30	1.9
Kearny, N. J.....	26,309	74	2.81	12	.46	6.2
Kenosha, Wis.....	39,488	15	.38
Kewanee, Ill.....	15,680	10	.64
Key West, Fla.....	18,811	27	1.44
Kingston, N. Y.....	26,648	130	4.88	52	1.95	2.5
Knoxville, Tenn.....	75,682	138	1.82
Kokomo, Ind.....	29,395	30	1.02
Lackawanna, N. Y.....	17,744	51	2.87	10	.56	3.1
La Crosse, Wis.....	30,366	37	1.22
Lakewood, Ohio.....	40,365	37	.92	22	.55	1.7
Lancaster, Ohio.....	14,623	23	1.57
Lancaster, Pa.....	52,845	71	1.34	32	.61	2.2
Lansing, Mich.....	55,983	15	.27	13	.23	1.2
La Salle, Ill.....	12,972	15	1.16
Lawrence, Kans.....	12,452	28	2.25	10	.80	2.8
Lawrence, Mass.....	93,839	172	1.83	137	1.46	1.3
Leominster, Mass.....	19,633	45	2.29	13	.66	3.5
Lexington, Ky.....	41,203	147	3.57	112	2.72	1.3
Lima, Ohio.....	40,750	57	1.40
Lincoln, Nebr.....	54,369	15	.28
Little Falls, N. Y.....	12,990	28	2.16	14	1.08	2.0
Long Beach, Calif.....	53,647	37	.69	31	.63	1.1
Long Branch, N. J.....	13,510	28	2.07	9	.67	3.1
Lynchburg, Va.....	29,932	52	1.74
McKeesport, Pa.....	45,806	52	1.14	33	.72	1.6
Macon, Ga.....	52,360	62	1.18
Madison, Wis.....	37,716	28	.74
Malden, Mass.....	48,961	99	2.03	40	.82	2.5
Manchester, N. H.....	77,955	81	1.04
Manitowoc, Wis.....	17,329	19	1.10	13	.75	1.5
Mansfield, Ohio.....	27,461	23	.84
Marinette, Wis.....	13,662	17	1.24
Marion, Ind.....	23,521	30	1.28	20	.85	1.5
Marlboro, Mass.....	15,005	33	2.20	10	.67	3.3
Marquette, Mich.....	12,635	5	.40
Martins Ferry, Ohio.....	11,505	8	.70	5	.43	1.6
Meadville, Pa.....	14,476	13	.90
Medford, Mass.....	38,220	42	1.10	28	.73	1.5
Melrose, Mass.....	18,076	8	.44
Methuen, Mass.....	14,996	28	1.87
Middletown, N. Y.....	18,260	43	2.36
Middletown, Ohio.....	23,656	28	1.21
Milford, Mass.....	13,450	21	1.78
Mishawaka, Ind.....	15,025	8	.53
Mobile, Ala.....	59,707	63	1.56
Moline, Ill.....	30,374	14	.46
Monessen, Pa.....	17,849	13	.73
Montclair, N. J.....	28,433	48	1.69	19	.67	2.5

Reported Prevalence, 1919—Averages for Previous Years—Continued.

TUBERCULOSIS (ALL FORMS)—Continued.

City.	Estimated population July 1, 1919.	Cases reported.	Cases per 1,000 inhab- itants.	Deaths regis- tered.	Deaths per 1,000 inhab- itants.	Cases reported for each death reg- istered.
Montgomery, Ala.	43,190			48	1.11	
Morristown, N. J.	12,546			11	.88	
Mount Vernon, N. Y.	42,118			19	.45	
Muncie, Ind.	35,879	55	1.53	32	.89	1.7
Muskegon, Mich.	35,926			24	.67	
Nanticoke, Pa.	22,422	16	.71			
Nashua, N. H.	28,257			10	.35	
Natick, Mass.	10,853	12	1.11			
New Albany, Ind.	22,870			25	1.09	
Newark, Ohio	26,650			38	1.43	
New Britain, Conn.	58,523			32	.55	
Newburyport, Mass.	15,584			13	.83	
New Castle, Pa.	44,492	65	1.46	31	.70	2.1
New London, Conn.	25,377	38	1.50	20	.79	1.9
Newport, Ky.	29,368	100	3.41	36	1.23	2.8
Newport, R. I.	30,095			30	1.00	
New Rochelle, N. Y.	35,835			16	.45	
Newton, Mass.	45,732	65	1.42	24	.52	2.7
Niagara Falls, N. Y.	49,714	114	2.29	14	.28	8.1
North Adams, Mass.	22,268	42	1.89	19	.85	2.2
North Braddock, Pa.	14,768	18	1.22			
Northbridge, Mass.	10,104			16	1.58	
North Tonawanda, N. Y.	15,300	43	2.81	11	.72	3.9
Norwalk, Conn.	27,093	34	1.25	16	.59	2.1
Norwood, Ohio	24,514	19	.78	16	.65	1.2
Oak Park, Ill.	38,780	31	.80	21	.54	1.5
Ogden, Utah	32,432			14	.43	
Oil City, Pa.	20,985	41	1.95			
Olean, N. Y.	20,209			10	.49	
Olyphant, Pa.	10,147	11	1.08	9	.89	1.2
Orange, N. J.	33,081	75	2.27	48	1.45	1.6
Oshkosh, Wis.	33,157			45	1.36	
Ossining, N. Y.	10,777	14	1.30	10	.93	1.4
Owensboro, Ky.	17,351	54	3.11	14	.81	3.9
Paducah, Ky.	24,633			46	1.87	
Parkersburg, W. Va.	19,936			26	1.30	
Pasadena, Calif.	44,578			80	1.79	
Passaic, N. J.	63,358	146	2.30	73	1.15	2.0
Pawtucket, R. I.	63,598			50	.79	
Peabody, Mass.	19,355	46	2.38	16	.83	2.9
Peekskill, N. Y.	15,836	32	2.02	17	1.07	1.9
Pekin, Ill.	11,973	16	1.34	8	.67	2.0
Peoria, Ill.	75,649			69	.91	
Perth Amboy, N. J.	41,213	91	2.21	31	.75	2.9
Petersburg, Va.	30,648	95	3.10	58	1.89	1.6
Pine Bluff, Ark.	19,065	65	3.41			
Pittsfield, Mass.	41,255	85	2.06	48	1.16	1.8
Plainfield, N. J.	27,332	51	1.87	27	.99	1.9
Plattsburg, N. Y.	10,921	27	2.47			
Pocatello, Idaho	14,698			5	.34	
Pontiac, Mich.	33,256	37	1.11	33	.99	1.1
Port Chester, N. Y.	16,379	41	2.50	10	.61	4.1
Port Huron, Mich.	25,579	12	.47	10	.39	1.2
Portland, Me.	68,721			73	1.06	
Portsmouth, Ohio	32,520			34	1.05	
Portsmouth, Va.	53,295	90	1.69	50	.94	1.8
Poughkeepsie, N. Y.	34,636	106	3.06	23	.66	4.6
Provo, Utah	10,232			5	.49	
Quincy, Ill.	36,009			39	1.08	
Quincy, Mass.	47,091	80	1.83	36	.76	2.4
Racine, Wis.	57,533			40	.70	
Rahway, N. J.	10,954			8	.73	
Raleigh, N. C.	24,150			48	1.99	
Reno, Nev.	11,957			12	1.00	
Richmond, Ind.	26,536			24	.90	

Reported Prevalence, 1919—Averages for Previous Years—Continued.

TUBERCULOSIS (ALL FORMS)—Continued.

City.	Estimated population July 1, 1919.	Cases reported.	Cases per 1,000 inhab- itants.	Deaths regis- tered.	Deaths per 1,000 inhab-	Cases reported for each death reg- istered.
Riverside, Calif.	19,128	51	2.67
Rockford, Ill.	64,608	68	1.05	42	.65
Rock Island, Ill.	34,619	34	.98
Rocky Mount, N. C.	12,500	25	2.00
Rome, N. Y.	26,040	71	2.73
Sacramento, Calif.	64,767	162	2.50	153	2.36	1.1
St. Joseph, Mo.	77,911	88	1.13
Salem, Mass.	42,589	87	2.04	50	1.17	1.7
Salem, Oreg.	17,494	16	.91
San Bernardino, Calif.	18,415	68	3.69
San Diego, Calif.	72,875	214	2.94	144	1.98	1.5
Sanford, Me.	10,608	10	.94
Santa Barbara, Calif.	19,040	26	1.37
Santa Cruz, Calif.	10,929	19	1.74	14	1.28	1.4
Saratoga Springs, N. Y.	13,208	78	5.91	17	1.29	4.6
Saugus, Mass.	10,728	11	1.03	7	.65	1.6
Schenectady, N. Y.	87,904	190	2.16	71	.81	2.7
Sheboygan, Wis.	30,720	29	.94	27	.88	1.1
Somerville, Mass.	92,274	178	1.93	90	.98	2.0
Southbridge, Mass.	14,160	16	1.13	5	.35	3.2
Spartanburg, S. C.	22,374	25	1.12
Springfield, Ill.	58,796	72	1.22
Springfield, Mo.	39,403	65	1.65
Staunton, Va.	10,622	22	2.07
Steelton, Pa.	13,470	60	4.45	18	1.34	3.3
Steubenville, Ohio.	28,193	38	1.35	19	.67	2.0
Sunbury, Pa.	15,621	10	.64
Superior, Wis.	39,663	30	.76
Tacoma, Wash.	96,284	63	.65
Tampa, Fla.	50,558	80	1.58
Taunton, Mass.	36,989	86	2.33	71	1.92	1.2
Terre Haute, Ind.	65,675	75	1.14
Tiffin, Ohio.	14,247	11	.77
Topeka, Kans.	49,696	86	1.73	35	.70	2.5
Traverse City, Mich.	10,986	46	4.19
Troy, N. Y.	72,260	105	1.45
Tucson, Ariz.	19,926	196	9.84
Tyler, Tex.	11,998	7	.58
Utica, N. Y.	93,140	84	.90
Waco, Tex.	37,878	58	1.53	50	1.32	1.2
Waltham, Mass.	30,756	40	1.30	23	.75	1.7
Warren, Ohio.	26,228	24	.92	14	.53	1.7
Warren, Pa.	14,092	56	3.97
Washington, Pa.	21,341	21	.98	18	.84	1.2
Watertown, Mass.	21,015	29	1.38	11	.52	2.6
Waterville, Me.	13,254	18	1.36
Wausau, Wis.	18,553	28	1.51	12	.65	2.3
Webster, Mass.	13,168	15	1.14
West Chester, Pa.	11,720	19	1.62
West New York, N. J.	29,083	38	1.31	6	.21	6.3
West Orange, N. J.	15,336	41	2.67	10	.65	4.1
Wheeling, W. Va.	53,669	48	.89
White Plains, N. Y.	20,828	79	3.79	25	1.20	3.2
Wichita, Kans.	71,115	100	1.41	35	.49	2.9
Wilkinsburg, Pa.	24,121	17	.70	13	.54	1.3
Williamsport, Pa.	35,975	17	.47
Willimantic, Conn.	12,274	12	.98
Wilmington, N. C.	32,979	55	1.67
Winchester, Mass.	10,424
Winona, Minn.	19,111	21	1.10
Winston-Salem, N. C.	47,072	141	3.00	86	1.83	1.6
Winthrop, Mass.	15,181	19	1.25	8	.53	2.4
Woburn, Mass.	16,509	28	1.70	13	.79	2.2
Yakima, Wash.	18,309	26	1.42
York, Pa.	47,370	81	1.71
Zanesville, Ohio.	29,490	46	1.56

Reported Prevalence, 1919—Averages for Previous Years—Continued.

TUBERCULOSIS (PULMONARY.)

City.	Esti- mated popula- tion July 1, 1919.	Cases reported.	Cases per 1,000 inhabit- ants.	Deaths regist- ered.	Deaths per 1,000 inhabit- ants.	Cases re- ported for each death regis- tered.
Aberdeen, Wash.	15,251			7	0.46	
Adams, Mass.	12,970	29	2.24	15	1.16	1.9
Adrian, Mich.	11,821			3	.25	
Alameda, Calif.	28,527	37	1.30	12	.42	3.1
Alexandria, Va.	17,919			27	1.51	
Allentown, Pa.	72,390	92	1.27			
Alliance, Ohio.	21,267			19	.89	
Alton, Ill.	24,314	20	.82			
Altoona, Pa.	59,908			18	.30	
Amarillo, Tex.	15,203	27	1.78	16	1.05	1.7
Anaconda, Mont.	11,589			6	.52	
Anderson, Ind.	29,391			5	.17	
Anderson, S. C.	10,523			19	1.81	
Ann Arbor, Mich.	19,274	17	.88	4	.21	4.2
Appleton, Wis.	19,417	5	.26	3	.15	1.7
Arlington, Mass.	18,280	29	1.59	9	.49	3.2
Asbury Park, N. J.	12,284	8	.65	5	.41	1.6
Ashland, Ky.	14,418			13	.90	
Ashland, Wis.	11,347	41	3.61	12	1.06	3.4
Ashtabula, Ohio.	21,885			16	.73	
Astoria, Oreg.	13,799			15	1.09	
Attleboro, Mass.	19,550	15	.87	13	.66	1.2
Auburn, Me.	16,885			13	.77	
Auburn, N. Y.	36,114	41	1.14	27	.75	1.5
Augusta, Ga.	51,955			91	1.75	
Aurora, Ill.	36,038	15	.42			
Bakersfield, Calif.	18,334	56	3.05	26	1.42	2.1
Barberton, Ohio.	18,327			14	.76	
Baton Rouge, La.	21,427			35	1.63	
Battle Creek, Mich.	35,603	22	.62	9	.25	2.4
Bay City, Mich.	47,431			48	1.01	
Beacon, N. Y.	10,977	12	1.03	7	.64	1.7
Beaumont, Tex.	39,403			41	1.04	
Bellaire, Ohio.	14,952			6	.40	
Belleville, N. J.	15,363	31	2.02	24	1.56	1.3
Beloit, Wis.	20,967	34	1.62	12	.57	2.8
Benton Harbor, Mich.	12,076			2	.17	
Berkeley, Calif.	55,030	34	.62	23	.42	1.5
Berlin, N. H.	15,881	15	.94	10	.63	1.5
Beverly, Mass.	22,360	28	1.25	10	.45	2.8
Biddelford, Me.	17,960			13	.72	
Billings, Mont.	14,839	35	2.36			
Bloomington, Ind.	11,453			19	1.66	
Bridgeton, N. J.	14,317	28	1.96	16	1.12	1.7
Bristol, Conn.	20,253	32	1.58	23	1.14	1.4
Brockton, Mass.	65,661	107	1.63	47	.72	2.3
Brookline, Mass.	37,235	59	1.58	20	.54	2.9
Burlington, Vt.	22,660			20	.88	
Butte, Mont.	41,485			51	1.23	
Cairo, Ill.	15,169			64	4.22	
Cambridge, Ohio.	13,012	8	.61	5	.38	1.6
Canton, Ohio.	85,152	71	.83	54	.63	1.3
Cape Girardeau, Mo.	10,160			25	2.46	
Cedar Rapids, Iowa.	44,909			28	.62	
Champaign, Ill.	15,695	6	.38			
Charleroi, Pa.	11,418			12	1.05	
Charlotte, N. C.	45,703	61	1.33	46	1.01	1.3
Chelsea, Mass.	42,631			89	2.09	
Chicopee, Mass.	35,657	60	1.68	44	1.23	1.4
Chillicothe, Ohio.	15,763			17	1.08	
Cicero, Ill.	43,427	45	1.01	16	.37	2.8
Clinton, Mass.	12,989	25	1.92	14	1.08	1.8
Coatesville, Pa.	14,338	36	2.51			
Cohoes, N. Y.	22,898			23	1.00	

Reported Prevalence, 1919—Averages for Previous Years—Continued.

TUBERCULOSIS (PULMONARY)—Continued.

City.	Esti- mated popula- tion July 1, 1919.	Cases reported.	Cases per 1,000 inhabit- ants.	Deaths regis- tered.	Deaths per 1,000 inhabit- ants.	Cases re- ported for each death regis- tered.
Colorado Springs, Colo.	30,052	391	13.01	204	6.79	1.9
Columbus, Ga.	30,581	67	2.19	54	1.77	1.2
Concord, N. H.	22,132	22	.99	..
Connellsville, Pa.	13,755	9	.65	..
Corpus Christi, Tex.	10,401	11	1.06	8	.77	1.4
Cortland, N. Y.	13,202	18	1.36	3	.23	6.0
Coshocton, Ohio.	10,783	4	.37
Covington, Ky.	56,923	122	2.14	..
Crawfordsville, Ind.	10,009	6	.59	..
Cumberland, Md.	29,425	82	2.79	18	.61	4.6
Danbury, Conn.	19,075	17	.89	..
Danvers, Mass.	11,020	24	2.18	5	.45	4.8
Danville, Va.	21,409	97	4.53	33	1.54	2.9
Decatur, Ill.	43,165	14	.32	..
Denison, Tex.	16,388	5	.30	..
Dover, N. H.	13,040	17	1.30	..
Dubois, Pa.	13,627	7	.51	..
Dubuque, Iowa.	39,108	33	.84	..
Duluth, Minn.	97,864	150	1.53	60	.61	2.5
Dunkirk, N. Y.	19,227	21	1.09	15	.78	1.4
Duquesne, Pa.	18,842	18	.96
East Chicago, Ind.	35,098	15	.43	..
East Cleveland, Ohio	26,359	6	.23	..
East Orange, N. J.	49,869	70	1.40	31	.62	2.3
East St. Louis, Ill.	66,318	53	.80	..
Eau Claire, Wis.	20,748	11	.53	2	.10	5.5
Elgin, Ill.	27,378	58	2.12	16	.58	3.6
Elizabeth, N. J.	94,535	77	.81	..
Elwood, Ind.	10,802	7	.65	..
Elyria, Ohio.	20,183	12	.59	..
Enid, Okla.	16,433	19	1.16	..
Erie, Pa.	91,989	71	.77	..
Everett, Mass.	39,778	72	1.81	24	.60	3.0
Everett, Wash.	27,498	13	.47	..
Fairmont, W. Va.	17,432	3	.17
Fond du lac, Wis.	23,189	10	.43	..
Fort Scott, Kans.	10,681	16	1.50	4	.37	4.0
Fort Wayne, Ind.	85,384	112	1.31	47	.55	2.4
Framingham, Mass.	16,823	39	2.32	17	1.01	2.3
Frankfort, Ind.	11,433	2	.17
Freeport, Ill.	19,561	11	.56	..
Fremont, Ohio.	12,338	12	.97	9	.73	1.3
Galesburg, Ill.	23,744	11	.46	..
Galveston, Tex.	43,880	62	1.41	..
Gardner, Mass.	16,854	48	2.85	20	1.19	2.4
Geneva, N. Y.	14,535	13	.89	5	.34	2.6
Glens Falls, N. Y.	16,566	42	2.54	21	1.27	2.0
Gloversville, N. Y.	22,001	29	1.32	14	.64	2.1
Granite City, Ill.	14,507	8	.55	2	.14	4.0
Great Falls, Mont.	23,597	23	.97	..
Green Bay, Wis.	30,719	12	.39	..
Greenfield, Mass.	15,203	12	.79	3	.20	4.0
Greenville, S. C.	22,747	31	1.36
Greenwich, Conn.	21,831	34	1.56	16	.73	2.1
Hamilton, Ohio.	39,449	39	.99	..
Hammond, Ind.	35,227	14	.40	..
Harrisburg, Pa.	75,313	211	2.80	66	.88	3.2
Harrison, N. J.	15,658	44	2.81
Haverhill, Mass.	53,381	133	2.49	54	1.01	2.5
Hazleton, Pa.	31,925	20	.63	..
Hibbing, Minn.	14,767	5	.34	..
Highland Park, Mich.	44,316	39	.88	15	.34	2.6
Hoboken, N. J.	68,277	62	.91	..
Holland, Mich.	12,080	6	.50	3	.25	2.0
Holyoke, Mass.	60,076	81	1.35	57	.95	1.4

Reported Prevalence, 1919—Averages for Previous Years—Continued.

TUBERCULOSIS (PULMONARY)—Continued.

City.	Esti- mated popula- tion July 1, 1919.	Cases reported.	Cases per 1,000 inhabit- ants.	Deaths regis- tered.	Deaths per 1,000 inhabit- ants.	Cases re- ported for each death regis- tered.
Homestead, Pa.	20,362	36	1.77			
Huntington, Ind.	13,808			8	0.58	
Huntington, W. Va.	49,198			83	1.69	
Ithaca, N. Y.	16,891	43	2.55	12	.71	3.6
Jackson, Mich.	47,502	80	1.68	35	.74	2.3
Jacksonville, Fla.	89,814	249	2.77	131	1.46	1.9
Jacksonville, Ill.	15,693			30	1.91	
Jamestown, N. Y.	38,525	73	1.89	34	.88	2.1
Jefferson City, Mo.	14,258			16	1.12	
Johnstown, N. Y.	10,884	28	2.57	12	1.10	2.3
Joliet, Ill.	38,214	110	2.88			
Joplin, Mo.	29,969			54	1.80	
Kalamazoo, Mich.	48,373	111	2.29	61	1.26	1.8
Kenosha, Wis.	39,488	63	1.60	12	.30	5.2
Kewanee, Ill.	15,680			6	.38	
Knoxville, Tenn.	75,682			112	1.48	
Kokomo, Ind.	29,395			23	.78	
Lackawanna, N. Y.	17,744	46	2.59			
La Crosse, Wis.	30,366	37	1.22	35	1.15	1.1
La Fayette, Ind.	22,362	27	1.21	23	1.03	1.2
Lakewood, Ohio.	40,365	20	.50	17	.42	1.2
Lancaster, Ohio.	14,623			14	.96	
Lansing, Mich.	55,983	14	.25	12	.21	1.2
La Salle, Ill.	12,972			11	.85	
Lawrence, Kans.	12,452	22	1.77	7	.56	3.1
Lawrence, Mass.	93,839	151	1.61	125	1.33	1.2
Leavenworth, Kans.	17,038	14	.82	7	.41	2.0
Lebanon, Pa.	24,365	34	1.40			
Lima, Ohio.	40,750			41	1.01	
Little Falls, N. Y.	12,990	24	1.85	11	.85	2.2
Little Rock, Ark.	64,016			215	3.36	
Logansport, Ind.	21,493			9	.42	
Long Beach, Calif.	53,647	30	.56	28	.52	1.1
Long Branch, N. J.	13,510	21	1.55	8	.59	2.6
Lorain, Ohio.	36,862	26	.71			
Lynchburg, Va.	29,932	48	1.60	42	1.40	1.1
McKeesport, Pa.	45,806			19	.41	
Macon, Ga.	52,360			60	1.15	
Manchester, Conn.	18,126	17	.94	12	.66	1.4
Manchester, N. H.	77,955			60	.77	
Manitowoc, Wis.	17,329	18	1.04	12	.69	1.5
Mankato, Minn.	12,361			9	.73	
Mansfield, Ohio.	27,461	20	.73	18	.66	1.1
Marion, Ind.	23,521	29	1.23	19	.81	1.5
Marlboro, Mass.	15,005	32	2.13	9	.60	3.6
Martins Ferry, Ohio.	11,505	5	.43	4	.35	1.2
Mason City, Iowa	19,610			5	.25	
Massillon, Ohio.	17,245			19	1.10	
Maywood, Ill.	11,864	14	1.18	1	.08	14.0
Meadville, Pa.	14,476			8	.55	
Medford, Mass.	38,220	34	.89	20	.52	1.7
Melrose, Mass.	18,076	13	.72	7	.39	1.9
Methuen, Mass.	14,996	25	1.67	17	1.13	1.5
Middletown, N. Y.	18,260	41	2.25	13	.71	3.2
Milford, Mass.	13,450			20	1.49	
Mobile, Ala.	59,707			90	1.51	
Moline, Ill.	30,374			9	.30	
Monessen, Pa.	17,849	10	.56	8	.45	1.2
Montclair, N. J.	28,436	43	1.51	17	.60	2.5
Montgomery, Ala.	43,190	40	.93	37	.86	1.1
Morristown, N. J.	12,546			10	.80	
Mount Vernon, N. Y.	42,118	36	.85	14	.33	2.6
Muncie, Ind.	35,879	40	1.11	21	.59	1.9
Nashua, N. H.	28,257			9	.32	
New Albany, Ind.	22,870			22	.96	

Reported Prevalence, 1919—Averages for Previous Years—Continued.

TUBERCULOSIS (PULMONARY)—Continued.

City.	Estimated population, July 1, 1919.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.
Newark, Ohio.....	26,650			34	1.28	
New Britain, Conn.....	58,523	100	1.71	18	.31	5.6
New Brunswick, N. J.....	32,295	55	1.70			
Newburgh, N. Y.....	30,234			61	2.02	
Newburyport, Mass.....	15,584	9	.58	7	.45	1.3
New Castle, Ind.....	14,200			15	1.06	
New London, Conn.....	25,377	33	1.30	16	.63	2.1
Newport, R. I.....	30,095	44	1.46	24	.80	1.8
New Rochelle, N. Y.....	35,835	31	.87	14	.39	2.2
Newton, Mass.....	45,732	54	1.18	17	.37	3.2
Niagara Falls, N. Y.....	49,714	111	2.23	13	.26	8.5
Norristown, Pa.....	32,090			19	.59	
North Adams, Mass.....	22,268	35	1.57	16	.72	2.2
Northampton, Mass ¹	21,821	26	.92	1	.05	20.0
North Braddock, Pa.....	14,768	16	1.08	7	.47	2.3
Northbridge, Mass.....	10,104			11	1.09	
North Little Rock, Ark.....	13,898			5	.36	
North Tonawanda, N. Y.....	15,300	39	2.55	7	.46	5.6
Norwalk, Conn.....	27,093	33	1.22	16	.59	2.1
Norwich, Conn.....	22,204	52	2.34	20	.90	2.6
Norwood, Ohio.....	24,514			12	.49	
Oak Park, Ill.....	38,780	30	.77	15	.39	2.0
Ogden, Utah.....	32,432			10	.31	
Oklahoma City, Okla.....	89,865			66	.73	
Olean, N. Y.....	20,209	55	2.72	8	.40	6.9
Olyphant, Pa.....	10,147			5	.49	
Orange, N. J.....	33,081	62	1.87	41	1.24	1.5
Oshkosh, Wis.....	33,157			38	1.15	
Ossining, N. Y.....	10,777			7	.65	
Owosso, Mich.....	12,424	8	.64	3	.24	2.7
Paducah, Ky.....	24,633			21	.85	
Pasadena, Calif.....	44,578	114	2.56	70	1.57	1.6
Passaic, N. J.....	63,358	99	1.56			
Pawtucket, R. I.....	63,598			44	.69	
Peabody, Mass.....	19,355	45	2.32	16	.83	2.8
Peekskill, N. Y.....	15,836	27	1.70	12	.76	2.2
Peoria, Ill.....	75,649			63	.83	
Perth Amboy, N. J.....	41,213			27	.66	
Petersburg, Va.....	30,648			54	1.76	
Pine Bluff, Ark.....	19,065	41	2.15			
Piqua, Ohio.....	14,959	15	1.00	10	.67	1.5
Pittsfield, Mass.....	41,255	72	1.75	41	.99	1.8
Plainfield, N. J.....	27,332	42	1.54	20	.73	2.1
Plattsburg, N. Y.....	10,921	22	2.01			
Pocatello, Idaho.....	14,698			4	.27	
Pomona, Calif.....	13,335			2	.15	
Port Chester, N. Y.....	16,379			8	.49	
Port Huron, Mich.....	25,579			8	.31	
Portland, Me.....	68,721	120	1.75	56	.81	2.1
Portsmouth, N. H.....	13,451	11	.82			
Portsmouth, Ohio.....	32,520			20	.89	
Portsmouth, Va.....	53,295			42	.79	
Provo, Utah.....	10,232			4	.39	
Quincy, Ill.....	36,009			35	.97	
Quincy, Mass.....	47,091	78	1.66	34	.72	2.3
Rahway, N. J.....	10,954	11	1.00	7	.64	1.6
Raleigh, N. C.....	24,150			35	1.45	
Reno, Nev.....	11,957			9	.75	
Richmond, Ind.....	26,538			13	.49	
Roanoke, Va.....	50,020			47	.94	
Rockford, Ill.....	64,608			36	.56	
Rocky Mount, N. C.....	12,500	26	2.08	21	1.68	1.2
Sacramento, Calif.....	64,767	160	2.47	127	1.96	1.3
St. Joseph, Mo.....	77,911	136	1.75	70	.90	1.9
Salem, Mass.....	42,589	73	1.71	42	.99	1.7

¹ Year ended Nov. 30, 1919.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

TUBERCULOSIS (PULMONARY)—Continued.

City.	Esti- mated popula- tion July 1, 1919.	Cases reported.	Cases per 1,000 inhabit- ants.	Deaths regis- tered.	Deaths per 1,000 inhabit- ants.	Cases re- ported for each death regis- tered.
Salem, Oreg.....	17,494	10	0.57
Salina, Kans.....	14,807	7	.47
San Bernardino, Calif.....	18,415	49	2.66
San Diego, Calif.....	72,875	213	2.92	132	1.81	1.6
Sandusky, Ohio.....	22,747	33	1.45	28	1.23	1.2
Sanford, Me.....	10,606	8	.75
Santa Barbara, Calif.....	19,040	21	1.10
Santa Cruz, Calif.....	10,929	15	1.37	11	1.01	1.4
Saratoga Springs, N. Y.....	13,208	14	1.06
Saugus, Mass.....	10,728	6	.56	5	.47	1.2
Sault Ste-Marie, Mich.....	12,123	18	1.48	10	.82	1.8
Savannah, Ga.....	82,315	153	1.90
Schenectady, N. Y.....	87,904	180	2.05	53	.60	3.4
Sharon, Pa.....	21,413	4	.19
Sheboygan, Wis.....	30,720	21	.68	19	.62	1.1
Shenandoah, Pa.....	24,780	22	.89
Sioux Falls, S. Dak.....	24,605	13	.53
Somerville, Mass.....	92,274	148	1.60	76	.82	1.9
South Bend, Ind.....	70,092	57	.81
Southbridge, Mass.....	14,160	15	1.05	4	.28	3.7
Spartanburg, S. C.....	22,374	24	1.07
Springfield, Ill.....	58,796	57	.97
Springfield, Mo.....	39,403	55	1.40
Springfield, Ohio.....	60,123	101	1.68	68	1.13	1.5
Staunton, Va.....	10,622	17	1.60
Steubenville, Ohio.....	28,193	18	.64
Sunbury, Pa.....	15,621	7	.45
Superior, Wis.....	39,663	23	.58
Tamaqua, Pa.....	12,214	6	.49
Tampa, Fla.....	50,558	73	1.44
Taunton, Mass.....	36,989	80	2.16	62	1.68	1.3
Terre Haute, Ind.....	65,675	72	1.10
Tiffin, Ohio.....	14,247	10	.70
Topeka, Kans.....	49,696	72	1.45	24	.48	3.0
Traverse City, Mich.....	10,986	3	.27
Troy, N. Y.....	72,260	197	2.73	84	1.16	2.3
Uniontown, Pa.....	15,571	2	.13
Utica, N. Y.....	93,140	70	.75
Vancouver, Wash.....	12,465	10	.80
Waco, Tex.....	37,878	20	.53	16	.42	1.2
Waltham, Mass.....	30,756	36	1.17	23	.75	1.6
Warren, Ohio.....	26,228	22	.84	10	.38	2.2
Washington, Pa.....	21,341	18	.84	14	.66	1.3
Waterbury, Conn.....	90,469	168	1.86	52	.57	3.2
Watertown, Mass.....	21,015	21	1.00	7	.33	3.0
Waterville, Me.....	13,254	14	1.06
Watervliet, N. Y.....	16,022	37	2.31	14	.87	2.6
Webster, Mass.....	13,138	12	.91
Westfield, Mass.....	18,472	25	1.35	13	.70	1.9
West Hoboken, N. J.....	39,828	71	1.78	19	.48	3.7
West Orange, N. J.....	15,333	38	2.48	10	.65	3.8
West Springfield, Mass.....	13,225	4	.30
Wheeling, W. Va.....	53,669	32	.60
Williamsport, Pa.....	35,975	13	.36
Willimantic, Conn.....	12,274	8	.65
Winchester, Mass.....	10,424	8	.77	1	.10	8.0
Winona, Minn.....	19,114	13	.68
Winston-Salem, N. C.....	47,072	123	2.61	72	1.53	1.7
Winthrop, Mass.....	15,181	17	1.12	7	.46	2.4
Woburn, Mass.....	16,509	25	1.51	13	.79	1.9
Yakima, Wash.....	18,309	78	4.26	21	1.15	3.7
York, Pa.....	47,370	55	1.16
Zanesville, Ohio.....	29,490	38	1.29

Reported Prevalence, 1919—Averages for Previous Years—Continued.

TYPHOID FEVER.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Aberdeen, Wash.	15,251	1	13	3	0.20	1	0.07	33.3
Adams, Mass.	12,970	3	10	9	.69	1	.08	11.1
Adrian, Mich.	11,821	4	13	10	.85	1	.08	10.0
Alameda, Calif.	28,527	5	16	3	.11	0		
Alexandria, Va.	17,919	2	15	71	3.96	8	.45	11.3
Allentown, Pa.	72,390	1	95	44	.61	12	.17	27.3
Alliance, Ohio.	21,267	2	3			1	.05	
Alton, Ill.	24,314	4	12	6	.25			
Altoona, Pa.	59,908	4	52	22	.37	7	.12	31.8
Amarillo, Tex.	15,209	1	12	22	1.45	2	.13	9.1
Anaconda, Mont.	11,589	1	5	3	.26	1	.09	33.3
Anderson, Ind.	29,391	4	17	9	.31	2	.07	22.2
Anderson, S. C.	10,523	1	5	15	1.43	6	.57	40.0
Ann Arbor, Mich.	19,271	5	32	19	.99	2	.10	10.5
Arlington, Mass.	18,280	3	5	6	.33	0		
Asbury Park, N. J.	12,284	5	7	7	.57	0		
Asheville, N. C.	28,002	5	26	19	.68	4	.14	21.1
Ashland, Ky.	14,418			5	.35	1	.07	20.0
Ashland, Wis.	11,347	2	7	22	1.94	0		
Ashtabula, Ohio.	21,885	3	15	5	.23			
Astoria, Oreg.	13,799	2	7	2	.14	0		
Astleboro, Mass.	19,550	2	3	15	.77	1	.05	6.7
Auburn, Me.	16,886	1	3	1	.03	0		
Auburn, N. Y.	36,114	4	23	17	.47	4	.11	23.5
Augusta, Ga.	51,955	3	35	48	.92	10	.19	20.8
Aurora, Ill.	36,058	5	27	36	1.00			
Barberton, Ohio.	18,327	1	2	11	.60	4	.22	36.4
Baton Rouge, La.	21,427	1	25	12	.56	3	.14	25.0
Battle Creek, Mich.	35,603	5	15	11	.31	2	.06	18.2
Bay City, Mich.	47,431	4	70	29	.61	9	.19	31.0
Bayonne, N. J.	75,662	4	8	3	.04			
Beacon, N. Y.	10,977	1	2	8	.73			
Beaumont, Tex.	39,403	2	22	4	.10	3	.08	75.0
Bellaire, Ohio.	14,852	2	20	11	.74	2	.13	18.2
Bellefonte, N. J.	15,363	2	3	2	.13			
Bellingham, Wash.	25,504	2	2	4	.16	1	.04	25.0
Beloit, Wis.	20,967	4	6	2	.10	0		
Benton Harbor, Mich.	12,076	2	4	4	.33	1	.08	25.0
Berkeley, Calif.	55,090	5	19	17	.31	3	.05	17.6
Bethlehem, Pa.	48,426	3	13	5	.10			
Beverly, Mass.	22,360	4	31	4	.18			
Billings, Mont.	14,839	5	18	8	.54			
Binghamton, N. Y.	65,855	5	21	6	.09	1	.02	16.7
Bloomfield, N. J.	21,661	3	5	3	.14			
Bloomington, Ind.	11,453	2	3	12	1.05	2	.17	16.7
Bluefield, W. Va.	15,071	2	12	22	1.46			
Braddock, Pa.	20,501	3	13	25	1.20			
Bridgeton, N. J.	14,317	2	7	4	.28			
Bristol, Conn.	20,253	2	4	1	.05			
Brockton, Mass.	65,661	4	28	5	.08	1	.02	20.0
Brookline, Mass.	37,235	5	7	7	.19	0		
Brunswick, Ga.	14,195	5	16	18	1.27	3	.21	16.7
Burlington, Iowa	24,071	1	12	14	.58	2	.08	14.3
Burlington, Vt.	22,600	3	8	4	.18	0		
Butler, Pa.	23,621	4	15	148	6.27			
Butte, Mont.	41,485	2	15	2	.05	1	.02	50.0
Cairo, Ill.	15,169	4	15	2	.13			
Cambridge, Ohio	13,012	3	15	9	.69	1	.08	11.1
Canton, Ohio.	85,192	5	34	12	.14	5	.06	41.7

Reported Prevalence, 1919—Averages for Previous Years—Continued.

TYPHOID FEVER—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Cape Girardeau, Mo.	10,160	2	10			7	0.69	
Carbondale, Pa.	18,558	4	5	1	0.05			
Carlisle, Pa.	10,884	4	6	2	.18			
Cedar Rapids, Iowa	44,909	4	40	6	.13	4	.09	66.7
Central Falls, R. I.	24,101	3	5	5	.21	0		
Centuria, Ill.	12,346	2	22	10	.81			
Champaign, Ill.	15,695	4	16	8	.51	1	.06	12.5
Charleroi, Pa.	11,418	1	3	1		1	.09	
Charleston, W. Va.	38,752	2	234	52	1.34	12	.31	23.1
Charlotte, N. C.	45,703	2	139	34	.74	5	.11	14.7
Chattanooga, Tenn.	57,240	1	45	10	.17	3	.05	30.0
Chelsea, Mass.	42,631	5	30	8	.19	3	.07	37.5
Chicopee, Mass.	35,657	4	16	1	.03			
Chillicothe, Ohio.	15,763	5	17	23	1.46	0		
Clinton, Mass.	12,989	5	4	2	.15			
Coatesville, Pa.	14,338	2	37	22	1.53			
Cohoes, N. Y.	22,898	1	6	2	.09	1	.04	50.0
Colorado Springs, Colo.	30,052	4	22	19	.63	2	.07	10.5
Columbia, S. C.	36,947	1	67	44	1.19	7	.19	15.9
Columbus, Ga.	30,581	3	31	35	1.14	3	.10	8.6
Concord, N. H.	22,132	5	8	13	.59	2	.09	15.4
Corning, N. Y.	15,712	3	35	10	.64			
Corpus Christi, Tex.	10,404			2	.19			
Cortland, N. Y.	13,202	4	13	10	.76	0		
Council Bluffs, Iowa	35,808	1	15			2	.06	
Covington, Ky.	56,923	3	32	40	.70	16	.28	40.0
Cranston, R. I.	28,980	5	7	4	.14			
Cumberland, Md.	29,425	5	41	29	.99	1	.03	3.4
Danbury, Conn.	19,075	3	10	8	.42	4	.21	50.0
Danville, Va.	21,409	3	32	9	.42	3	.14	33.3
Davenport, Iowa.	56,021	4	8	7	.12			
Decatur, Ill.	43,165	5	47	22	.51	1	.02	4.5
Denison, Tex.	16,888			10	.59	2	.12	20.0
Dover, N. H.	13,040	5	8	2	.15	1	.08	50.0
Dubois, Pa.	13,627	4	20	3	.22	2	.15	66.7
Dubuque, Iowa.	39,108	3	9	3	.08			
Duluth, Minn.	97,864	5	61	34	.35	1	.01	2.9
Dunkirk, N. Y.	19,227	5	35	1		1	.05	
Duquesne, Pa.	18,842	1	5	8	.42			
Durham, N. C.	21,540	3	81	48	2.23	4	.19	8.3
East Chicago, Ind.	35,098	4	49	82	2.34	23	.66	28.0
Easton, Pa.	33,541	4	20	11	.33	1	.03	9.1
East Orange, N. J.	49,869	5	13	11	.22	2	.04	18.2
East St. Louis, Ill.	66,318	2	22	11	.17	6	.09	54.5
Eau Claire, Wis.	20,748	5	18	5	.24			
Elgin, Ill.	27,378	5	49	12	.44			
Elizabeth, N. J.	94,535	5	31	21	.22	2	.02	9.5
Elkhart, Ind.	24,020			16	.67			
Elmira, N. Y.	44,886	3	42	15	.33	5	.11	33.3
El Paso, Tex.	75,572	5	46			6	.08	
Elwood, Ind.	10,802	2	4			1	.09	
Elyria, Ohio.	20,183	5	5	4	.20	1	.05	25.0
Englewood, N. J.	11,539	2	6	2	.17			
Enid, Okla.	16,433			9	.55	4	.24	44.4
Erie, Pa.	91,989	5	46	32	.35	3	.03	9.4
Eugene, Oreg.	10,511	2	4	5	.48	2	.19	40.0
Eureka, Calif.	12,867	3	3	2		2	.16	
Evanston, Ill.	36,585	4	6	8	.22	0		
Everett, Mass.	39,778	5	15	19	.48	4	.10	21.1
Everett, Wash.	27,498	5	18	2	.07	0		

Reported Prevalence, 1919—Averages for Previous Years—Continued.

TYPHOID FEVER—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Fairmont, W. Va.....	17,432	2	83	26	1.49	1		
Findlay, Ohio.....	16,910	4	12	6	.35		0.08	16.7
Flint, Mich.....	88,867	2	182	90	1.01	13	.15	14.4
Fort Scott, Kans.....	10,681	3	12	1	.09	0		
Fort Wayne, Ind.....	85,384	5	40	32	.37	3	.04	9.4
Framingham, Mass.....	16,823	3	5	4	.24	0		
Frankfort, Ind.....	11,433	1	6	1	.09			
Freeport, Ill.....	19,561	1	6	1	.05			
Freemont, Ohio.....	12,338	2	13	7	.57	1	.08	14.3
Galesburg, Ill.....	23,744	3	37	45	1.90			
Galveston, Tex.....	43,880	3	42	27	.62			
Gardner, Mass.....	16,854	4	31	15	.89	0		
Geneva, N. Y.....	14,535	1	10	1	.07	0		
Glens Falls, N. Y.....	16,566	2	2	2	.12	0		
Gloversville, N. Y.....	22,001	4	3	6	.27	0		
Great Falls, Mont.....	23,597	3	25	23	.97	1	.04	4.3
Green Bay, Wis.....	30,719	3	6	3	.10	1	.03	33.3
Greenfield, Mass.....	15,203	4	7	2	.13			
Greenville, S. C.....	22,747	5	23	15	.66			
Greenville, Tex.....	12,202			3	.25	1	.08	33.3
Greenwich, Conn.....	21,831	5	10	1		1	.05	
Hackensack, N. J.....	17,481	4	13	1	.06			
Hamilton, Ohio.....	39,449	5	16	8	.20		.08	37.5
Hammond, Ind.....	33,227	5	41			11	.31	
Harrisburg, Pa.....	75,313	5	125	20	.27	12	.16	60.0
Haverhill, Mass.....	53,381	5	23	21	.39	3	.05	14.3
Henderson, Ky.....	12,132	2	40	2	.16	1	.08	50.0
Hibbing, Minn.....	14,767			7	.47	3	.20	42.9
Highland Park, Mich.....	44,516	2	11	21	.47	3	.07	14.3
Hoboken, N. J.....	68,277	3	14	1		1	.01	
Holland, Mich.....	12,080	2	6	9	.75	0		
Holyoke, Mass.....	60,076	5	10	3	.05		.15	
Homestead, Pa.....	20,362	5	20	20	.98	3	.15	15.0
Hot Springs, Ark.....	11,836	1	31	6	.51			
Huntington, Ind.....	13,808	4	19	19	1.38	5	.36	26.3
Huntington, W. Va.....	49,198	1	15			12	.24	
Ironwood, Mich.....	15,589	5	5	3	.19	2	.13	66.7
Ithaca, N. Y.....	16,891	5	25	9	.53	0		
Jackson, Mich.....	47,502	4	17	4	.08	0		
Jacksonville, Fla.....	80,814	4	115	43	.48	8	.09	18.6
Jacksonville, Ill.....	15,693	3	44	28	1.78	3	.19	10.7
Jamestown, N. Y.....	38,525	3	18	16	.42	2	.05	12.5
Jefferson City, Mo.....	14,258			2		2	.14	
Joliet, Ill.....	38,214	1	22	47	1.23			
Joplin, Mo.....	29,969	2	54	15	.50	5	.17	33.3
Kalamazoo, Mich.....	48,373	5	25	25	.52	8	.17	32.0
Kenosha, Wis.....	39,488	4	13	10	.25	3	.08	30.0
Kewanee, Ill.....	15,680	2	8			2	.13	
Key West, Fla.....	18,811					1	.05	
Kingston, N. Y.....	26,648	4	44	14	.53	2	.08	14.3
Knoxville, Tenn.....	75,082	2	43	34	.45	13	.17	38.2
Kokomo, Ind.....	20,395	4	46	8	.27	4	.14	50.0
Lackawanna, N. Y.....	17,744	3	13	9	.51	1	.03	11.1
La Crosse, Wis.....	30,365	5	8	5	.16	2	.07	40.0
La Fayette, Ind.....	22,362	5	15	6	.27	2	.09	33.4
Lakewood, Ohio.....	40,365	3	2	10	.25	2	.05	20.0
Lancaster, Ohio.....	14,623	2	6	11	.75	3	.21	27.3
Lancaster, Pa.....	52,845	5	35	16	.30	4	.08	25.0
Lansing, Mich.....	55,983	2	69	116	2.07	8	.14	6.9
La Salle, Ill.....	12,972	4	13	4	.31	1	.08	25.0

Reported Prevalence, 1919—Averages for Previous Years—Continued.

TYPHOID FEVER—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years in- cluded.	Cases re- ported.	Cases re- ported.	Cases per 1,000 inhab- itants.	Deaths regis- tered.	Deaths per 1,000 inhab- itants.	Fatali- ties per 100 cases.
Lawrence, Kans.....	12,452	1	18	15	1.20	1	0.08	6.7
Lawrence, Mass.....	93,839	5	54	75	.80	7	.07	9.3
Leavenworth, Kans.....	17,038	5	53	5	.29	1	.06	20.0
Lebanon, Pa.....	24,365	3	22	41	1.68	1	.04	2.4
Lexington, Ky.....	41,203	5	49	50	1.21	17	.41	34.0
Lima, Ohio.....	40,750	3	40	121	2.97	11	.27	9.1
Lincoln, Nebr.....	54,369	5	30	8	.15	1	.02	12.5
Little Falls, N. Y.....	12,990	5	8	1		1	.08	
Little Rock, Ark.....	64,016	3	67	33	.52	7	.11	21.2
Logansport, Ind.....	21,493	5	49	3	.14	1	.05	33.3
Long Beach, Calif.....	53,647	5	16	5	.09	2	.04	40.0
Long Branch, N. J.....	13,510	5	17	7	.52			
Lorain, Ohio.....	36,862	5	15	3	.08			
Lynchburg, Va.....	29,932	4	91	19	.63	2	.07	10.5
McAlester, Okla.....	12,139	1	4	8	.66	0		
McKeesport, Pa.....	45,806	5	25	14	.31	4	.09	28.6
Macon, Ga.....	52,360	2	69	42	.80	13	.25	31.0
Malden, Mass.....	48,861	5	14	28	.57	1	.02	3.6
Manchester, Conn.....	18,126	1	2	3	.17	2	.11	66.7
Manchester, N. H.....	77,955	5	16	20	.26	3	.04	15.0
Manitowoc, Wis.....	17,329	4	5	1		1	.06	
Mankato, Minn.....	12,361	3	5	3	.24			
Mansfield, Ohio.....	27,461	5	15	14	.51	1	.04	7.1
Marinette, Wis.....	13,662	5	9	2	.15	1	.07	50.0
Marion, Ind.....	23,521	4	5	3	.13	1	.04	33.3
Marlboro, Mass.....	15,005	3	9	7	.47	1	.07	14.3
Marquette, Mich.....	12,655	4	18	10	.79			
Martins Ferry, Ohio.....	11,505	1	4	3	.26	1	.09	33.3
Mason City, Iowa.....	19,610	2	8	1	.05	0		
Massillon, Ohio.....	17,245	5	5	5	.29			
Maywood, Ill.....	11,864	2	1	1	.08	0		
Meadville, Pa.....	14,476	2	5	1	.07	0		
Medford, Mass.....	38,220	5	10	16	.42			
Melrose, Mass.....	18,076	3	3	3	.17	0		
Methuen, Mass.....	14,996	1	7	2	.13			
Middletown, N. Y.....	18,260	4	7	3	.16	1	.05	33.3
Middletown, Ohio.....	23,056	5	9	11	.48	1	.04	9.1
Milford, Mass.....	13,450	3	3	4	.30	0		
Missoula, Mont.....	12,678	4	5	3		3	.24	
Mobile, Ala.....	59,707	5	70	36	.60	15	.25	41.7
Moline, Ill.....	30,374	4	125	40	1.32	8	.26	20.0
Monessen, Pa.....	17,849	3	30	7	.39	2	.11	28.6
Montclair, N. J.....	28,436	5	7	10	.35			
Montgomery, Ala.....	43,190	3	68	18	.42	7	.16	38.9
Morristown, N. J.....	12,546	5	11	16	1.28	1	.08	6.2
Mount Vernon, N. Y.....	42,118	5	13	3	.07	0		
Muncie, Ind.....	35,879	4	20	20	.56	2	.06	10.0
Muscatine, Iowa.....	16,074			5	.31	1	.06	20.0
Muskegon, Mich.....	35,925	3	7	25	.70	4	.11	16.0
Nanticoke, Pa.....	22,422	4	4	3	.13			
New Albany, Ind.....	22,870	4	20	4	.17	1	.04	25.0
Newark, Ohio.....	26,650	3	40	20	.75	1	.04	5.0
New Britain, Conn.....	58,523	4	15	8	.14	3	.05	37.5
New Brunswick, N. J.....	32,295	4	22	1	.03			
Newburgh, N. Y.....	30,234	4	27	18	.60	5	.17	27.8
Newburyport, Mass.....	15,584	2	5	12	.77	1	.06	8.3
Newcastle, Ind.....	11,200	2	3	3	.21	1	.07	33.3
New Castle, Pa.....	44,492	5	56	9	.20	4	.09	44.4
New London, Conn.....	25,377	2	10	19	.75	3	.12	15.8
Newport, Ky.....	29,368	2	11	29	.68	1	.03	5.0

Reported Prevalence, 1919—Averages for Previous Years—Continued.

TYPHOID FEVER—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Newport, R. I.	30,095	5	7	4	0.13	1	0.03	25.0
New Rochelle, N. Y.	35,835	4	13	1	.03			
Newton, Mass.	45,732	5	23	18	.39	2	.04	11.1
Niagara Falls, N. Y.	49,714	4	24	15	.30	1	.02	6.7
Norristown, Pa.	32,090	5	30	11	.34	4	.12	36.4
North Adams, Mass.	22,268	5	25	6	.27	1	.04	16.7
Northampton, Mass. ¹	21,821	5	7	3	.14	0		
North Braddock, Pa.	14,768	3	10	4	.27	0		
Northbridge, Mass.	10,104	1	1	2	.20	0		
North Tonawanda, N. Y.	15,300	5	43	24	1.57	5	.33	20.8
Norwalk, Conn.	27,093	2	11	13	.48	3	.11	23.1
Norwich, Conn.	22,204	3	5	6	.27			
Norwood, Ohio.	24,514	5	4	3	.12	0		
Oak Park, Ill.	38,780	4	21	6	.15	0		
Ogden, Utah.	32,432	4	12	17	.52	3	.09	17.6
Oil City, Pa.	20,985	3	6	2	.10			
Oklahoma City, Okla.	89,865	5	43	46	.51	11	.12	23.9
Olean, N. Y.	20,209	5	12	16	.79	2	.10	12.5
Orange, N. J.	33,081	4	17	2	.06	1	.03	50.0
Oshkosh, Wis.	33,157	5	14	6	.18	0		
Ossining, N. Y.	10,777	5	3	2	.19			
Ottumwa, Iowa	22,952	1	12	12	.52	2	.09	16.7
Owensboro, Ky.	17,351			9	.52			
Owosso, Mich.	12,424	1	3	5	.40	1	.08	20.0
Paducah, Ky.	24,633	2	15	12	.49	6	.24	50.0
Parkersburg, W. Va.	19,036	3	18	16	.80	2	.10	12.5
Pasadena, Calif.	44,578	4	4	4	.09	1	.02	25.0
Passaic, N. J.	63,358	5	9	4	.06	1	.02	25.0
Pawtucket, R. I.	63,598	5	12	9	.14	4	.06	44.4
Peabody, Mass.	19,355	4	7	3	.15	0		
Peekskill, N. Y.	15,836	5	5	2	.13	0		
Pekin, Ill.	11,973	2	3	4	.33			
Peoria, Ill.	75,649	3	9	9	.12	3	.04	33.3
Perth Amboy, N. J.	41,213	5	15	6	.15	1	.02	16.7
Petersburg, Va.	30,648	2	53	29	.95	4	.13	13.8
Pine Bluff, Ark.	19,065	1	6	14	.73			
Piqua, Ohio.	14,959	5	15	14	.94	1	.07	7.1
Pittsburg, Kans.	17,882			10	.56	1	.06	10.0
Pittsfield, Mass.	41,255	5	17	9	.22	0		
Plainfield, N. J.	27,332	5	8	7	.26	1	.04	14.3
Plymouth, Pa.	16,526	5	7	3	.18	1	.06	33.3
Pocatello, Idaho.	14,698	1	3	14	.95	5	.34	35.7
Pomona, Calif.	13,335	1	0			2	.15	
Pontiac, Mich.	33,256	3	12	24	.72	6	.18	25.0
Port Chester, N. Y.	16,879	3	5	7	.43	0		
Port Huron, Mich.	25,579	2	15	8	.31	0		
Portland, Me.	68,721	4	104	64	.93	6	.09	9.4
Portsmouth, N. H.	13,451	3	3	6	.45			
Portsmouth, Ohio.	32,520			18	.55	6	.18	33.3
Portsmouth, Va.	53,295	3	29	37	.69	5	.09	13.5
Poughkeepsie, N. Y.	34,636	3	13	9	.26	1	.03	11.1
Provo, Utah.	10,232	1	0			1	.10	
Quincy, Ill.	36,009	5	20	15	.42	4	.11	26.7
Quincy, Mass.	47,091	3	12	15	.32	1	.02	6.7
Racine, Wis.	37,533	2	8	14	.24	2	.03	14.3
Rahway, N. J.	10,954	2	7	7	.64	0		
Raleigh, N. C.	24,150	2	14	5	.21	1	.04	20.0
Reno, Nev.	11,957	4	14	25	2.93	3	.25	8.6
Richmond, Ind.	26,536	2	4	6	.23	2	.08	33.3
Riverside, Calif.	19,128	2	17	17	.89	5	.26	29.4

¹Year ended Nov. 30, 1919.

Reported Prevalence, 1919—Averages for Previous Years—Continued.

TYPHOID FEVER—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years included.	Cases reported.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Roanoke, Va.	50,020	4	59	33	0.66	8	0.16	24.2
Rockford, Ill.	64,608	5	21	8	.12	2	.03	25.0
Rock Island, Ill.	34,619	2	15	9	.26	0
Rocky Mount, N. C.	12,500	2	19	6	.48	1	.08	16.7
Romé, N. Y.	26,040	5	11	8	.31	0
Sacramento, Calif.	64,767	4	107	47	.73	6	.09	12.8
St. Joseph, Mo.	77,911	3	34	25	.32	15	.19	60.0
Salem, Mass.	42,589	5	6	5	.12
Salem, Oreg.	17,494	4	9	3	.17	0
San Bernardino, Calif.	18,415	4	6	78	4.24	3	.16	3.8
San Diego, Calif.	72,875	5	32	11	.15	4	.05	36.4
Sandusky, Ohio	22,747	5	15	12	.53	1	.04	8.3
Sanford, Me.	10,606	1	6	6	.57	2	.19	33.3
Santa Barbara, Calif.	19,040	4	7	6	.32	1	.05	16.7
Santa Cruz, Calif.	10,929	2	2	2	.18
Saratoga Springs, N. Y.	13,208	4	15	13	.98	1	.08	7.7
Saugus, Mass.	10,728	2	.19	0
Sault Ste. Marie, Mich.	12,123	5	14	14	1.15	3	.25	21.4
Savannah, Ga.	82,315	1	115	56	.68	12	.15	21.4
Schenectady, N. Y.	87,904	5	48	13	.15	2	.02	15.4
Sharon, Pa.	21,413	2	15	3	.14
Sheboygan, Wis.	30,720	2	15	15	.49	5	.16	33.3
Shenandoah, Pa.	24,780	1	8	3	.12
Sioux City, Iowa	70,022	3	.04
Sioux Falls, S. Dak.	24,605	3	13	7	.28	1	.04	14.3
Somerville, Mass.	92,274	5	23	17	.18	1	.01	5.9
South Bend, Ind.	70,092	2	140	12	.17	8	.11	66.7
Southbridge, Mass.	14,160	5	5	12	.85
Spartanburg, S. C.	22,374	3	43	15	.67	3	.13	20.0
Springfield, Ill.	58,796	3	65	13	.22	4	.07	30.8
Springfield, Mo.	39,403	1	57	8	.20
Springfield, Ohio.	60,123	4	43	13	.22	1	.02	7.7
Staunton, Va.	10,622	1	11	10	.94
Steeltown, Pa.	13,470	5	17	2	.15
Steubenville, Ohio.	28,193	5	50	22	.78	4	.14	18.2
Sunbury, Pa.	15,621	3	23	7	.45
Superior, Wis.	39,663	5	28	6	.15	1	.03	16.7
Tacoma, Wash.	96,284	4	28	10	.10	2	.02	20.0
Tamaqua, Pa.	12,214	2	2	1	.08
Tampa, Fla.	50,558	4	119	116	2.29	15	.30	12.9
Taunton, Mass.	36,989	5	10	4	.11	1	.03	25.0
Terre Haute, Ind.	65,675	2	9	9	.14	4	.03	44.4
Texarkana, Tex.	11,393	2	7	5	.44
Tiffin, Ohio	14,247	2	12	7	.49
Topeka, Kans.	49,696	2	47	27	.54	4	.08	14.8
Traverse City, Mich.	10,986	1	1	8	.73
Trinidad, Colo.	10,870	4	8	8	.74
Troy, N. Y.	72,260	4	68	30	.42	4	.06	13.3
Tucson, Ariz.	19,923	1	2	2	.10	0
Tyler, Tex.	11,998	1	11	7	.58	0
Uniontown, Pa.	15,571	2	26	21	1.35
Utica, N. Y.	93,140	5	34	7	.08	1	.01	14.3
Vancouver, Wash.	12,465	1	7	2	2	.16
Waco, Tex.	37,878	2	63	27	.71	6	.16	22.2
Waltham, Mass.	30,756	5	14	11	.36	2	.07	18.2
Warren, Ohio	26,228	4	22	40	1.53	7	.27	17.5
Warren, Pa.	14,092	5	21	15	1.06	1	.07	6.7
Washington, Pa.	21,341	4	35	33	1.55	9	.42	27.3
Waterbury, Conn.	90,469	4	62	21	.23	1	.01	4.8

Reported Prevalence, 1919—Averages for Previous Years—Continued.

TYPHOID FEVER—Continued.

City.	Estimated population July 1, 1919.	Average.		1919				
		Number of years in- cluded.	Cases re- ported.	Cases re- ported.	Cases per 1,000 inhab- itants.	Deaths regis- tered.	Deaths per 1,000 inhab- itants.	Fatali- ties per 100 cases.
Watertown, Mass.....	21,015	4	7	3	.14	0		
Watertown, N. Y.....	31,050	5	39	5	.16	2	.06	40.0
Waterville, Me.....	13,254	1	1	14	1.06	0		
Watervliet, N. Y.....	16,022			5	.31	1	.06	20.0
Wausau, Wis.....	18,553	4	8	17	.92	1	.05	5.9
Webster, Mass.....	13,168	5	4	3	.23			
West Chester, Pa.....	11,720	5	6	12	1.02	6	.51	50.0
Westfield, Mass.....	18,472	5	7	3	.16	0		
West Hoboken, N. J.....	39,828	3	2	3	.08			
West New York, N. J.....	29,083	3	5	2	.07	1	.03	50.0
West Orange, N. J.....	15,336	2	8	2	.13			
Wheeling, W. Va.....	53,669	5	118	31	.58	4	.07	12.9
White Plains, N. Y.....	20,828	3	8	16	.77	1	.05	6.2
Wichita, Kans.....	71,115	5	84	50	.70	5	.07	10.0
Wilkinsburg, Pa.....	24,121	2	10	9	.37	2	.08	22.2
Williamsport, Pa.....	35,975	2	17	15	.44	3	.08	18.7
Willimantic, Conn.....	12,274	2	11	4	.33	2	.16	50.0
Wilmington, N. C.....	32,079	4	51	83	2.52	15	.45	18.1
Winchester, Mass.....	10,424	2	2	1		1	.10	
Winona, Minn.....	19,114	3	3	1	.05	0		
Winston-Salem, N. C.....	47,072	4	138	87	1.85	12	.25	13.8
Winthrop, Mass.....	15,181	4	4	3	.20	0		
Woburn, Mass.....	16,509	5	9	8	.48	0		
Yakima, Wash.....	18,309	4	29	14	.76	2	.11	14.3
York, Pa.....	47,370	3	78	32	.68			
Zanesville, Ohio.....	29,490	3	82			14	.47	